NATURAL GAS CORPORATION OF CALIFORNIA

85 South 200 East Vernal, Utah 84078 (801) 789-4573

June 17, 1981

JUN 2

Mr. E. W. Guynn Geological Survey-Conservation Div. 2000 Administration Bldg. 1745 West 1700 South Salt Lake City, UT 84104

DIVISION OF OIL, GAS & MINING

Mr. Michael T. Minder Division of Oil, Gas & Mining 1588 West North Temple Salt Lake City, UT 84116

Re: Proposed NGC #23-20 Federal Devils Playground Unit NE¼ SW¼ Section 20, T9S, R24E Uintah County, Utah

Gentlemen:

Enclosed are the following documents relating to drilling the above referenced well:

- 1) Application for Permit to Drill
- 2) Surveyor's Plat
- 3) 10 Point Plan
- 4) BOP and Pressure Containment Specifications
- 5) 13 Point Surface Use Plan

Your early consideration and approval of this application would be appreciated. Should you require additional information, please contact this office.

Sincerely,

名ick Canterbury Associate Engineer

/kh

Encls.

cc: Operations Supt.

C. T. Clark E. R. Henry


Form approved. Budget Bureau No. 42-R1425.

UNITED STATES DEPARTMENT OF THE INTERIOR

| DEPARTMENT OF THE INTERIOR 5. LEASE DESIGNATION AND BERIAL I | | | | | 5. LEASE DESIGNATION AND SERIAL NO. | |
|---|---------------------------|--------------------|---------------------------------------|-------------|-------------------------------------|--------------------------------------|
| GEOLOGICAL SURVEY | | | | | İ | 11-31266 |
| A DDI ICATION | I FOR PERMIT T | O DRILL DE | EEPEN. OF | PLUG B | ACK | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
| | I TON TENIANT I | <u> </u> | | | | |
| 1a. TYPE OF WORK DRII | LL X | DEEPEN 🗌 | } - | PLUG BAC | CK 🗆 | 7. UNIT AGREEMENT NAME |
| b. TYPE OF WELL | 45 | | G13/G13 | MULTIP | | Devils Playground |
| OIL GA | S OTHER | | SINGLE X | ZONE | <u> </u> | S. FARM OR LEASE NAME |
| 2. NAME OF OPERATOR | | | | | | Federal 9. WELL NO. |
| Natural Gas | Corporation of | California | | | | 23-20 |
| 3. ADDRESS OF OPERATOR | | | 202 700 | 4570 | | 10. FIELD AND POOL, OR WILDCAT |
| 85 South 20 | O East, Vernal, | UT 84078 | 801-/89- | 45/3 | | Wildeat. |
| 4. LOCATION OF WELL (Re | port location clearly and | in accordance with | any state requir | TOC DOA | _ | 11. SEC., T., B., M., OR BLK. |
| At surface 2069' FWL, 2368' FSL $(NE_4 SW_4)$ Section 20, T9S, R24E | | | | | L . | AND SURVEY OR AREA |
| At proposed prod. zone Sect | | | | | Section 20, T9S, R24E | |
| 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 12. COUNTY OR PARISH 13. STATE | | | | | | |
| 44.6 miles to Vernal, Utah | | | | Uintah Utah | | |
| 15. DISTANCE FROM PROPO LOCATION TO NEAREST | SED* | | 16. NO. OF ACRE | S IN LEASE | | F ACRES ASSIGNED HIS WELL |
| PROPERTY OR LEASE L (Also to nearest drig | ine, pt. | 2069' | 1594.32 | | 320 | |
| 18. DISTANCE FROM PROPE | OSED LOCATION® | | 19. PROPOSED DE | PTH | · - | RY OR CABLE TOOLS |
| TO NEAREST WELL, DRILLING, COMPLETED, 8423' ROTARY | | | · · · · · · · · · · · · · · · · · · · | | | |
| 21. ELEVATIONS (Show whe | ther DF, RT, GR, etc.) | | | | | 22. APPROX. DATE WORK WILL START* |
| 5266' Ungr. | GR | N | | | 1 | Sept. 1, 1981 |
| 23. PROPOSED CASING AND CEMENTING PROGRAM | | | | | | |
| SIZE OF HOLE | SIZE OF CASING | WEIGHT PER FOO | OT SETT | ING DEPTH | | QUANTITY OF CEMENT |
| 17-1/2" | 13-3/8" | 48#, H-40 | 80 |) | To su | ırface |
| 12-1/4" | 8-5/8" | 24#, K-55 | 2100 |) | | cacks count to surface |
| 7-7/8" | 4-1/2" | 11.6#, N-8 | 0 8423 | } | 300 s | sacks |
| • | | l | I | | 1 | |

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING

DATE: 7/8/8/ BY: M.S. Munder




DIVISION OF OIL, GAS & MINING

| IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is t zone. If proposal is to drill or deepen directionally, give per preventer program, if any. | to deepen or plug back, give data on present productive rtinent data on subsurface locations and measured and | zone and proposed new productive true vertical depths. Give blowout |
|---|---|--|
| 81GNED Rick Cantubury | TITLE Associate Engineer | DATE _June 17, 1981_ |
| (This space for Federal or State office use) | | |
| PERMIT NO. | APPROVAL DATE | |
| APPROVED BY CONDITIONS OF APPROVAL, IF ANY: | TITLE | DATE |

cc: USGS (5); Div. OG&M; Operations Supt.; C. T. Clark; E. R. Henry

T9S, R24E, S.L.B.&M.



X = Section Corners Located

PROJECT

NATURAL GAS CORP OF CALIF.

Well location, NGC # 23-20 FED.
located as shown in the NE1/4 SW1/4
Section 20, T9S, R24E, S.L.B.& M.
Uintah County, Utah



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND COMRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

REGISTERED LAND SURVEYOR REGISTRATION № 2454

UINTAH ENGINEERING & LAND SURVEYING
PO. BOX Q ~ 85 SOUTH ~ 200 EAST
VERNAL, UTAH ~ 84078

| WEATHE | CLEAR / WARM | | FILE NATURAL GAS CORP OF CALIE |
|--------|--------------|-----|--------------------------------|
| PARTY | DA RT | RDR | REFERENCES GLO PLAT |
| SCALE | I" = 1000' | | 0 ATE 4/24/81 |

10 Point Plan Natural Gas Corporation of California N.G.C. Well #23-20 Section 20, T9S, R24E

1. Surface Formation: Uinta

2. Estimated Formation Tops and Datum:

| Formation | <u>Depth</u> | <u>Datum</u> |
|---------------------------------|--------------------------|-----------------------------|
| Uinta Green River Wasatch | Surface 926' 4278' | 5278' KB +4352' +1000 |
| Top Mesaverde | 6268' | - 990' |
| Buck Tongue | 8113' | -2840' |
| Castlegate | 8208' | -2930' |
| Mancos Shale | 8423' | -3145' |

- 3. Producing Formation Depth: 4278'-8113' and 8208'-8423'
- 4. Proposed Casing Program:

| Hole Size | <u>Casing Size</u> | Weight/Ft. | Setting Depth | Casing New/Used |
|-----------|--------------------|-------------|---------------|-----------------|
| 17-1/2" | 13-3/8" | 48#, H-40 | 80' | New |
| 12-1/4" | 8-5/8" | 24#, K-55 | 2100' | New |
| 7-7/8" | 4-1/2" | 11.6#, N-80 | 8423' | New |

- 5. A 3000 psi WP BOP system as described in the BOP and Pressure Containment Data (attached) will be installed and maintained from under the 8-5/8" surface casing. BOP system including the casing will be pressure tested to a minimum of 3000 psi for 30 mins. prior to drilling and will be mechanically checked daily during drilling operations.
- 6. Mud Program:

| Interval | Mud Weight lbs/gal. | Viscosity Sec/Qt | Fluid Loss ML/30 mins. | Mud Type |
|-----------|------------------------|---------------------|------------------------|-----------|
| 0-2100 | Clear Water | | No Control | Water/Gel |
| 2100-8423 | 9.5 | 35 | 10cc/less | Brine |

- 7. Auxiliary Equipment: Upper Kelly cock, full opening stabbing valve, 2½" choke manifold, and pit level indicator.
- 8. Testing, Coring, Sampling and Logging:
 - (a) Testing: A drill stem test will be run in the Wasatch and Mesaverde formation.

(b) Coring: None.

(c) Sampling: Samples will be collected every 30' by the drilling contractor from 2100' to 4000', then every 10' from 4000' to TD.

10 Point Plan NGC #23-20 Page 2

(d) Logging:

Type

Interval

DIL w/GR (1)

Surface to TD

BHC Sonic w/GR and Caliper + "F" Log Overlay

Surface to TD

CNL/FDC w/GR

Potential Pay Zones

9. Abnormalities: No abnormal temperatures, pressures, or other potential hazards are anticipated.


Drilling Schedule: Anticipated starting date is September 1, 1981; duration of operations - 30 days. 10.

NATURAL GAS CORPORATION OF

CALIFORNIA

BOP AND PRESSURE CONTAINMENT DATA

NGC #23-20



- BOP equip shall consist of a double gate, hydraulically operated preventer with pipe & blind rams or two single ram type preventers, one equipped w/pipe rams, the other w/blind rams.
- BOP's are to be well braced w/ hand controls extended clear of substructure.
- 3. Accumulator to provide closing pressure in excess of that required w/sufficient volume to operate all components.
- Auxiliary equipment: Lower kelly cock, full opening stabbing valve, 2½" choke manifold, pit level indicator &/or flow sensors w/alarms.
- 5. All BOP equipment, auxiliary equipment stand pipe & valves & rotary hose to be tested to the rate pressure of the BOP's at time of installation & every 30 days thereafter. BOP's to be mechanically checked daily.
- Modification of hook-up or testing procedure must be approved in writing on tour reports by wellsite representative.

NATURAL GAS CORPORATION OF CALIFORNIA 13 Point Surface Use Plan

for

Well Location

NGC #23-20

Located In

Section 20, T9S, R24E, S.L.B. & M.

Uintah County, Utah

1: EXISTING ROADS

See attached topographic map A.

To reach NGC Well #23-20 in Section 20, T9S, R24E, proceed east from Vernal, Utah along U. S. Highway 40, 24 miles to the junction with State Highway 45. Go south on Highway 45 for 22 miles to Bonanza, Utah. Proceed west from Bonanaza on a gravel surface road for 4.5 miles to the junction of this road and the proposed road. No new construction is anticipated on any of the above described roads.

2. PLANNED ACCESS ROAD

See attached topographic map B .

The proposed road will leave the existing road in the NE% SW% of Section 20, T9S, R24E and proceed in a northeasterly direction 200' to the location.

The access road will be constructed to the following standards:

- 1) Width The running surface will be 18 feet and the total disturbance width including the ditches will not exceed 30 feet.
- Maximum grade 3%
- 3) Turnouts - None.
- Drainage designs Ditches will be constructed on each side of the road, V-shaped, 1 foot deep at 3:1 slopes.
- Location and size of culverts, major cuts and fills One culvert will be installed.
- 6) Surfacing materials - None.
- Gates, cattleguards, or fence cuts None. 7)
- The proposed road has been flagged. 8)

3. LOCATION OF EXISTING WELLS

The following wells are located within a $\underline{1}$ mile radius of the location site.

- 1) Water Wells None.
- 2) Abandoned Wells None.
- 3) Temporarily Abandoned Wells None.

- 4) Disposal Wells None.
- 5) Drilling Wells None.
- 6) Producing Wells None.
- 7) Shut-in Wells Devils Playground Well #23-17, NE¼ SW¼ of Section 17, T9S, R24E.
- 8) Injection Wells None.
- 9) Monitoring or observation wells for other resources None.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

- A. (1) Tank batteries none.
 - (2) Production facilities none.
 - (3) Oil gathering lines none.
 - (4) Gas gathering lines none.
- B. (1) In the event production is established, plans for a gas pipeline from this location to the existing gathering lines will be submitted under an amendment to this plan for approval. All petroleum production facilities are to be contained within the proposed location site. In the event that production of oil from this well is established, a berm will be constructed around the tank battery large enough to contain the contents of tanks.
 - (2) Construction methods and materials Production facilities will be placed on the proposed pad. Construction materials will come from the unused portion of the pad.
 - (3) Livestock and wildlife protection The evaporation pond will be fenced on all four sides and overhead wire with flagging installed, if there is oil in the pit.
- C. The rehabilitation of disturbed areas no longer required for the production of this well will be completed by backfilling, recontouring, top-soiling and seeding.

5. LOCATION AND TYPE OF WATER SUPPLY

See attached topographic map \underline{B} .

Water will be purchased from American Gilsonite at Bonanza, Utah and hauled over existing roads to the location.

6. SOURCE OF CONSTRUCTION METHODS

All construction materials for this location site and access road will be borrow materials, accumulated during construction of the location site. No additional road gravels or pit lining material from other sources are anticipated at this time, but if they are required, the appropriate actions will be taken to acquire them from private sources.

7. METHODS FOR HANDLING WASTE DISPOSAL

1) Cuttings, drilling fluids and produced fluids - A reserve pit will be constructed. The reserve pit will be approximately 10' deep and at least one-half of this depth shall be below the surface of the existing ground.

One-half of the reserve pit will be used as a fresh water storage area during the drilling of this well and the other one-half will be used to store nonflammable materials such as cuttings, salts, drilling fluids, chemicals, produced fluids, etc.

Prior to the onset of drilling, a "stock tight" fence shall be installed on three sides of the reserve pit. This fence will be either (1) woven wire at least 28 inches high and within 4 inches of ground surface with two strands of barbed wire above the woven wire with 10-inch spacing, or, (2) at least five strands of barbed wire spaced, starting from the ground, at approximately 6-, 8-, 10-, 12-, and 12-inch intervals. At the completion of drilling operations, the fourth side of the reserve pit will be fenced and allowed to dry completely before the pit is backfilled. If there is oil on the pits, overhead wire and flagging will be installed on the pits.

If deemed necessary by the agencies concerned to prevent contamination to surrounding areas, the reserve pit will be lined with a gel.

- 2) Sewage A portable chemical toilet will be supplied for human waste.
- 3) Garbage Trash cages will be on all locations and all trash will be removed to an authorized landfill.
- 4) Site Clean-up Immediately after the rig is moved out, the area around the well site will be cleaned and all refuse placed in the burn pit.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. WELL SITE LAYOUT

See typical rig layout.

10. PLANS FOR RESTORATION OF THE SURFACE

Prior to construction of the location, the top $\underline{6}$ inches of soil material will be stripped and stockpiled. This will amount to approximately $\underline{1400}$ cubic yards of material that will be stockpiled.

If the well is producing, the platform and pit areas no longer required for the production of the well will be backfilled, recontoured, topsoiled and seeded.

If the well is abandoned, the entire disturbed area (including roads) will be restored by: (1) backfilling; (2) recontouring; (3) topsoiling; (4) seeding. Specifically: the platform highwall(s) and road fill(s) will be eliminated by moving all excavated material back in place. Restoration of the location and access road will begin within 90 days after completion of the well. The BLM representative will be notified prior to starting the rehabilitation operations.

The following seed mixture and methods for seeding will be used:

The seed mixture will be provided by the BLM at the time of abandonment.

Seed will be planted after September 1 and prior to ground frost; or seed will be planted after the frost has left and before May 15. All seed will be drilled on the contour at a depth of $\frac{1}{2}$ to $\frac{1}{2}$ inch. Slopes too steep or rocky for machinery will be broadcast and the seed hand raked into the soil. When broadcasting the seed, the rate per acre will be doubled.

The Lessee further covenants and agrees that all of said clean-up and restoration activities shall be done and performed in a diligent and most workmanlike manner and in strict conformity with the above mentioned Items #7 and #10.

11. OTHER INFORMATION

The location and proposed access road are on Federal Land administered by the Bureau of Land Management.

The closest water is the White River approximately four miles to the south.

Bonanza, Utah is located approximately 4.5 miles east of the location.

There are no known archaeological, historical or cultural sites in the area of the location or road.

12. LESSEE'S OR OPERATOR'S REPRESENTATIVE

Natural Gas Corporation of California 85 South 200 East Vernal, UT 84078 Attn: Rick Canterbury


Telephone: (801) 789-4573


13. CERTIFICATION


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge and belief, true and correct; and that the work associated with the operations proposed herein will be performed by Natural Gas Corporation of California and its contractors in conformity with this plan and terms and conditions with this plan and the terms and conditions under which it is approved.


June 18, 1981

Rick Canterbury, Associate Engineer









** FILE NOTATIONS **

| DATE: | July 8,1981 |
|-------|---|
| OPERA | TOR: Matural Das Cop of Calif. |
| WELL | NO: Devilo Playground Federal #23-20 ion: Sec. 20 T. 95 R. 248 County: Writah |
| Locat | ion: Sec. 20 T. 95 R. 348 County: Writah |
| File | Prepared: DEntered on N.I.D: |
| Card | Indexed: Completion Sheet: |
| | API Number 43-047-31009 |
| CHECK | ED BY: |
| | Petroleum Engineer: 7/8/8/ M.J. Munder |
| | |
| | Director: |
| | Administrative Aide: Unit Well, okon boundaries |
| APPRO | VAL LETTER: |
| : | Bond Required: / Survey Plat Required: / / |
| | Order No O.K. Rule C-3 |
| : | Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site |
| | Lease Designation [] Ed Plotted on Map [|
| | Approval Letter Written |
| 1 | Hot Line P.I. |

July 9, 1981

Natural Gas Corporation of Calif. 85 South 200 East Vernal, Utah 84078

RE: Well No. Devils Playground Federal #23-20 Sec. 20, T. 9Sm R. 24E, Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953: and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to <u>immediately</u> notify the following:

MICHAEL T. MINDER - Petroleum Engineer Office: 533-5771 Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31009.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

Michael T. Minder Petroleum Engineer

for a stranger of

MTM/db CC: USGS

Form approved. Budget Bureau No. 42-R1425.

| _ | SOPRIL IN INITECTE. |
|---------------|--------------------------------------|
| UNITED STATES | (Other instructions on reverse side) |
| | |

| . Cy | | IT OF THE I | | | se side) | 5. LEASE DESIGNATION AND SERIAL NO. |
|--|------------------------------------|----------------------|----------------|------------------------------|----------------|--|
| P | | OGICAL SURV | | | | |
| APPLICATION | V FOR PERMIT | TO DRILL | DEED | EN OR PLUG | BACK | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
| TYPE OF WORK | T TOK TEKINIII | 10 Bille, | | EIV, OK I EOO | - D/ (CIC | |
| DRI | LL X | DEEPEN | | PLUG B | ACK 🗌 | 7. UNIT AGREEMENT NAME |
| b. Type of Well oil Gas Single Multiple C | | | | | TIPLE (***) | Devils Playground 8. FARM OR LEASE NAME |
| WELL W | ELL X OTHER | | | ONE ZON | | Federal |
| | Componation | of Californi | _ | | | 9. WELL NO. |
| ADDRESS OF OPERATOR | Corporation o | or carriorni | a | | | 23-20 |
| 85 South 20 | O East, Vernal | I IIT 84078 | 80 | 11_789_4573 | | 10. FIELD AND POOL, OR WILDCAT |
| LOCATION OF WELL (R. | eport location clearly as | nd in accordance wi | th any S | State requirements.*) | | Wildcat |
| | WL, 2368' FSL | (NE¼ SW¼) S | ectio | on 20, T9S, R | 24E | 11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA |
| At proposed prod. zon | | | | | | Section 20, T9S, R24E |
| | AND DIRECTION FROM NE | | T OFFIC | E.* | | 12. COUNTY OR PARISH 13. STATE |
| | to Vernal, Uta | an | | | | Uintah Utah |
| DISTANCE FROM PROPO LOCATION TO NEAREST | 2 | | 16. NO |). OF ACRES IN LEASE | | OF ACRES ASSIGNED HIS WELL |
| PROPERTY OR LEASE L (Also to nearest drig | g. unit line, if any) | 2069' | | 594.32 | 320 |) |
| DISTANCE FROM PROP | | | 19. PF | OPOSED DEPTH | 20. пота | RY OR CABLE TOOLS |
| OR APPLIED FOR, ON THE | IS LEASE, PT. | | 8 ² | 123' | Kot | tary |
| 5266' Ungr. | ether DF, RT, GR, etc.) | | | | | 22. APPROX. DATE WORK WILL START* Sept. 1, 1981 |
| ocoo ongr. | - JI | PROPOSED CASI | NG ANI | CEMENTING PROC | GRAM | . Jepu, 1, 1301 |
| SIZE OF HOLE | SIZE OF CASING | WEIGHT PER F | оот | SETTING DEPTH | | QUANTITY OF CEMENT |
| 17-1/2" | 13-3/8" | 48#, H-40 | | 80 | To su | ırface |
| 12-1/4" | 8-5/8" | 24#, K-55 | | 2100 | 600 s | |
| 7-7/8" | 4-1/2" | 11.6#, N- | | 8423 | 300 s | |
| | | | | | OIL WAT | ED TO PROTECT SHALE AND FRES ER CEMENT TO SUR |
| | | | | | | NUG1 4 1001 |
| | | | | | OIL | DIVISION OF -, GAS & MINING |
| | drill or deepen direction | nally, give pertinen | t data o | n subsurface locations | s and measured | uctive zone and proposed new productive I and true vertical depths. Give blowout |
| | anterbury ral or State office use) | TIP TIP | rle <u>A</u> | ssociate Engi | ıneer | |
| PERMIT NO. | | | | APPROVAL DATE | | |
| APPROVED BY | Man | Tu TI | rle | FOR E. W. GUYI DISTRICT I | | AUG 1 3 1981 |
| cc: USGS (| AL, IF ANY: 5); Div. OG&M | Operations | Supt | .; C. T. Clar | rk; E. R. | FLARING OR VENTING Henry GAS IS SUBJECT TO NT DATED 1/1/80 |

NOTICE OF APPROVAL

*See Instructions On Reverse Side
CONDITIONS OF APPROVAL ATTACHED of tate of to TO OPERATOR'S COPY

| Identification | CER/EA | No. | 514-81 |
|-----------------|--------|-----|--------|
| Idelies Freezes | O | | |

United States Department of the Interior Geological Survey 2000 Administration Bldg. 1745 West 1700 South Salt Lake City, Utah 84104

NEPA CATEGORICAL EXCLUSION REVIEW

| PROJECT IDENTIFICA | TION | | |
|--------------------------------------|------------------------|---|-------------------------------------|
| Operator Natural | Gas Company of Califo | rnia | |
| Project Type Ga | s Well | | |
| Project Location _ | 2069' FWL 2368' FSL | Section 20, T. 9S, R. 24E | |
| Well No. 23-20 | L | ease NoU-31266 | |
| | ttedJune 22, 1981 | | |
| FIELD INSPECTION | Date July 29, 1 | 981 | |
| Field Inspection Participants | Greg Darlington | USGS, Vernal | |
| _ | Cory Bodman | BLM, Vernal | |
| | Bill Ryan | Natural Gas Corp. | |
| • | Rick Canterbury | Natural Gas Corp. | |
| | David Stubbs | Ross Construction | · |
| Related Environmen Unit, BLM, Vernal | car bocdinenes. | Resource Analysis, Bonanza Pl | anning |
| guidelines. This | proposal would not inv | ce with the categorical exclus olve any significant effects a the categorical exclusions. | sion review and, there- |
| August 5,19 | | Bugory Dowlington Environmental Scient | rist |
| | epareu | / Invitoimental balance | |
| I concur AUG (| 7 1981 | W Marten | FOR E. W. GUYNN DISTRICT ENGINEE |
| Da | te | District Supervisor | |

Typing Out <u>8-3-81</u>

Typing In <u>8-3-81</u>


PROPOSED ACTIONS:

Natural Gas Company of California plans to drill the Devils Playground #23-20 well, an 8423' gas test of the Wasatch and Castlegate formations. About 300' of new access road will be required. A large low water crossing is planned for the sizeable wash on the west side of the location. A pad 200' by 300' and a reserve pit 75' by 100' are planned for the location.

RECOMMENDED APPROVAL CONDITIONS:

The operator agrees to accept and adhere to the following conditions in addition to the plans outlined in the APD:

- 1. BLM Stipulations
- 2. Lease Stipulations
- 3. Provide adequate logs for the identification of other minerals as requested in the Mineral Evaluation Report and Mining Report.



East View NGCC 23-20-9-24

FIELD NOTES SHEET

| Date of Field Inspection: July 29, 1981 |
|---|
| Well No.: 23-28 |
| Lease No.: |
| |
| Approve Location: |
| Modify Location or Access Road: Linghenel access road about 100 feet |
| Modify Location or Access Road: lengthened access now in the |
| Modify Location or Access Road: lengthened access road sold stowed topography more improved intercection with existing road and followed topography more closely to reduce resultant impacts. Also a better upot to cross the way |
| elouly to reduce resultant imports. Mor a beller agod to cross its |
| |
| Two lugion |
| Evaluation of Criteria for Categorical Exclusion |
| 1. Public Health and Safety |
| n Waisun Characteristics |
| 3. Environmentally Controversial Items |
| 4. Uncertain and Unknown Risks |
| 5. Establishes Precedents |
| 6. Cumulatively Significant 7. National Register Historic Places |
| . I/ML-cotobod SDECIES |
| 9. Violate Federal, State, Local, of Title 2 |
| If this project is not eligible for Categorical Exclusion circle the numbers of |
| If this project is not eligible for Categorical and |
| the above criteria requiring the preparation of an EA. |
| |
| Comments and special conditions of approval discussed at onsite: (include local |
| Comments and special conditions of approval discussed as the |
| on I de time Proximate to amaderable work 5-8 head |
| topography) for wearn, for about the |
| I I have water in osing will be needed in vactor pas. |
| topography) Dood bration, Proximate to amaderable work 5-8 phicle about 10 map about 10 map about 10 map about 10 map. |
| |
| |
| • |
| |

CATEGORICAL EXCLUSION REVIEW INFORMATION SOURCE

| | Federal/State Agency | | | Local and private | Other | | | | |
|---|-----------------------|--------------------|----------------|-------------------------------|------------------|---------------------------|--------------------|--------------------------------|-------|
| Criteria 5 DM 2.3.A | Correspondence (date) | Phone check (date) | Meeting (date) | corre- spondence (date) | Previous NEPA | studies and reports | Staff expertise | Onsite inspection (date) | Other |
| blic health | | | · | | | | 1, 2, 4, 6 | July 29, 1981 | |
| nique charac- | | | • | | | | 1,2,4,6 | | |
| nvironmentally ontroversial | | | * | | | | 1,2,4,6 | | |
| Incertain and Inknown risks | | · | · | | | | 1,2,4,6 | | |
| Establishes precedents | | | | | | | 1, 2, 4, 6 | | |
| Cumulatively significant | | · | | | | | 1, 2,4,6 | | |
| National Register historic places | | | | | | | 1,6 | | |
| Endangered/ threatened species | | | | | | | 1,6 | | |
| Violate Federal, State, local, tribal low | | | | | | | 1,2,4,6 | <u> </u> | • |

CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

- Surface Management Agency Input
- Reviews Reports, or information received from Geological Survey (Conservation Division, Geological Division, Water Resource Division, Topographic Division)
- Lease Stipulations/Terms
- 4. Application Permit to Drill
- 5. Operator Correspondence
- 6. Field Observation
- 7. Private Rehabilitation Agreement
- 8. USGS conditions of approval.




United States Department of the Interior

T & R U-802

BUREAU OF LAND MANAGEMENT VERNAL DISTRICT OFFICE 170 South 500 East Vernal, Utah 84078

August 4, 1981



Ed Guynn, District Engineer USGS, Conservation Division 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

> Natural Gas Corporation Re: of California Well #23-21 Sec 21, T8S R22E

Well #34-27 Sec 27, T8S R22E Well #23-20 Sec 20, T9S R24E Well #32-31 Sec 31, T9S R24E

Dear Sir:

A joint filed examination was made on July 29, 1981, of the above referenced well site locations and proposed access roads. We feel that the surface use and operating plans are adequate with the following revisions and stipulations.

- Construction and maintenance of roads, rehabilitation of disturbed 1. areas and construction of pipeline routes, shall be in accordance with surface use standards as set forth in the brochure, "Surface Operating Standards for Oil and Gas Exploration and Development."
- Traveling off access road right-of-ways will not be allowed. The 2. maximum width of access pads (both existing and planned) will be 30 feet total disturbed area. Roads will be crowned and properly maintained. Turn-outs will not be required.
- The BLM will be notified at least 24 hours prior to any construction. 3.
- Burn pits will not be constructed. There will be no burning or burying 4. of trash or garbage at the well sites. Refuse must be contained in trash cages and hauled to an approved disposal site.
- A wire mesh or net type of fence, topped with at least one strand of barbed wire, will be used around the reserve pits.
- The BLM will be contacted at least 24 hours prior to any rehabilitation 6. activities. The operator may be informed of any additional needed seeding and restoration requirements. REVOLUTION

- 7. It was agreed to by all parties present that the applied for dimensions are adequate to handle all drilling and fracturing operations.
- 8. The following amounts of topsoil will be stockpiled between reference corners #6 and #7. At well #23-21 8 inches, at well #34-27 6 inches, at well #32-31 4 inches of topsoil.
- 9. At well #23-20 the top 4 inches of topsoil will be stockpiled between reference corners #7 and #8.
- 10. Well #23-21 was rotated 20° .

A cultural resource clearance has been conducted on all the above referenced wells. No cultural materials were found.

The proposed activities do not jeopardize listed, threatened or endangered flora/fauna or their habitats.

The BLM representative will be Cory Bodman, 789-1362.

Sincerely,

Dean L. Evans Area Manager

Bookcliffs Resource Area

cc: USGS, Vernal

. وبر بساد م

U. S. GF "LOGICAL SURVEY - CONSERVATION DIVISION

FROM: : DISTRICT GEOLOGIST, ME, SALT LAKE CITY, UTAH

: DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH

SUBJECT: APD MINERAL EVALUATION REPORT

LEASE NO. U-31266

OPERATOR: NATURAL CAS CORROF CALIFORNIA WELL NO. 73-20

LOCATION: NEXNEZ 5W & sec. 20, T. 95., R. 24E, SLM.

MINITAH County, UTAH

1. Stratigraphy: UINTAIT

· UINTAH GREEN RIVER L'ASATCH TON MESAVERDE CASTLE GATE MANCOS SHALE TD SURVACE 926' 4274'

6268'

8423

2. Fresh Water:


FRESA WATER SHOULD OCCUR THROUGHOUT THE LINTAH FM. UNGERBLE SALINE WATER MAY OCCUR IN THE GREEN RIVER FM.

3. Leasable Minerals:

OIL SHALE SHOULD OCCUR IN GREEN RIVER FM.

MAHAGANY ZONE GHOULD COUR AT ~ 1900;

4. Additional Logs Needed: ADEQUATE



- 5. Potential Geologic Hazards: None Expected
- 6. References and Remarks: CASHION OPEN FILE 1769

Signature: David Wilson

Date: 7 - 13 - 81

NATURAL GAS CORPORATION OF CALIFORNIA

85 South 200 East Vernal, Utah 84078 (801) 789-4573

February 19, 1982

Mr. E. W. Guynn Minerals Management Service 2000 Administration Bldg. 1745 West 1700 South Salt Lake City, UT 84104 Mr. Bob Gilmore DeGolyer & MacNaughton No. 1 Energy Square Dallas, TX 75206

Division of Oil, Gas & Mining 4241 State Office Building Salt Lake City, UT 84114

Mr. Richard Smith Enserch Exploration, Inc. Metrobank Bldg., Suite 1322 Denver, CO 80202

Re: NGC #23-20 Federal

NE¼ SW¼ Section 20, T.9S, R.24E

Uintah County, Utah Devils Playground Unit

Gentlemen:

Attached are copies of Form 9-331, Sundry Notices and Reports on Wells, Report of Spud Date, for the above referenced well.

Sincerely,

Rick Canterbury Associate Engineer

/kh

Attachment

cc: Operations

C. T. Clark

E. R. Henry

S. Furtado

RECEIVED FED 22 1982

DIVISION OF OIL, GAS & MINING

Form Approved. Budget Bureau No. 42-R1424 **UNITED STATES** 5. LEASE 공유현 DEPARTMENT OF THE INTERIOR U-31266 £ 5 7 6. IF INDIAN, ALLOTTEE OR TRIBE NAME GEOLOGICAL SURVEY 自然實施 7. UNIT AGREEMENT NAME SUNDRY NOTICES AND REPORTS ON WELLS 8 de 1 Devils Playground (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.) 8. FARM OR LEASE NAME Federal well X other 9. WELL NO. 23-20 2. NAME OF OPERATOR Natural Gas Corporation of California 10. FIELD OR WILDCAT NAME Wildcat 3. ADDRESS OF OPERATOR 85 South 200 East, Vernal, UT 84078 11. SEC., T., R., M., OR BLK, AND SURVEY OR 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 Section 20, T.9S, R.24E below.) 2069' FWL, 2368' FSL, NE% SW% 12. COUNTY OR PARISH 13. STATE & E AT TOP PROD. INTERVAL: Section 20, T.9S, R.24E AT TOTAL DEPTH: API NO. 123 143-047-31009 14. API NO. o'to 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE. REPORT, OR OTHER DATA 15. ELEVATIONS (SHOW DF, KDB, AND WD) 5266' Ungr. Ground SUBSEQUENT REPORT OF: REQUEST FOR APPROVAL TO: **TEST WATER SHUT-OFF** FRACTURE TREAT SHOOT OR ACIDIZE (NOTE: Report results of multiple completion or zone REPAIR WELL change on Form 9–330.) PULL OR ALTER CASING MULTIPLE COMPLETE 6.56 0.01 **CHANGE ZONES** มีมอกัง เก็บ (สนา ABANDON* Report Spud Date (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give-pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Operator reports that the subject well was spudded on February 4, 1982

8:30 p.m. by Olsen Drilling Company Rig #2.

Subsurface Safety Valve: Manu. and Type _ 1 io

18. I hereby certify that the foregoing is true and correct

TITLE Associate Engr. DATE February SIGNED 파워 중요

(This space for Federal or State office use)

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

> Minerals Management Service; Div. of Oil, Gas & Mining; Enserch; DeGolyer; Operations; CTClark; ERHenry; SFurtado

7700 E. Iliff Avenue • Suite D Denver, Colorado 80231-5399 (303) 751-0180



April 12, 1982



DIVISION OF OIL, GAS & MINING

Natural Gas Corporation of California 7800 East Union Avenue, Suite 800 Denver, Co. 80237

Attn: John Fleming

HYDROCARBON WELL LOGGING REPORT Natural Gas Corporation of California NGC 23-20 Federal Sec. 20, T9S R24E Uinta County, Utah

Dear Mr. Fleming:

A Continental Laboratories two man hydrocarbon well logging laboratory was employed on the subject well from 3520' feet to the total depth of 8582' feet. Following our normal procedures and utilizing standard instruments, our analysts monitored the geological significance of drill cuttings and identified and reported on various concentrations of hydrocarbons encountered in the mud and cuttings. Following on pages 3 through 5 is a summary of our Interpretive Review of the significant hydrocarbon liberating intervals. In all cases the depths indicated in this report and on our log agree with driller's depth.

All of the data generated during the well have been summarized and graphically presented on the Comprehensive Hydrocarbon Well Log. Submitted in conjunction with this report is a copy of the Hydrocarbon Well Log, annotated with our interpretive remarks derived from a detailed study of the instrument charts. The annotated log is provided to assist you in receiving full benefit from the data contained on the Hydrocarbon Well Log. This written report should be read in conjunction with an examination of the annotated log.

Natural Gas Corporation of California April 12, 1982 Page two

It has been a pleasure to be of service to your and your associates. If we may be of further assistance in the evaluation of this well or in the interpretation of this report, please contact us. Sincerely,

CONTINENTAL LABORATORIES, INC.

Peter M. Besio

Technical Sales Representative

PB:cgn

cc: Natural Gas Corporation of California, Vernal, Ut.
Enserch Exploration, Denver, Co. Attn: Richard Smith
Enserch Exploration, Oklahoma City, Ok.
DeGolyer & MacNaughton, Dallas, Tx. Attn: Bob Gilmore
Geological Survey, Salt Lake City, Ut. Attn: E.W. Guynn
Division of Oil, Gas & Mining, SLC, Ut. Attn: Michael Minder



4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

March 15, 1983

Natural Gas Corporation of California 85 South 200 East Vernal, Utah 84078

Re: See attached list of wells

Gentlemen:

Our records indicate that you have not filed the monthly drilling reports for the months indicated above on the subject wells.

Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1B, (U.S. Geological Survey Form 9-331) "Sundry Notices and Reports on Wells", or on company forms containing substantially the same information. We are enclosing forms for your convenience.

We will be happy to acknowledge receipt of response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a firm second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

DIVISION OF OIL, GAS AND MINING

Cari Furse

Well Records Specialist

CF/cf Fnclosure Well No. NGC # 12-8-H Federal Sec. 8, T. 9S, R. 17E. Duchesne County, Utah (October 1982- February 1983)

Well No. NGC # 42-8-H Sec. 8, T. 9S, R. 17E. Duchesne County, Utah (September 1982- February 1983)

Well No. NGC Federal # 24-9-H Sec. 9, T. 9S, R. 17E. Duchesne County, Utah (November 1982- February 1983)

Well No. NGC Federal # 22-30-H Sec. 30, T. 9S, R. 17E. Duchesne County, Utah (December 1982- February 1983)

Well No. NGC # 44-19 Sec. 19, T. 8S, R. 22E. Uintah County, Utah (November 1982- February 1983)

Well No. Glen Bench Fed. # 22-30 Sec. 30, T. 8S, R. 22E. Uintah County, Utah (December 1982- February 1983) Well No. NGC # 11-31I Sec. 31, T. 9S, R. 18E. Uintah County, Utah (September 1982- February 1983)

Well No. NGC Federal # 33-18J Sec. 18, T. 9S, R. 19E. Uintah County, Utah (July 1982- February 1983)

Well No. Devil's Playground Fed # 23-20 Sec. 20, T. 9S, R. 24E. Uintah County, Utah (March 1982- February 1983)

Well No. Sweetwtr Cny. Unit # 31-15 Sec. 15, T. 14S, R. 24E. Uintah County, Utah (May 1982- February 1983)

Well No. Moccasin Trail Fed. # 14-18 Sec. 18, T. 15S, R. 25E. Uintah County, Utah (November 1982- February 1983)

Natural Gas Corporation of California

NGC NGC

NGC NGC NGC NGC NGC NGC NGC NGC NGC NGC NGC NGC

May 18, 1983

Mr. E. W. Guynn Bureau of Land Management Oil and Gas Operations 1745 West 1700 South, Suite 2000 Salt Lake City, UT 84104

Division of Oil, Gas & Mining 4241 State Office Building Salt Lake City, UT 84114

Mr. Bob Gilmore DeGolyer & MacNaughton No. 1 Energy Square Dallas, TX 75206

Mr. Richard Smith Enserch Exploration, Inc. 475 17th Street, Suite 1322 Denver, CO 80202

NGC #23-20 Federal Section 20, T.9S., R.24E. Uintah County, Utah Devils Playground

Gentlemen:

Attached are copies of Form 9-331, Sundry Notices and Reports on Wells, Report of Well Status, for the subject well.

Sincerely,

Rick Canterbury & Rick Canterbury

Associate Engineer

/kh

Attachment

Operations

E. R. Henry


C. T. Clark

85 South 200 East Vernal, Utah 84078 (801) 789-4573

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| | U U T L U U | | · | |
|----|-------------|-----|------|--|
| | U-31266 | - " | •• | |
| 5. | LEASE | | . :- | |

| GEOLOGICAL SURVEY | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
|--|---|
| SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.) | 7. UNIT AGREEMENT NAME Devils Playground 8. FARM OR LEASE NAME |
| 1. oil gas de other | Federal 9. WELL NO. |
| 2. NAME OF OPERATOR | 23-20 10. FIELD OR WILDCAT NAME |
| Natural Gas Corporation of California 3. ADDRESS OF OPERATOR | Wildcat |
| 85 South 200 East, Vernal, UT 84078 | 11. SEC., T., R., M., OR BLK. AND SURVEY OR |
| 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 | AREA |
| below.) | Sec. 20, T.9S., R.24E. |
| AT SURFACE: 2069' FWL, 2368' FSL, NE½ SW½ AT TOP PROD. INTERVAL: Section 20, T.9S., R.24E. AT TOTAL DEPTH: | 12. COUNTY OR PARISH 13. STATE Unintah Utah |
| \$ P | _ 14. API NO. |
| 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | 15. ELEVATIONS (SHOW DF, KDB, AND WD) |
| REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: | \$\frac{1}{2} |
| TEST WATER SHUT-OFF FRACTURE TREAT | 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| SHOOT OR ACIDIZE | |
| REPAIR WELL | (NOTE: Report results of multiple completion or zone change on Form 9–330.) |
| MULTIPLE COMPLETE | |
| CHANGE ZONES | |
| ABANDON* [] [] [] (other) Report of Well Status | # (3) |
| 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statincluding estimated date of starting any proposed work. If well is a measured and true vertical depths for all markers and zones pertine Operator reports the subject well has been dry production casing set. The well has not been suspended at present. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statince) including estimated and true vertical depths for all markers and zones pertine. | directionally drilled, give subsurface locations and nt to this work.)* rilled to a T.D. of 8582' and |
| Subsurface Safety Valve: Manu. and Type | Set @ Ft. |
| 18. I hereby certify that the foregoing is true and correct | |
| SIGNED Rick Canterbury TITLE ASSOCIATE Eng | |
| (This space for Federal or State of | ffice use) |
| APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY: | Danstions, CTClark, EDHonny, Ensor |
| <pre>cc: BLM-Oil and Gas Operations; Div. OG&M (DeGolyer</pre> | sperations; ciciark; exnemy; enser |





4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

December 22, 1983

Natural Gas Corporation of California 85 South 200 East Vernal, Utah 84078

> RE: Well No. Federal #23-20 2368' FSL, 2069' FWL NE SW Sec. 20, T. 9S, R. 24E. Uintah County, Utah June - December 1983

Gentlemen:

Our records indicate that you have not filed the monthly drilling reports for the months indicated above on the subject well.

Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1B, (U.S. Geological Survey Form 9-331) "Sundry Notices and Reports on Wells", or on company forms containing substantially the same information. We are enclosing forms for your convenience.

We will be happy to acknowledge receipt of response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

Claudia Jones

Well Records Specialist

CJ/cj Enclosure

UN LED STATES SUBMIT, IN DUPI (S) (S) STATES GEOLOGICAL SURVEY

(See other instructions on reverse side)

Form approved. Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO. U-31266

| WELL CON | MPLETION | OR RECOM | APLETION I | REPORT A | AND LOG | * 6. IF INDIAN, | ALLOTTEE OR TRIBE NAME |
|---|------------------|---------------------------|-------------------------|------------------|--|------------------------|----------------------------|
| la. TYPE OF WELI | T: OII' | LL GAS WELL | X DRY | Other | | 7. UNIT AGREE | |
| b. TYPE OF COMP | | | | | | | Playground |
| NEW WELL | OVER DEP | EP- PLUG BACK | DIFF. | Other Pend | ing Comple | | • |
| 2. NAME OF OPERATO | OR O | | • • • • • • • • | | | Federal | |
| | | tion of Cal | Tornia | | | 23-20 | |
| 3. ADDRESS OF OPER | ATOR | Vernal, UT | 0/1070 Told | ophono 90° | 1_720_/1573 | | D POOL, OR WILDCAT |
| | | | | | | | |
| 4. LOCATION OF WELL (Report location clearly and in accordance with any State required At surface 2069' FWL, 2368' FSL, NE ₄ SW ₄ Sec. 20, T. | | | | | 11. SEC., T., R., M., OH BLOCK AND BUR | | |
| | | | | | OR AREA | | |
| At top prod. interval reported below | | | | | Section 20, | | |
| At total depth | | | | | | | |
| • | | | 14. PERMIT NO | | DATE ISSUED | 12. COUNTY O | |
| | | | 43-047-3 | | 7/9/81 | <u> Uintah</u> | Utah |
| | | REACHED 17. DAT | | | | REB, RT, GR, ETC.)* | 19. ELEV. CASINGHEAD |
| 2/4/82 | 3/24/8 | | ending Comp | | 5280 KB | VALS ROTARY TOOL | S CABLE TOOLS |
| 20. TOTAL DEPTH, MD | A TVD 21. PLI | UG, BACK T.D., MD & | TVD 22. IF MUI | LTIPLE COMPL., | 23. INTER | | S CABLE TOOLS |
| 8382' 24. PRODUCING INTER | | CONTRACTOR TO | DOTTOM NAMES (| MD AND TUD)* | <u> </u> | ► 10-1D | 25. WAS DIRECTIONAL |
| 24. PRODUCING INTER | VAL(S), OF THIS | COMPLETION—101 | , BUILDM, MANE (| 310 110) | 1 | | SURVEY MADE |
| Not comple | stod. | | | | | | No |
| 26. TYPE ELECTRIC A | | RUN | | | | | 27. WAS WELL CORED |
| | | c, Cyberloc | k | - | | | Yes |
| 29. | | | ING RECORD (Re | port all strings | set in well) | | |
| CASING SIZE | WEIGHT, LB. | | | OLE SIZE | | NTING RECORD | AMOUNT PULLED |
| 13-3/8" | 48 | 75 | 17 | 7-1/2 | 100 sx C | lass "G" | None |
| 8-5/8" | 24 | 2090 | | 2-1/4 | 1206 sx | | H |
| 5-1/2" | 17 | 8350 | | 7-7/8 | 1300 sx | "H" | II . |
| | | | | | | | |
| 29. | | LINER RECORD |) | · | 30. | TUBING RECO | |
| SIZE | TOP (MD) | BOTTOM (MD) | SACKS CEMENT* | SCREEN (MI | SIZE | DEPTH SET (M | D) PACKER SET (MD) |
| | | | - | _ | | | |
| 31. PERFORATION REC | nonn (Internal) | ice and number | | 1 | A CUD SUIOT | FRACTURE, CEMENT | r SOUFFZE ETC |
| 31. PERFORATION REC | ORD (Intertus, a | nize unu number, | | 82. | TERVAL (MD) | | D OF MATERIAL USED |
| None | | | | DEFIN IN | ERVAD (MD) | A SOCIAL MILE | |
| | | | | ļ | | | |
| | | | | | | | |
| | | | | | | | |
| 33.* | | | PRO | DDUCTION | | | |
| DATE FIRST PRODUCT | TION PRO | DUCTION METHOD (| Flowing, gas lift, | pumping—size | and type of pump | | STATUS (Producing or t-in) |
| None | | None | | | | | <u>ending Completio</u> r |
| DATE OF TEST | HOURS TESTER | CHOKE SIZE | PROD'N. FOR TEST PERIOD | OIL BEE | GEIV | EM ATER—BBI | GAS-OIL BATIO |
| FLOW. TUBING PRESS. | CASING PRESS | URE CALCULATED 24-HOUR RA | OIL-BBL. | FAS- | MCF. | WATER | OIL GRAVITY-API (CORR.) |
| | ļ | | | | MAN 1 2 108/ | | |
| 34. DISPOSITION OF | AS (Sold, used f | or fuel, vented, etc. |) | | · · · | EST WITNES | SEED BY |
| | | | | III UL | | <u> </u> | |
| 35. LIST OF ATTACH | MENTS | | | UIV. OF | OIL, GAS & M | | |
| | | | Information to the | nnlete and ac | ant as determine | d from all available | records |
| 36. I hereby certify | that the forego | oing and attached | иногшанов 18 сов | Thiere and Coll | ett as determine | d from all available i | |
| SIGNED | 1 Kyan | <u> </u> | TITLE _ | | · | DAT | E 1/5/84 |
| TAI | A Rwan | | | | | | |

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or Step office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. In the fine this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.); formation and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

seconds on the state requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State

| <u> </u> | <u>a</u> | ELANDA DE LA COMPANION DE LA C | • |
|--|-----------------------------|--|----------------------|
| GEOLOGIC MARKERS | TOP | 3400 3795 4090 5795 7996 8205 8 | |
| GEOLOG | | Douglas Creek Black Shale Wasatch Resaverde Castle Gate Mancos | |
| 88 . | | Manager Manage | |
| | i s | THE PARTIES AND THE PARTIES AN | |
| MARY OF POROUGEN AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING SHOW ALL/IMPORTANCE OF POROSITI AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING SHOWN INTERVALS, AND RECOVERIES | DESCRIPTION, CONTENTS, ETC. | | |
| CORED INTE | DE | LENGTO PEVAL MATERIAL TO STORE AND | |
| S THEREOF | | | |
| SITE AND CONTENT | BOTTOM | The state of the s | er en ur en en en en |
| NHO. | | COLUMN CO | |
| ROUS ZONE | Car American | | · |
| SUMMARY OF POROU SHOW ALL'IMPORTA | 1 | | w to the |

| | | | | • | | | | | | | |
|---------------------------|--------------------------------|-----------|------------------|----------------|----------|---------------|----------------|--|-------------------|-------------------------------|----------------------------------|
| Form 9-330 (Kev. 5-63) | | HNI | ים דו | STAT | ES | SUBMIT | r, IN | DUPLIC | 7. 1 | Form ap Budget B | proved. Sureau No. 42-R355.5. |
| • | DEPART | | | | | | 2 | (See struction | ns on | 5. LEASE DESIGNATION | ON AND SERIAL NO. |
| · • | | | OGICA | | | • | | reverse | side) | U-31266 | |
| | | | | | | DODT | A N I F | 1.00 | * | 6. IF INDIAN, ALLOT | TEE OR TRIBE NAME |
| WELL CO | MPLETION | OR F | RECOM | PLETIC | ON KE | PORI / | ANL | LOG | | | <u>-</u> |
| 1a. TYPE OF WEL | L: OIL | | WELL XX | DET | r 🔲 - O1 | ber | | | | 7. UNIT AGREEMENT | 1 |
| L TYPE OF COM | | . – | D. C | DIFF | | Dana | | Campla | | Devils Play 8. FARN OR LEASE | |
| METT | OVER DEED | | PLUG BACK | DIFF. RESVE | r. 🔲 🛚 o | ther Pend | ing | Compile | וענע | Federal | |
| 2. NAME OF OPERAT | om as Corporat | ion (| of Cali | fornia | a | | | | | 9. WELL NO. | |
| 3. ADDRESS OF OPE | | | - Caii | 1011110 | | | | <u>: </u> | | 23-20 | |
| 85 South | 200 East, V | erna | 1, UT 8 | 34078° | Telep | hone 80 | 1-78 | 39-4573 | 3 | 10. FIELD AND POOL | OR WILDCAT |
| 4. LOCATION OF WE | LL (Report locatio | n clearly | y and in a | cordance | with any | State requir | ement | *)* | | Wildcat | |
| At surface 20 | 69' FWL, 23 | 368' I | FSL, NE | 4 SW4 | Sec. | 20, T.9 | S., | R.24E. | • | 11. SEC., T., R., M., C | DR BLOCK AND BURVEY |
| . At top prod. int | erval reported bel | low | | <u> </u> | | 3 | : | : ! | | Section 20 | , T.9S., R.24E |
| . : | | | | رًا عادين | | : <u> </u> | | | | 36001011 20 |) 1. J. J. J. J. R. L. T. |
| At total depth | | | | 14. PER | MIT NO | | DATE | SSUED | | 12. COUNTY OR PARISH | 13. STATE |
| | | | | = 43-0 | 047-31 | 009 | 7/9 | 81 | | Uintah ⁼ | Utah |
| 15. DATE SPUDDED - | 16. DATE T.D. B | EACHED | .17, DATE | COMPL. (| Ready to | prod.) 18 | | • | | RT, GR, ETC.)* 19. 1 | ELEV. CASINGHEAD |
| 2/4/82 | 3/24/82 | | <u> </u> | ending | | | | 280' KE | | ROTARY TOOLS | CABLE TOOLS |
| 20. TOTAL DEPTH, MD | A TVD 21. PLU | G, BACK | T.D., MD & 7 | rvo 22. | HOW MA | IPLE COMPL. | 900 | 23. INTE | LED BY | O-TD | |
| 24. PRODUCING INTE | PEAT (S) OF THIS | COMPLE | TION-TOP. | BOTTOM, | NAME (MI | AND TVD)* | | <u> </u> | > ! | | 5. WAS DIRECTIONAL |
| 24. PRODUCING INTE | EVED(S), Or 12.0 | | | | | : : | ن ** اند | | | | |
| Not compl | eted. | | | | | | E | L _ | | | No := : |
| 26. TYPE ELECTRIC | AND OTHER LOGS | | | m | ino: | sussis | 929~ | 4)(= | | 27. W | |
| OIL, CHED | , BHC Sonia | 2), Cy | | | | nd Log | | | <i>∑⊘</i> , v | التملا | Yes |
| 28. | | | CASI DEPTH SE | | | rt all string | e set i | n well) | ENTING | RECORD | AMOUNT PULLED |
| CASING SIZE | WEIGHT, LB. | /FT. | | r (MD) | | 1/2 | -1 | 00 sx (| | | None - |
| 13-3/8" | <u> 48</u> 24 | | 75 2090 | | | 1/4 | _ | 206 sx | <u>cras</u> : | y | - 11 |
| 8-5/8" | $-\frac{24}{17}$ | | 8350 | | I ——— | 7/8 | | 300 sx | "H" | <u> </u> | _ (i = |
| J-1/2 | | | | | | : | | • | | E12227 - | 17.55 2 3 1 1 7 |
| 29. | | LINER | RECORD | | | | | 30. | | TUBING RECORD | 1 - F - Van |
| BIZE | TOP (MD) | BOTTO | (dk) k | SACKS CI | EMENT* | SCREEN (N | | SIZE | | DEPTH SET-(MD) | PACKER SET (MD) |
| | | | | | | | <u> </u> | : | - | | |
| 31. PERFORATION BI | corn (Interval a | ize and | number) | ! | <u>i</u> | 82. | | ID SHOT | FRAC | TURE, CEMENT SQL | <u> </u> |
| 31. PERFORATION E | | | | | | DEPTH IN | | | | MOUNT AND KIND OF | |
| None | 3795 ' 3 <u>465'</u> | | shots | | | <u> </u> | 3465 | | Nor | ne - swab tes | ti |
| | . J <u>JUJ.</u> | T | | | | | | | | | |
| | | | - | | | | | | | | <u> </u> |
| | | | | | | 1 - | - | | ł | | |

- : - : PRODUCTION -33.* WELL STATUS (Producing or shut-in) PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) DATE FIRST PRODUCTION BI Pending Completion None ------- None -WATER-BBL. GAS-OIL RATIO GAS-MCF. PROD'N. FOR OIL-BBL. CHOKE SIZE DATE OF TEST BOURS TESTED TEST PERIOD BBL. OIL GRAVITY-API (CORR.) WATER CALCULATED 24-HOUR BATE OIL-BBL. GAS-MCP. CASING PRESSURE - * - ; 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) 10 L TEST WITNESSED BY 35. LIST OF ATTACHMENTS 36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records និក្សី មន្ទ្ == 1. Ly an DATE _ TITLE SIGNED .

NSTRUCTIONS

and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.
If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be or both, pursuant to applicable Federal and/or State laws and regulations. , particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency. should be listed on this form, see item 35. Item 4: If

lems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing linears 22 and 24: If this well is completed for separate production from more than one interval a separate report (page) on this form, adequately identified, interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval rejected in item 33. Submit a separate report (page) on this form, adequately identified, 14em 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. for each additional interval to be separately produced, showing the additional data pertinent to such interval. or Federal office for specific instructions.

"Sacks Coment": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool (See instruction for items 22 and 24 above.) Submit a separate completion report on this form for each interval to be separately produced. Item 29: 1km 33:

| िर्मातम् ४२३ । स्वास्त्राहरः अस्यान्यसम्बद्धाः अस्य र प्राथमः स्ट्रीता व्यवस्थानसम्बद्धाः स्ट्रीका ४३ । | Page ETC. DOUG Wasa Masa Cast Cast Cast Cost C |
|--|--|
| The second secon | Masarch Mesaverd Castle G Mancos Mancos |

| Form 9–338 (Kev. 5–62) | | UNI'sE |) STAT | FS | SUBMIT | IN D | | · 1 | Ferm a Budget | rprovéd. Pureau No. 42-R355.6. |
|-------------------------------------|---------------------------|---------------------------|--------------|-------------|-----------------|----------------|----------------------------------|-------------|----------------------------|--|
| • | DEPART G | | F-THE | E INT | ERIOR | | (See oth struction reverse | ns on | 5. LEASE DESIGNAT | ION AND SERIAL NO |
| WELL COM | PLETION | OR RECO | MPLETI | on re | PORT A | ND | LOG | * | 6. IF INDIAN; ALLO | TIER OR TRIBE NAME |
| 12 TYPE OF WELL: | 011. | | <u>XX</u> pi | | ther | | | | 7. UNIT ACREEMENT | NAME |
| L TYPE OF COMPL | WEDI | , L_J WELL | <u>ww</u> pi | | · | | | | Devils Pla | |
| MENT O | VORE DEEP | PLUG BACK | DIFF | r. 0 | tber Pendi | na | Comple | <u>tion</u> | S. FARN OR LEASE Federal | NAME: |
| 2. NAME OF OPERATOR Natural Gas | Corporat | ion of Ca | liforni | a = - | | | | | 9. WELL NO. 23-20 = | - |
| 3. ADDRESS OF OPERA 85 South 20 | 10 Fast. V | ernal, UT | 84078 | Telep | hone 801 | l - 78 | 9-4573 | | 10. FIELD AND POO | L, OR WILDCAT |
| 4. LOCATION OF WELL At surface 2069 | (Report location) FWL, 23 | n clearly and in 68' FSL, | NE 3 SW | Sec. | 20, T.99 | 5., | R.24E. | | | ON BLOCK AND SURVEY |
| At top prod. inter | val reported bel | o₩ | :: | | | | | ١ | Section 20 |), T.9S., R.24E |
| At total depth | | | <u> </u> | | , , | | | | 1 4 1 E | <u> </u> |
| : ! | | | 1 - | RMIT NO. | - ' | ATE 1 | ; | | 12. COUNTY OR PARISH | 13. STATE |
| • | 16. DATE T.D. R | | | -047-31 | | 7/9/ | | DER | Uintah = | ELET. CASINGHEAD |
| 2/4/82 | 3/24/82 | | Pending | | | | 80' KB | | | |
| 20. TOTAL DEPTH, MD A | | G, BACK T.D., MD | | | IPLE COMPL. | - | 23. INTER | ED BT | BOTARY TOOLS | CABLE TOOLS |
| . 838 2' | 1 | | | | | : | | > - | O-TD | 5. WAS DIRECTIONAL |
| 24. PRODUCING INTERV | AL(S), OF THIS | COMPLETION- | OP, BOTTOM | NAME (M | | 2 | HE | | IAFO | SCRVET MADE |
| Not comple | ted | | | | , : | 5 5 5 5 | | | | NO |
| 26. TYPE ELECTRIC AND DID, CNDD, | SOUTHER LOCK | Cyberl | ook 🔊 Cei | ment Bo | ond Log | ير - 3 | AUC | 8 | 1984 = 27 | Yes - E - |
| 28. | | С | ASING REC | ORD (Rep | ort all strings | set in | | | | AMOUNT PULLED |
| CASING SIZE | WEIGHT, LB. | | SET (MD) | - | -1/2 | -10 | GAS 00 sx 0 | | (INING s "G" | None |
| 13-3/8" 8-5/8" | 48 | <u>75</u> 209 | <u> </u> | _ | -1/4 | · | 206 sx | , 103. | , | 11 |
| · 5-1/2" | 17 | 835 | | _ | -7/8 - | 1. | 300 sx | "H" | <u> </u> | 1 |
| - 1 | | | | | <u> </u> | 1 | | | TUBING RECORD | |
| 29. | | LINER RECO | | | SCREEN (M | <u></u> | 30. | | DEPTH SET-(MD) | |
| BIZE | TOP (MD) | BOTTOM (ND | SACKS | CEMENT. | SCREEN (= | 2 2 | | - | 202324 | 11 1 1 7 7 |
| - | | | i | | | - | | | <u> </u> | |
| 31. PERFORATION BEC | | | | | 82. | | | | TURE CEMENT SQ | |
| None | | 4 shots | | | DEPTH IN | | L (MD) | | MOUNT AND KIND OF | |
| None | 3465! | 4 shots | ·/ | | <u>3795, 3</u> | 465 | · | 1001 | <u>ne - swab tes</u> | |
| · | | • _ | | | | | | | <u> </u> | <u>1</u> • ∓ |
| | | | | | · · | | | | | |
| 33.* | | | | | DUCTION . | | | 77 | 1 WELL STA | TUB (Producing or |
| DATE FIRST PRODUCT | ION PRO | OUCTION METHO | | gas lift, p | | ena : | ype oj pun · | | shut-in | |
| None | HOURS TESTER | None | | D'N. FOR | OIL—BBL. | · | CAS-N | CF. | - WATER-BBL: | |
| DATE OF TEST | | | | T PERIOD | OIL—BBL. | ± | 1 | | | 111111 |
| FLOW, TUBING PRESS. | CASING PRESS | 24-HOCE | | BBL. | GAS- | -мст. | | WATE | BBL OII | CRAVITY-API (CORE.) |
| 34. DISPOSITION OF G | I (Sold, used f | or fuel, vented, | etc.) | | | 10.15 10.15 | i | | TEST WITNESSEE | 1 BY 1 1 1 1 2 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| 25 LINT OF ATTACH | | | - | | | <u> </u> | i | | ESE EEST | |

*(See Instructions and Spaces for Additional Data on Reverse Side)

| Form 3169-5 UNIT STATE (November 1983) (Formerly 9-331) DEPARTMEN JF TH BUREAU OF LAND MA | E INTERIOR (Other Instructions Verse side) NAGEMENT | Form approved. Budget Bureau No. 1004-0135 Expires August 31, 1985 LEASE DESIGNATION AND SECIAL NO. U-31266 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
|---|--|---|
| SUNDRY NOTICES AND RI (Do not use this form for proposals to drill or to de Use "APPLICATION FOR PERMIT | epen or plug back to addifferent the ED | |
| OIL WELL WELL X OTHER 2. NAME OF OPERATOR Natural Gas Corporation of Califor 3. ADDRESS OF OPERATOR 85 South 200 East, Vernal, UT 8407 4. LOCATION OF WELL (Report location clearly and in accordance also space 17 below.) At Surface | DIVISION OF OIL 8 GAS & MINING | 7. UNIT AGREEMENT NAME Devils Playground 8. FARM OR LEASE NAME Federal 9. WBLL NO. 23-20 10. FIELD AND POOL, OR WILDCAT Wildcat 11. SBC., T., R., M., OR BLK. AND |
| 43-047-31009 5280' KB | how whether DF, RT, GR, etc.) | Sec. 20, T.9S., R.24E. 12. COUNTY OR PARISH 13. STATE Uintah Utah |
| | Indicate Nature of Notice, Report, o | r Other Data |
| TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) Complete Upper Green River Completed operations (Clearly strength of this work.)* Operator attempted to complete upper the casing at 3795' and four at 34 shows of oil. The well remains shut-in pending corevised completion report. | WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other) (Note: Report res Completion or Reco tite all pertinent details, and give pertinent da ubsurface locations and measured and crue ver perfereen River oil sand. F | BEPAIRING WELL ALTERING CASING ABANDONMENT® Lilts of multiple completion on Well Explored and Log form.) Les, including estimated date of starting any rical depths for all markers and zones perti- Our holes were shot in ted with very slight |
| 18. I hereby certify that the foregoing is true and correct SIGNED William a Ryan | TITLE Petroleum Engineer | DATE 7/11/84 |
| William A. Ryon (This space for Federal or State office use) | | |
| APPROVED BY | TITLE | DATE |

*See Instructions on Reverse Side

| Form 9-331 (May 1963) | | UNITED STATES | | SUBMIT IN TRIPLICATE | e Budget Do | ureau No. 4 | |
|---|---|--|-----------------------------|---|--|--------------------|-------------|
| | | MENT OF THE II GEOLOGICAL SUR | | (verse side) | 5. LEASE DESIGNATI U-31266 | ON AND SER | HAL NO. |
| S (Do not use | UNDRY NOT | ICES AND REPC | ORTS ON | WELLS to a different reservoir. | 6. IF INDIAN, ALLOT | TEE OR TRIE | BE NAME |
| 1. OIL GA | | | | | 7. UNIT AGREEMENT | NAME | |
| WE'L WE | CLL A OTHER | | | | 8. FARM OR LEASE | AME | |
| 2. NAME OF OPERAT | | [44 0 O47 C | | | | | |
| 3. ADDRESS OF OPE | | <u> Mining & Oil Com</u> | npany | | Federal 9. WELL NO. | | |
| | | l Bank Bldo Ver | mal lita | n 84078 | 23-20 | | |
| 4. LOCATION OF WEI | LL (Report location | l Bank Bldg. Ver clearly and in accordance | with any Stat | e requirements.* | 10. FIELD AND POOL | , OR WILDCA | AT |
| | • | 3' FSL, NE% SW% | Sec. 20. | т. 95. г.24Е. | Wildcat | | |
| | .0) 1 , 2500 | 100, 1104 0114 | 200. 20, | 1. 50., 1 | 11. SEC., T., R., M., C SUBVEY OR A | OR BLK. AND REA | |
| | | | | | Section 20 | | |
| 14. PERMIT NO. | | 15. ELEVATIONS (Show v | whether DF, RT, | GR, etc.) | 12. COUNTY OR PAR | 13. ST | ATE |
| 43-047-310 | 009 | 5280' KE | 3 | | Uintah | l Ut | ah |
| 16. | Check A | ppropriate Box To Inc | dicate Natu | re of Notice, Report, or | Other Data | | |
| | NOTICE OF INTE | NTION TO: | 1 | SUBSI | QUENT REPORT OF: | | |
| TEST WATER SE | IUT-OFF | PULL OR ALTER CASING | 7 | WATER SHUT-OFF | REPAIRIN | G WELL | |
| FRACTURE TREA | | MULTIPLE COMPLETE | | FRACTURE TREATMENT | ALTERIN | G CASING | |
| SHOOT OR ACIDI | ZE | ABANDON* | | SHOOTING OR ACIDIZING | ABANDON | MENT* | |
| REPAIR WELL | | CHANGE PLANS | _ | (Other) | its of multiple completi | on on Well | |
| (Other) Squ | <u>eeze, Perf 8</u> | : Frac | 1 | Completion or Recon | apletion Report and Log | form.) | |
| 17. DESCRIBE PROPOS proposed work nent to this we | SED OR COMPLETED OF k. If well is direct | ERATIONS (Clearly state al ionally drilled, give subsur | face locations | tails, and give pertinent dat and measured and true vert | ical depths for all mar | kers and zo | nes perti- |
| nent w time w | · | | | | 1 | RECI | EIVED |
| | Copy of 1 | Form 9-330 dated | 1 7 – 11 – 84 | is attached. Pro | opose to | | |
| | squeeze | oerfs 3795 & 346 | 55 in upp | oer Green River Fo | ormation | ALIC | 0 100# |
| | hv setti | no cement retair | ner above | the 3/95 peris, | preaking | AUG | 8 1984 |
| | circulat | ion & squeezing | with 210 |) SX regular cemen | 110 TM 711 | | |
| | 2% calci | um chloride & 3/ | /4 OI 1% | friction reducer ement & pressure | test. Plan | | N OF OI |
| | on cemen | t 10 nours. Dri. | 11 0ut ce | , 7170-74 & 7142- | 48 with 2 | GAS & | MINING |
| | shots ne | r foot & frac W | ell with | 30,000# of 20-40 | mesh sand | | |
| | using 80 | 0,000 SCF of N ₂ | • | J., | | | |
| | O | , | | | | | |
| | | | | | | | ノ |
| | | | | APPR | OVED BY THE | STATE | • |
| | | | | OF | UTAH DIVISIO | N OF | |
| | | | | OIL | , gas, and mi | NING | |
| | | | | DATE | | | |

| 18. I hereby certify that the foregoing is true and correct SIGNED Color Covered | TITLE Manager, ExploRATION | DATE 8-7-84 |
|--|----------------------------|-------------|
| (This space for Federal or State office use) | | |
| APPROVED BY | TITLE | DATE |

Form 3160-8 (November 1983) (Formerly 9-1123)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of lease

STATE OFFICE:

SERIAL NO.: U-31266

and hereby designates

NAME: Hiko Bell Mining and Oil Company

ADDRESS: Zions First National Bank Building, 3 West Main St., Vernal Utah, 84078

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160) with respect to (describe acreage to which this designation is applicable):

Township 9 South, Range 24 East

Section 20: All

Unitah County, Utah

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the authorized officer of any change in the designated operator.

ENSERCH EXPLORATION, INC.

(Signature of lessee)

G. R. BRYAN ATTORNEY-IN-FACT

8/10/84 1817 Wood St., Dallas, Texas 75201 (Address)

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and thereto does not require OMB approval.

(Submit in triplicate to appropriate BLM District Office)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of lease

STATE OFFICE:

SERIAL NO .:

U-31266

and hereby designates

Hiko Bell Mining and Oil Company

NAME:

3 West Main Bldg., Drawer AB

Address: Vernal, UT 84078

GAS & MINING

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160) with respect to (describe acreage to which this designation is applicable):

T9S-R24E Sec. 20: A11

Uintah County, Utah

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the authorized officer of any change in the designated operator.

NATURAL GAS CORPORATION OF CALIFORNIA

TYIDENCE OF AUTHORITY FOR ATTORNEY-IN-FACT

OULDONITY IS STILL IN EFFECT.

(Signature of lessee)
C. T. Clark, Jr., Attorney-in-Fact

4 Embarcadero Center, Suite 1400

San Francisco, CA 94111

(Address)

August 7, 1984

(Date)

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and thereto does not require OMB approval.

HYDROCARBON WELL LOGGING REPORT Natural Gas Corporation NGC 23-30 Sec. 20, T9S R24E Uinta County, Utah

HYDROCARBON LIBERATING INTERVALS (Listed Chronologically)

3526'-3528' 3537'-3542' 3546'-3548' 3558'-3561' 3566'-3568' 3570'-3574' 3578'-3580' 3657'-3660' 3662'-3670' 3676'-3678' 3796'-3798' 3704"-3706" 3708'-3710' 3752'-3764' *317*0'-3772' 3786'-3788' **3**826'-3832' 3875'-3876' 3912'-3914' 3918'-3920' 3946'-3948' 3957'-3958' 4036'-4038' 4048'-4061'

These intervals were penetrated very quickly with no drilling breaks. Good liberation of dry gas accompanies this penetration. There is little change in saturation of cuttings suggesting that this is a fracture reservoir. These are fair shows.

4155'-4158'

This interval displays the same characteristics as those above. The most notable exception is in the magnitude of liberation of gas which is much stronger through this interval. This is rated as a good show.

CR 126

3

5

File:

Page

of

HYDROCARBON WELL LOGGING REPORT Natural Gas Corporation NGC 23-30 Sec. 20, T9S R24E Uinta County, Utah

HYDROCARBON LIBERATING INTERVALS (Listed Chronologically)

4302'-4328' 4362'-4370' 4327'-4328' 4329'-4344'

These intervals were penetrated with good drilling breaks which were accompanied by strong liberation of predominately dry gas. Relatively low cuttings gas saturation suggests very good permeability, probably fractures. These are good shows.

5299'-5304'

This interval was penetrated with a very good drilling break with very good visual porosity noted. This porosity is accompanied by strong liberation of dry gas. Low levels of cuttings gas saturation suggests good permeability. Note that the liberation of gas does not continue as deep as the drilling break. This suggests water saturation below 5310'. This is a good show.

6522'-6543'
6607'-6613'
6730'-6732'
6741'-6745'
6746'-6748'
6850'-6853'
6932'-6937'
6946'-6952'
6969'-6986'
7014'-7020'
7022'-7028'
7042'-7048'
7076'-7080'
7082'-7085'
7089'-7097'

These intervals were penetrated with fair to good drilling breaks, liberating mostly dry gas which is accompanied by some wet gases. Cuttings gas saturations are quite low suggesting very good permeability in these sandstone stringers. These are fair to good shows.

CR 126

4

5

Page

of

HYDROCARBON WELL LOGGING REPORT Natural Gas Corporation NGC 23-30 Sec. 20, T9S R24E Uinta County, Utah

HYDROCARBON LIBERATING INTERVALS (Listed Chronologically)

7144'-7152'

This sandstone interval was penetrated with a good drilling break and good visual porosity is noted. Very strong liberation is of both wet and dry gases. Relatively low levels of cuttings gas saturations indicate good permeability. This is an excellent show.


NOTE: Onset of connection gas after penetration of this zone plus failure of the gas to return to the normal background indicate the presence of produced gas. This makes evaluation of the duration of the liberating interval difficult, although liberation appears to continue at least as deep as the visual show. This high background gas makes it difficult to identify any liberating intervals below this zone.


----- END OF THIS REPORT -----

| יונו | UNITED STATES PARTMENT OF THE INTER | SUBMIT IN TRIPLICATE (Other instructions on reverse side) | Form approved. Budget Bureau No 5. LEASE DESIGNATION AND | |
|---|--|--|--|--|
| | GEOLOGICAL SURVEY | , | U - 31266 | |
| Corrected SUNDRY | NOTICES AND REPORTS for proposals to drill or to deepen or plug "APPLICATION FOR PERMIT—" for such p | ON WELLS back to a different reservoir. roposals.) | 6. IF INDIAN, ALLOTTEE OR | TRIBE NAME |
| 1. OIL GAS T | | | 7. UNIT AGREEMENT NAME | |
| WELL WELL A | OTHER | | Dirty Devil 8. FARM OR LEASE NAME | |
| Hiko Bell Mining | & Oil Company telephone | (801) 789-3233 | Federal | |
| 3. ADDRESS OF OPERATOR | | (001) (0) 3233 | 9. WELL NO. | |
| Zion's First Nati | ional Bank Bldg. Vernal U location clearly and in accordance with any | tah 84078 | 23-30 20 10. FIELD AND POOL, OR WIL | DCAT |
| See also space 17 below.) At surface | iocation clearly and in accordance with any | State requirements. | Wildcat | |
| 2069'FWL, | , 2368' FSL, NE4 SW4 Sec. | 20, T. 9 S, R.24E | 11. SEC., T., R., M., OR BLK. A SURVEY OR AREA | |
| 14. PERMIT NO. | 15. ELEVATIONS (Show whether Di | F RT CR etc.) | Section 20, T.9 | |
| 43-047-31009 | 5280' KB | , 11, 41, 600) | Uintah | Utah |
| 16. C | heck Appropriate Box To Indicate N | Nature of Notice, Report, or C | Other Data | |
| | OF INTENTION TO: | | UENT REPORT OF: | |
| TEST WATER SHUT-OFF | PULL OR ALTER CASING | WATER SHUT-OFF | REPAIRING WELL | |
| FRACTURE TREAT | MULTIPLE COMPLETE | FRACTURE TREATMENT | ALTERING CASING | |
| SHOOT OR ACIDIZE | ABANDON* | SHOOTING OR ACIDIZING | ABANDONMENT* | |
| (Other) Sqeeze, Pe | erf & Frac | (Other) (Note: Report results | s of multiple completion on W letion Report and Log form.) | ell |
| | | | | |
| sque Plan G ce pres & pr Plan 2 sh | corrected sundry of Form 9-330 dated 7-11- eze perfs 3795 & 3465 in a to set retainer at 3472 8 ment w/ 2% calcium chloric sure up to 2500#. Drill ou essure test. Drill out be to perforate Mesaverde 718 ots per foot & frac well a g 800,000 SCF of N2. | -84 is attached. Propo apper Green River Form & circulate with 80 Si de. Let cement set 8 l at cement to top of re low 3800' & pressure 1 33 - 85, 7170-74 & 71 | mation. X. class hrs. & etainer test again. 42-48 with | |
| sque Plan G ce pres & pr Plan 2 sh | of Form 9-330 dated 7-11- eze perfs 3795 & 3465 in a to set retainer at 3472 & ment w/ 2% calcium chloric sure up to 2500#. Drill ou essure test. Drill out be to perforate Mesaverde 718 ots per foot & frac well a g 800,000 SCF of N2. | -84 is attached. Propo apper Green River Form & circulate with 80 Si de. Let cement set 8 l at cement to top of re low 3800' & pressure 1 33 - 85, 7170-74 & 71 | mation. X. class hrs. & etainer test again. 42-48 with | er e |
| sque Plan G ce pres & pr Plan 2 sh usin | of Form 9-330 dated 7-11- eze perfs 3795 & 3465 in a to set retainer at 3472 & ment w/ 2% calcium chloric sure up to 2500#. Drill on essure test. Drill out be to perforate Mesaverde 718 ots per foot & frac well a g 800,000 SCF of N ₂ . | -84 is attached. Propoupper Green River Form circulate with 80 Side. Let cement set 8 lut cement to top of relow 3800' & pressure 183 - 85, 7170-74 & 718 with 30,000 # of 20-46 | mation. X. class hrs. & etainer test again. 42-48 with | |
| sque Plan G ce pres & pr Plan 2 sh usin | of Form 9-330 dated 7-11- eze perfs 3795 & 3465 in a to set retainer at 3472 & ment w/ 2% calcium chloric sure up to 2500#. Drill on essure test. Drill out be to perforate Mesaverde 718 ots per foot & frac well a g 800,000 SCF of N ₂ . | -84 is attached. Propoupper Green River Form circulate with 80 State. Let cement set 8 I at cement to top of relow 3800' & pressure 183 - 85, 7170-74 & 714 with 30,000 # of 20-40 THE STATE SION OF | mation. X. class hrs. & etainer test again. 42-48 with O mesh sand | |
| sque Plan G ce pres & pr Plan 2 sh usin | of Form 9-330 dated 7-11- eze perfs 3795 & 3465 in a to set retainer at 3472 & ment w/ 2% calcium chloric sure up to 2500#. Drill on essure test. Drill out be to perforate Mesaverde 718 ots per foot & frac well a g 800,000 SCF of N ₂ . | -84 is attached. Propoupper Green River Form Coirculate with 80 State. Let cement set 8 lut cement to top of relow 3800' & pressure 183 - 85, 7170-74 & 714 with 30,000 # of 20-40 HE STATE SION OF MINING | mation. X. class hrs. & etainer test again. 42-48 with O mesh sand | |
| sque Plan G ce pres & pr Plan 2 sh usin | of Form 9-330 dated 7-11- eze perfs 3795 & 3465 in a to set retainer at 3472 8 ment w/ 2% calcium chloric sure up to 2500#. Drill ou essure test. Drill out be to perforate Mesaverde 718 ots per foot & frac well a to 800,000 SCF of N2. ACCEPTED APPROVED BY T OF UTAH DIVIS OIL, GAS, AND DATE: 18/5/89 | -84 is attached. Propoupper Green River Form Coirculate with 80 State. Let cement set 8 lut cement to top of relow 3800' & pressure 183 - 85, 7170-74 & 714 with 30,000 # of 20-40 HE STATE SION OF MINING | mation. X. class hrs. & etainer test again. 42-48 with 0 mesh sand RECEIVED AUG 4 1984 | |
| sque Plan G ce pres & pr Plan 2 sh usin | of Form 9-330 dated 7-11- eze perfs 3795 & 3465 in a to set retainer at 3472 8 ment w/ 2% calcium chloric sure up to 2500#. Drill on essure test. Drill out be to perforate Mesaverde 718 ots per foot & frac well ag 800,000 SCF of N2. ACCEPTED APPROVED BY T OF UTAH DIVIS OIL, GAS, AND DATE: BY: | -84 is attached. Propoupper Green River Form Coirculate with 80 State. Let cement set 8 lut cement to top of relow 3800' & pressure 183 - 85, 7170-74 & 714 with 30,000 # of 20-40 HE STATE SION OF MINING | mation. X. class hrs. & etainer test again. 42-48 with 0 mesh sand RECEIVED AUG 4 1984 DIVISION OF OIL | |
| sque Plan G cer pres & pr Plan 2 sh usin Leval approval must tained prior to rforwing work. | of Form 9-330 dated 7-11- eze perfs 3795 & 3465 in a to set retainer at 3472 8 ment w/ 2% calcium chloric sure up to 2500#. Drill ou essure test. Drill out be to perforate Mesaverde 718 ots per foot & frac well ag 800,000 SCF of N2. ACCEPTED APPROVED BY T OF UTAH DIVIS OIL, GAS, AND DATE: BY: Oregoing is true and correct | -84 is attached. Propoupper Green River Form Coirculate with 80 State. Let cement set 8 lut cement to top of relow 3800' & pressure 183 - 85, 7170-74 & 714 with 30,000 # of 20-40 HE STATE SION OF MINING | mation. X. class hrs. & etainer test again. 42-48 with 0 mesh sand RECEIVED AUG 4 1984 DIVISION OF OIL | |
| sque Plan G cer pres & pr Plan 2 sh usin Leval approval must variand prior to rforwing work. | of Form 9-330 dated 7-11- eze perfs 3795 & 3465 in a to set retainer at 3472 8 ment w/ 2% calcium chloric sure up to 2500#. Drill ou essure test. Drill out be to perforate Mesaverde 718 ots per foot & frac well a g 800,000 SCF of N2. ACCEPTED APPROVED BY T OF UTAH DIVIS OIL, GAS, AND DATE: 8/15/83 BY: | -84 is attached. Propoupper Green River Form circulate with 80 Side. Let cement set 8 Int cement to top of relow 3800' & pressure 183 - 85, 7170-74 & 718 with 30,000 # of 20-46 HE STATE SION OF | mation. X. class hrs. & etainer test again. 42-48 with 0 mesh sand RECEIVED AUG 4 1984 DIVISION OF OIL GAS & MINING | ************************************** |

| Form 3160-5 UNI) STATES SUBMIT IN TRIPL (See 1983) (Property 9-331) DEPARTMEN OF THE INTERIOR verse side) | |
|--|---|
| BUREAU OF LAND MANAGEMENT | U-31266 |
| SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
| 1. | 7. UNIT AGREEMENT NAME |
| OIL CAB X OTHER | Devils Playground |
| 2. NAME OF OPERATOR | 8. FARM OR LEASE NAME |
| Natural Gas Corporation of California | Federal |
| 3. ADDRESS OF OPERATOR | 9. WELL NO. |
| 85 South 200 East, Vernal, UT 84078 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* | #23-20 |
| See also space 17 below.) | Wildcat |
| At surface 2069' FWL, 2368' FSL, NE4 SW4 | 11. SEC., T., R., M., OR BLK. AND |
| | SURVEY OR ARMA |
| | Section 20, T.9S., R.24E |
| 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) | 12. COUNTY OR PARISH 13. STATE |
| 43-047-31009 5280' KB | Uintah Utah |
| 16. Check Appropriate Box To Indicate Nature of Notice, Report, or C | Other Data |
| | UENT REPORT OF: |
| NOTICE OF INTENTION TO: | |
| TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF | REPAIRING WELL |
| PRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT FRACTURE TREATMENT | ALTERING CASING ABANDONMENT® |
| SHOOT OR ACIDIZE ABANDON* SHOOTING OR ACIDIZING (Other) | Banbonsen |
| REPAIR WELL CHANGE PLANS (Other) (NOTE: Report results | s of multiple completion on Well |
| (Other) Change of Operator Completion or Recomp 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates proposed work. If well is directionally drilled, give subsurface locations and measured and true vertice nent to this work.) Output Describe Proposed or CompleteD OPERATIONS (Clearly state all pertinent details, and give pertinent dates proposed work.) | oletion Report and Log form.) , including estimated date of starting any cal depths for all markers and zones perti- |
| Natural Gas Corporation of California reports the change of ope Gas Corporation to Hiko Bell Mining Company. Hiko Bell will be for the drilling bond and plugging and abandoning of the subjec | erator from Natural |
| required. The Designation of Operator is on record with your o | ct well, if it is |
| required. The Designation of Operator is on record with your o | ct well, if it is |
| required. The Designation of Operator is on record with your o | ct well, if it is office. |
| required. The Designation of Operator is on record with your o | et well, if it is office. |
| required. The Designation of Operator is on record with your c | RECEIVED |
| required. The Designation of Operator is on record with your o | RECEIVED AUG : 6 1984 DIVISION OF OIL |
| required. The Designation of Operator is on record with your o | RECEIVED AUG 1 6 1984 DIVISION OF OIL |
| required. The Designation of Operator is on record with your of the Subject of the Designation of Operator is on record with your of the Subject of the Designation of Operator is on record with your of the Subject of the Designation of Operator is on record with your of the Subject of the Designation of Operator is on record with your of the Subject of the Designation of Operator is on record with your of the Subject of the Designation of Operator is on record with your of the Subject of the Subj | RECEIVED AUG : 6 1984 DIVISION OF OIL |
| required. The Designation of Operator is on record with your of the property of the state of the foregoing is true and correct signed William A. Ryan TITLE Petroleum Engineer | RECEIVED AUG : 6 1984 DIVISION OF OIL GAS & MINING |
| required. The Designation of Operator is on record with your of the Designation of Operator is on the Designat | RECEIVED AUG : 6 1984 DIVISION OF OIL GAS & MINING |
| required. The Designation of Operator is on record with your of the property of the foregoing is true and correct signed William & Title Petroleum Engineer William A. Ryang Title Petroleum Engineer | RECEIVED AUG : 6 1984 DIVISION OF OIL GAS & MINING |

*See Instructions on Reverse Side





March 27, 1985

Hiko Bell Mining Company P O Drawer AB 3 West Main Street Vernal, Utah 84078

Gentlemen:

Re: Well No. Devil's Playground Fed. 23-20 - Sec. 20, T. 9S, R. 24E. San Juan County, Utah - API43-047-31009

The above listed well has been under an operation suspended status for six months or longer. Please inform this office of the current status of this well location or what operations are currently being performed on this well.

Enclosed is Form OGC-lb, "Sundry Notices and Reports on Wells", that you may use to inform our office regarding this matter.

Your prompt attention to this matter will be appreciated.

Sincerely,

Pam Kenna

Well Records Specialist

Enclosures cc: Dianne R. Nielson Ronald J. Firth John R. Baza File

01615/3

THE DIRTY DEVIL, L.P. - OPERATOR GAS WELLS IN THE DIRTY DEVIL UNIT

| Well Name | Location | Lease ‡ | |
|-----------------|---|---------|------|
| 1. Well No. 3 | NW/4NE/4 Section T9S-R24E SLM Uintah County, API #430473172 | | |
| 2. Well No. 32- | SW/4NE/4 Secti T9S-R24E SLM Uintah County, API #430473101 | Utah | |
| 3. Well No. 44 | SE/4SE/4 Secti T10S-R24E SLM Uintah County, API #430473028 | Utah | |
| 4. Well No. 11 | NW/4NW/4 Secti T9S-R24E SLM Uintah County, API #430473161 | Utah | 61 |
| 5. Well No. 23 | -20 NE/4SW/4 Secti T9S-R24E SLM Uintah County, API #430473100 | , Utah | 96 n |
| 6. Well No. 23 | -17 NE/4SW/4 Secti T9S-R24E SLM Uintah County, API #430473056 | , Utah | |
| 7. Well No. 22 | -27 SE/4NW/4 Section T9S-R24E SLM Uintah County API #430473150 | , Utah | 5-C |
| 8. Well No. 41 | -9 NE/4NE/4 Section T9S-R24E SLM Uintah County API #43047303 | , Utah | |

DIRTY DEVIL UNIT GAS WELLS

Well No. 1-18

NW/4NE/4 Section 18 U-0145459 T9S-R24E SLM Uintah County, Utah API #4304730124



March 27, 1985

Hiko Bell Mining Company P O Drawer AB 3 West Main Street Vernal, Utah 84078

Gentlemen:

Re: Well No. Devil's Playground Fed. 23-20 - Sec. 20, T. 9S, R. 24E. San Juan County, Utah - API43-047-31009

The above listed well has been under an operation suspended status for six months or longer. Please inform this office of the current status of this well location or what operations are currently being performed on this well.

Enclosed is Form OGC-lb, "Sundry Notices and Reports on Wells", that you may use to inform our office regarding this matter.

Your prompt attention to this matter will be appreciated.

Sincerely,

an Kerna

Well Records Specialist

Enclosures cc: Dianne R. Nielson Ronald J. Firth John R. Baza

File

01615/3 RECEIVED


APR 0 1 1985

DIVISION OF OIL

Don Pam -

Sundry Notices were may Lod The well was put on production

reported in the Mark reports. Thanks. Hellopportunity employer Bud lowing to





June 18, 1985

Hiko Bell Mining Company Attention: Bud Covington PO Drawer AB Vernal, Utan 84078

Mr. Covington:

Re: Well No.: Devils Playground Federal 23-20 - Sec. 9S., R. 24E., Uintah County, Utah - API #43-047-31009

The above referenced well has been under an operation suspended status for six months or longer. Please inform this office of the current status of this well location or what operations are currently being performed on this well.


Enclosed is Form OGC-lb, "Sundry Notices and Reports on Wells", that you may use to inform our office regarding this matter.

Sincerely,

Pam Kenna Well Records Specialist

Enclosure
cc: Dianne R. Nielson
Ronald J. Firth
John R. Baza
File

0170S/51





September 30, 1986

Hiko Bell Mining Company P O Drawer AB 3 West Main Vernal, Utah 84078

Gentlemen:

Re: Well No. Devils Playground Federal 23-20 - Sec. 20, T. 9S, R. 24E Uintah County, Utah - API #43-047-31009

A records review indicates that no required reports for the referenced well have been filed since August 1984. Monthly drilling reports must be submitted to account for the time between spudding and well completion.

You may wish to submit copies of the federal reports, or you may summarize well site activity from August 1984 to present on a single Sundry Form in order to catch up with reporting requirements.

Please use the address listed below to provide the required information at your earliest convenience, but not later than October 31, 1986.

Utah Division of Oil, Gas and Mining Attention: Suspense File - Norm Stout 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Future reports should be submitted as required in a timely fashion.

Respectfully,

Norman C. Stout Records Manager

ts
cc: Dianne R. Nielson
Ronald J. Firth
John R. Baza
Well File

Suspense File

04485/33

Form 3160-5 (November 1983) (Formerly 9-331)

| V = 4.00 = ============================== | |
|---|----------|
| Expires August 31, | 1985 |
| Budget Bureau No. | 1004-013 |
| i oim approved. | |

35 BUREAU OF LAND MANAGEMENT U-31266 6. IF INDIAN, ALLOTTEE OR TRIBE NAME

| SUN (Do not use this | form for prop Use "APPLIC | TICES AND R | EPOKIS leepen or plu T—" for suc | KILL. | HB(77.1 | G | | |
|--|------------------------------|---|--|------------------------------------|---|-------------------------|--|--|
| OIL GAS WELL WELL | | | | 777 OC | T 17 1986 | 70 | 7. UNIT AGREEMENT Dirty Devi | iì |
| . NAME OF OPERATOR | | 0 | \ | <u> </u> | IVISION OF | | 8. FARM OR LEASE 1 | |
| Dirty Devil, | LP (+ | liku Bell | ') | _ | | uc | Federal | |
| ADDRESS OF OPERATOR | | | | UIL. | 3AS & MINII | 40 | 9. WBLL NO. | |
| 10200 E. Gir | ard Ave. | Suite B-225 | Denver | , Colora | do 80231 | | 23-20 | |
| LOCATION OF WELL (I See also space 17 bel | Report location | clearly and in accord | dance with a | any State requ | irements.• | | 10. FIELD AND POOL | , OR WILDCAT |
| At surface | | | | | | - | Bonanza | IN BY W AND |
| 2069' FWL, 2 | | | | | | ļ | 11. SEC., T., R., M., C SURVEY OR AS | REAL AND |
| Section 20, | T9S, R24E | | | | | 1 | C L | TOC DOA |
| SLM | | 15. ELEVATIONS (S | Chara mhatha | - DE ST CE etc | 1 | - | Section 20 | J, 195, RZ4 |
| 4. PERMIT NO. | | 1 | | i br, ar, and coo | • | Ì | | Utah |
| 43-047-31009 | | 5280 | KR | | | 1 | <u> Uintah</u> | 1 Utan |
| 3. | Check A | Appropriate Box T | o Indicate | e Nature of | Notice, Report | t, or Ot | her Data | |
| | NOTICE OF INTE | ENTION TO: | | i | | EUBSEQUE | NT REPORT OF: | |
| | | PULL OR ALTER CASI | ING | WA | TER SHUT-OFF | | REPAIRIN | G WELL |
| TEST WATER SHUT-O | | MULTIPLE COMPLETE | | _ | CTUBE TREATMEN | T - | ALTERING | CASING |
| FRACTURE TREAT | <u> </u> | ABANDON* | * | 1 | OOTING OR ACIDIZI | | ABANDON | MENT* |
| SHOOT OR ACIDIZE REPAIR WELL | | CHANGE PLANS | | (0 | ther) | | | |
| (Other) Squeez | e. Derf a | | XX | | (Note: Report | results o Recomplet | f multiple completion tion Report and Log | on on Well form.) |
| | R COMPLETED OF | PERATIONS (Clearly st tionally drilled, give | ate all perti subsurface | nent details, a locations and n | and give pertinent neasured and true | t dates, li vertical | ncluding estimated of depths for all mark | date of starting a ters and zones per |
| cemen | t and pre | : 12 hours an essure test t rate Mesaverd | to 2500p le 7183- 7170- | si. | d up to 250 2 shots/ft. " | | . ערווו סטי | C |
| | | e with 1000 0,000 SCF Nit | | 15% HCl | | ith 20 | ,000# 20-40 | mesh |
| SIGNED CERTIFY that | ad /h | Maur | TITLE | Enginee | r | | DATE 9- | -25-86 |
| (This space for Fede | ral or State of | ffice use) | | | | | | - - |
| APPROVED BYCONDITIONS OF A | PPROVAL, IF | ANY: | TITLE | | 300A FO | UTA | D BMMHES H DIVISION | OF |
| Federal approv | ۔ سنطو اس او | | | | Oll | GAS | S, AND MIN | ING |
| is required before | er or uns a)re commer | rouion ncimo *Se | e Instruction | ons on Reve | | 10 | -21-86 D. Kais | |



United States Department of the Interior

BUREAU OF LAND MANAGEMENT UTAH STATE OFFICE 324 SOUTH STATE, SUITE 301 SALT LAKE CITY, UTAH 84111-2303

October 9, 1986

Dirty Devil, L.P. 10200 East Girard Ave., Suite E225 Denver, Colorado 80231

> Re: Successor of Operator Dirty Devil Unit Uintah County, Utah

Gentlemen:

We received an indenture dated October 8, 1986, whereby Hiko Bell Mining and Oil Company resigned as Operator and Dirty Devil, L.P. was designated as Operator for the Dirty Devil Unit Agreement, Uintah County, Utah.


This indenture was executed by all required parties. The signatory parties have complied with Section 6 of the unit agreement. The instrument is hereby accepted effective as of October 9, 1986. Please advise all interested parties of the change in unit operator.

Sincerely,

Howard A. Lemm

Chief, Branch of Fluid Minerals

Enclosure



DIVISION OF OIL. GAS & MINING



United States Department of the Interior

3160 (U-922)

BUREAU OF LAND MANAGEMENT UTAH STATE OFFICE 324 SOUTH STATE, SUITE 301 SALT LAKE CITY, UTAH 84111-2303

October 15, 1986

Dirty Devil, L.P. 10200 East Girard Ave. Suite E 225 Denver, CO 80231

Re: Wasatch Formation Participating Area Dirty Devil Unit Uintah County, Utah

Gentlemen:

Your application of August 22, 1986, originally filed by Hiko Bell Mining and Oil Company, requests an Initial Wasatch Formation Participating Area "A" of 320.00 acres. The application is to be named the Wasatch Formation Participating Area and is approved effective as of August 17, 1984, pursuant to Section 11 of the Dirty Devil Unit Agreement, Uintah County, Utah.

This participating area is based upon the completion of Unit Well No. 22-27, in the $SE^{\frac{1}{2}}NW^{\frac{1}{2}}$, Section 27, T. 9 S., R. 24 E., SLM, Federal Unit Tract No. 1, Lease No. SL-071725C, as being a well capable of producing unitized substances in paying quantities. Enclosed is a schedule showing the lands and their percentage of allocation in the participating area. At this time, leases U-14233 and U-38433 are considered unleased tracts, pending outcome of appeals, and should not receive any allocation of revenues.

Copies of the approved request are being distributed to the appropriate agencies and one copy is returned herewith. Please advise all interested parties of the establishment of the Wasatch Formation Participating Area.


In accordance with Section 11 and 32 of the Dirty Devil Unit, the Devils Playground Unit No. 14-08-0001-16086 automatically terminated August 17, 1984, and associated participating areas with the Devils Playground Unit are now incorporated into the Dirty Devil Unit.


Sincerely,

Howard A. Lemm

Chief, Branch of Fluid Minerals

Enclosure






DIVISION OF OIL. GAS & MINING



EPS Resources Corporation

Kennedy Center 10200 E. Girard Ave. Bldg. B. Suite 225 Denver, Colorado 80231 (303) 696-2654

November 12, 1986



DIVISION OF OIL, GAS & MINING

Ms. Claudia L. Jones
State of Utah Natural Resources
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Dear Claudia:

As per our conversation, the Dirty Devil, L.P. is Operator of the Dirty Devil Unit. The Unit was formed August 17, 1984 when the Participating Area was approved for Unit well no. 22-27 on October 15, 1986.

The Dirty Devil, L.P. will be reporting production quantities as of November 1, 1986, for all wells within the unit. To expedite reporting of the Dirty Devil 11-29 well, enclosed are production reports for September and October. The well has been tested and is awaiting a pipeline. Production of the well is expected to commence in December.

Sincerely,

DIRTY DEVIL, L.P.

Steven Porter

SP/ng



EPS Resources Company

Kennedy Center 10200 E. Girard Ave. Bldg. B. Suite 225 Denver, Colorado 80231 (303) 696-2654

February 12, 1987

DIVIDIUM UT OLIDE TALERS

Bureau of Land Management U. S. Department of Interior 170 South 500 East Vernal, Utah 84078

Gentlemen:

Please find enclosed the Well Completion Reports and Logs, in duplicate, for the following three wells, located in Uintah County, Utah:

Well No. 23-20, Lease No. U-31266, Sec. 20, T9S-R24E Well No. 23-17, Lease No. U-31266, Sec. 17, T9S-R24E Well No. 31-15A, Lease No. ML-28042, Sec. 15, T9S-R24E

If you need any further information, please call.

tabaner

Sincerely,

THE DIRTY DEVIL, L.P.

Edward Neibauer

State of Utah, Natural Resources Champlin Petroleum Company

Chorney Oil Company

Enserch Exploration, Inc.

Natural Gas Corp. of California

EN/ng

| Form 3160-4 (November 1983) (formerty 9-330) | _ | | STAT | | | | DUPLIC | | Budge Expir | es Aug | gust 31, 1985 |
|--|---------------------------------|------------------------|--------------------|---------------------|---------------------------|----------------|---------------------|-----------------------|--------------------------|------------------|---------------------|
| W. | DEPARTM BUREA | ENT OF U OF LAND | | | | . | structio reverse | | U-31 26 | 66 | TION AND SERIAL NO. |
| WELL CON | APLETION OI | R RECOM | PLETIC | ON RE | EPORT A | AN[| LOG | * | 6. IF INDIA | N. ALLO | TTEE OR TRIBE NAME |
| ia. TYPE OF WELL | | GAS X | | | ther | | | | 7. UNIT AGE | REEMEN | TNAME |
| b. TYPE OF COMP NEW WELL 2. NAME OF OPERATO | LETION: WORK DEEP- COVER EN | BACK | DIFF. RESVI | ; | Chella Other | FE! | 3 17 19 | 987 7/4 | Dirty Feder | LEASE | |
| Dirty Devi | I, L.P. | | | /-> r | ः 03)696-2 | 65/ | <u> 20 juli</u> | | 9. WELL NO |). | |
| 3. ADDRESS OF OPER | irard Ave., B | 225 Day | NO. | | | | | | 1 | ND POO | L, OR WILDCAT |
| 10200 E. G | (Report location cle | early and in ac | cordance | with any | State requir | ement | 8)* | | - Bonan | za | |
| | 9' FWL, 2368' | | | | | | | | 11. SEC., T. | | OR BLOCK AND SURVEY |
| At top prod. inte Same | rval reported below | - | | | | | | | Sec. 20 | , T9: | S-R24E |
| At total depth | | | 14. PER | MIT NO. | | DATE | ISSUED | | 12. COUNTY | on | 13. STATE |
| Sam | 9 | | 1 - | 47-31 | t | | 9/81 | | Uintah | | Utah |
| 15. DATE SPUDDED | 16. DATE T.D. REACH | IED 17. DATE | COMPL. (| Ready to | prod.) 18 | | | RKB. | RT, GR, ETC.)* | | ELEV. CASINGHEAD |
| 2/4/82 20. TOTAL DEPTH, MD & | 3/24/82 21. PLUG. BA | CK T.D., MD & T | /12/87 vd 22. | IF MULT | TRUE COMPL. | | 80 KB | RVALS LED BY | ROTARY TO | | CABLE TOOLS |
| 83821 | | | | V. U.S. / MI | D AND TYP) | | <u> </u> | <u>→</u> | 0-T | | 5. WAS DIRECTIONAL |
| 24. PRODUCING INTER | Neslin 7138- | | воттом, | NAME (M | o and ive | | | | | | NO NO |
| 26. TYPE ELECTRIC A | ND OTHER LOCA BI'N | | | | | | | | | 27. | WAS WELL CORED |
| | FD, BHC Sonic | c, Cyberl | ook, C | ement | Bond L | og | | | | | Yes |
| 28. | | | | | ert all string. E SIZE | s set in | | ENTIN | RECORD | | AMOUNT PULLED |
| CASING SIZE | WEIGHT, LB./FT. | 75 l | (MD) | 17- | | 100 | SX C1 | | "G" | | None |
| 13-3/8" 8-5/8" | 48# | 2090' | | | 1411 | |)6 SX | <u>u</u> 55 | | | 11 |
| 5-1/2" | 17# | 8350 | | | 7/8" | 130 | 00 SX C | las | s "H" | | |
| | TIN | ER RECORD | | | | 1 | 30. | | TUBING RE | CORD | <u> </u> |
| SIZE | | TTOM (MD) | SACKS CE | MENT* | SCREEN (M | (D) | SIZE | 1 | DEPTH SET | (MD) | PACKER SET (MD) |
| | | | | | | | 2-3/ | <u>8" </u> | 7000 | | - |
| | | | | | | | | | | | |
| | ORD (Interval, size a | | | | 32. | | | | CTURE. CEME | | MATERIAL USED |
| | Per Foot (S | | | | DEPTH IN | | | | | | 75 SX Class "G |
| 3465' 4 SPF 8078-8088'() | 0'12 SPF | 8016-24'(| 8')2 3 | SPF | 3795 | <u>&34</u> | 105 | Lem | ent sque | -ZEI | VI DA GLASS U |
| 8111-8128'(1 | 7')2 SPF | 7138-48'(CIBP @ 80 | | SPF | 7138- | 7148 | 8' | Fra | ac w/ 95,000# 20/40 Mesh | | |
| 33.* | | | | | OUCTION | | | | | | |
| Shut-in | ION PRODUCTI | Flowing | lowing, go | is lift, pu | ım ping—size | and t | | | | hut-in) Shut- | |
| 1/19/87 | HOURS TESTED | 12/64 | PROD'S | Y. FOR PERIOD | оіц—в в ц. 7 ВО | | GAS-M | | WATER—F | BBL. | 85,714 |
| FLOW. TUBING PRESS. | CASING PRESSURE | CALCULATED | 011 | 881 | 1 | -MCF. | 1 | WATE | RHBL. | OIL | GRAVITY-API (CORR.) |
| 900 | 1100 | 24-HOUR RATI | <u> </u> | 7 BO | 60 | 00 M | CF | 3 | BW | | 520 |
| Ve | as (Sold, used for fue ented | el, vented, etc.) | | | | | | | TEST WIT | NESSED | |
| 35. LIST OF ATTACH | cal and Well | History | Repor | ts Pr | eviously | / Se | nt in I | by N | latural G | as Co | orp. of CA (NGC |
| 36. I hereby certify | that the foregoing | attached in | | is comp | Enginee | | s determin | ea fro | om all availabl | recor | 2-2-87 |
| SIGNED FAX | | | 1.6 | (A | 1 11:4:1 | D4 | D | | | | |

| Form 3160-5 (November 1983) (Formerly 9-331) DEPAR | | | Expires August 31, 1985 5. LEASE DESIGNATION AND SERIAL NO. |
|---|--|---|--|
| SUNDRY NO | TICES AND REPORTS OTICES AND REPORTS Openals to drill or to deepen or plug ication FOR PERMIT—" for such p | ON WELLS | U-31266 SGU 6. IF INDIAN, ALLOTTEE OR TRIBE NAME 051114 |
| OIL GAS X OTHER | | | 7. UNIT AGREEMENT NAME Dirty Devil 8. FARM OR LEASE NAME |
| Dirty Devil, L.P. | | | Federal |
| 3. ADDRESS OF OPERATOR | (303) 696-265 | | 9. WELL NO. |
| 10200 E. Girard Av. 4. LOCATION OF WELL (Report location See also space 17 below.) At surface | ve., Bldg, B, Suite 22 n clearly and in accordance with any | 5 Denver, CO 80231 State requirements.* | 23-20 10. FIELD AND POOL, OR WILDCAT Bonanza |
| 2069' FWL, 2368' I Section 20 T9S R24 | FSL, NE 1/4 SW 1/4 HE SLM | | 11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA |
| 14. PERMIT NO. | 15. ELEVATIONS (Show whether Di | F, RT, GR, etc.) | Sec. 20 T9S R24E |
| 43-047-31009 | 5280' KB | | Uintah Utah |
| 16. Check | Appropriate Box To Indicate N | Nature of Notice, Report, or C | Other Data |
| NOTICE OF INT | CENTION TO: | SUBSEQ | UBNT REPORT OF: |
| TEST WATER SHUT-OFF | PULL OR ALTER CASING | WATER SHUT-OFF | REPAIRING WELL |
| FRACTURE TREAT | MULTIPLE COMPLETE | FRACTURE TREATMENT | ALTERING CASING |
| SHOOT OR ACIDIZE | ABANDON* CHANGE PLANS | SHOOTING OR ACIDIZING (Other) | ABANDONMENT* X |
| (Other) | , [] | (Norm: Report results | of multiple completion on Well letion Report and Log form.) |
| 7168-7176 8' 7182-7184 2' 7113-7122 9' 7083-7086 3' 7070-7074 4' 7056-7060 4' 7034-7040 6' 7008-7012 4' 40' | perforate the follows | ng intervals in the | Mesaverde/Wasatch Formation |
| Operator plans to 20/40 mesh sand me | stimulate (frac) the edia. | above intervals using | a cross-linked gel, |
| | | SE MAY | 08 1987 |
| | | _ | SION OF S & MINING |
| 18. I hereby certify that the foregoing | strate and correct | nginoer | DATE//Ay 7,1987 |
| (This space for Federal or State of | office use) | - C | <i>U</i> |
| APPROVED BYCONDITIONS OF APPROVAL, IF | TITLE | OF | PTEDABY THE STATE UTAH DIVISION OF |
| Federal approval of this ac | | A 707 (T-) | GAS, AND MINING 5-11-87 |
| is required before commen | *See instruction: | s on Reverse Side $(D \cap A) = \emptyset$ - | 0 1) |

Operations.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

| (Nov | n 3160-5 vember 1983) merly 9-331) | DEPART BURE | MEN. OF T | TATES THE INTERIO MANAGEMENT | SUBMIT IN TRIPI (Other instructions) R verse side) | re- | Form approved. Budget Bureau No Expires August 33 5. LEASE DESIGNATION AN | 1, 1985 D SERIAL NO. |
|-------|--|---|--|---|--|---------------------------------|---|---|
| | SUND (Do not use this fo | RY NOT | ICES AND | REPORTS Of deepen or plug back | de la cifferent reservoir. | | 6. IF INDIAN, ALLOTTEE O | |
| ¥ | OIL GAS WELL X | OTHER | | | DIVISION OF | 88 | Dirty Devi 8. FARM OR LEASE NAME | _ |
| 3. 4 | Dirty Devil L. ADDRESS OF OPERATOR | | • | | Unit GAS & MAN | ing_ | Federal 9. WHILL NO. | |
| 4. [| 5655 S. YOSEMI LOCATION OF WELL (Rep See also space 17 below At surface | ort location | 460 Engley | ordance with any St | 11 (303) 721-79 tate requirements.* | 20 | 23-20 10. FIELD AND POOL, OR V Bonanza | VILDCAT |
| | 2069' FWL, 236 Section 20 T9S | | | | | | Sec. 20 T9S R2 | |
| | PERMIT NO. 43-047-31009 | | 1 | (Show whether DF, R | T, GR, etc.) | | 12. COUNTY OR PARISH 1 Uintah | 3. STATE Utah |
| 16. | | Check A | | | ture of Notice, Report, | - | | |
| 17. c | TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR C proposed work. If w nent to this work.)* Operator plans | rell is directi s to cha establis | PULL OR ALTER C. MULTIPLE COMPINABANDON* CHANGE PLANS ERATIONS (Clearly onally drilled, giveninge the sulfine) | state all pertinent e subsurface location | WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZIN (Other) | results ecomple dates, vertical | nd stimulating n | Well of starting any nd zones perti- ew Mesaverde |
| | hereby certify that the | e foregoing | s true and correct | t TITLE PU | troleum ingen | vei | DATE 5-3-8 | <i>38</i> |
| A | This space for Federal APPROVED BY CONDITIONS OF APP | | | TITLE | | | DATE | |

42.382 100 SHEETS 5 SQUARE 42.382 100 SHEETS 5 SQUARE 42.389 200 SHEETS 5 SQUARE



EPS Resources Company

5655 South Yosemite Suite 460 Englewood, CO 80111 (303) 721-7920 October 6, 1988



Connie Larsen
Utah State Tax Commission
160 East Third South
Salt Lake City, UT 84134-0550

DIVISION OF OIL, GAS & MINING

RE: Dir

Dirty Devil Unit Uintah County, Utah Utah Account No. N5001

Dear Connie:

In reference to our recent conversation, I spoke with Dwain Immel of our office and he informed me that The Dirty Devil, L.P. is the operator of The Dirty Devil Unit located in Uintah County, Utah. EPS Resources Company is the Managing General Partner of The Dirty Devil, L.P. Please let your records show The Dirty Devil, L.P. as operator of the following wells with the corresponding account number N5001.

| Well Name API Number | Entity | Locat | tion | |
|---------------------------------------|----------------|-------------|------|----|
| Devils Playground Fed 34304730568 | 23-17 06136 | 09S | 24E | 17 |
| Devils Playground 41-9 4304730339 | 06195 | 09S | 24E | 9 |
| Red Wash Fed 1-18 4304730124 | 06200 | 09S | 24E | 18 |
| Dirty Devil 22-27 4304731507 | 09585 | 09S | 24E | 27 |
| Dirty Devil Unit 11-29 4304731617 | 09586 | 09S | 24E | 29 |
| Dirty Devil Unit 31-15. 4304731726 | A 10697 | C 9S | 24E | 15 |
| Devils Playground Fed 4304731009 | 23-20 10698 | 09S | 24E | 20 |



₹ 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut 84180-1203. ●(801-538-5340)

Operator name and address:

| | 1 | | 1 |
|------|---|----|---|
| Page | | of | |



MONTHLY OIL AND GAS PRODUCTION REPORT

| ●DIRTY DEVIL, L.P. Ĕ | PS RESOU | A. I- | 1-89 S CORP. | | litah Account I | N 2025 No N5001 |
|--|----------------|----------|-----------------|-----------|---------------------------------------|---------------------|
| 5655 S.YOSEMITE, STE | 460 | | | | | |
| ENGLEWOOD CO | | | | | Report Period | (Month/Year) 4 / 89 |
| ATTN: DALE ANNE KESSL | ER _ | | | | Amended Repo | |
| | | | | ···· | | |
| | Dan dan in a | Davis | Dunduntion V | | | |
| Well Name API Number Entity Location | Producing Zone | | Production V | olume | Gas (MSCF) | Water (BBL) |
| API Number Entity Location DEVILS PLAYGROUND FED 23-17 | Zone | Oper | Oli (BBL) | | Gas Wiodi / | Water (SSC) |
| 4304730568 06136 09S 24E 17 | MVRD | | | | | |
| DEVILS PLAYGRND 41-9 | | | | | | |
| 4304730339 06195 09S 24E 9 | WSTC | | | | · · · · · · · · · · · · · · · · · · · | |
| RED WASH FED 1-18 | | | | | | • |
| 4304730124 06200 09S 24E 18 | WSTC | | | | | |
| DIRTY DEVIL 22-27 4304731507 09585 09S 24E 27 | WSTC | | | | | |
| DIRTY DEVIL UNIT #11-29 | HOIC | | | | | |
| 4304731617 09586 09S 24E 29 | MVRD | | | | | |
| DIRTY DEVIL UNIT #31-15A | | | | | | |
| ្នៃ១4731726 10697 09S 24E 15 | GRRV | | | | | |
| VILS PLAYGROUND FED 23-20 | | | | | | |
| 4304731009 10698 09S 24E 20 | MVRD | | <u>.</u> | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | . | |
| | | | | | | |
| | l | L | | | | |
| | т | OTAL | | | | |
| | | K | E 2/29 | = 1:1\a0 | مالمياه | 1-14,0016 |
| Comments (attach separate sheet if nece | ssary) | <u> </u> | 3-00-01 | Entitles | s are all S | ingle entity wells |
| | | | ok!) fol | L | | V |
| | | | 7 4.51 | | | |
| | | | | | | |
| | | | | | | |
| I have reviewed this report and certify the | information | to be | accurate and o | complete. | Date | |
| | | | | | Talanhara | |
| Authorized signature | | | | | Telephone | |
| | | | | | | |



EPS Resources Corporation

5655 South Yosemite Suite 460 Englewood, CO 80111 (303) 721-7920

May 18, 1989



Bureau of Land Management Attn: Mr. Ed Forman Vernal District Office 170 South, 500 East Vernal, Utah 84078 oll. GAS & MINING.

Jay 89 Spoke w/m. Meibailer

at 1:10 p.m. effective date

is 1-1-89 ds

RE: Dirty Devil Unit
Uintah County, Utah

Dear Mr. Forman:

This letter is written notification to change the name of the Operator of the Dirty Devil Unit from the Dirty Devil L.P. to EPS Resources Corporation.

EPS Resources Corporation is the Managing General Partner of the Dirty Devil L.P..

EPS Resources Corporation has provided a letter of credit #244 to the Bureau of Land Management.

Attached is the list of wells EPS Resources Corporation owns and operates in the Dirty Devil Unit.

If you have any questions, please do not hesitate to contact myself or Cindy Senko at (303) 721-7920.

Sincerely,

Edward Neibauer

President

CS/ntm

Enclosure

Cc: State of Utah, Division of Oil, Gas & Mining Attn: Mickey Coulthard
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

OIL AND GAS

DEN 5. GLH

DTO 6. SLS 0

T- MICROFILM 1

8 - FILE

Mr. Ed Forman Page Two May 18, 1989

DIRTY DEVIL UNIT UINTAH COUNTY, UTAH

| Well Number | Lease No. | Section \(\frac{1}{4}\) of \(\frac{1}{4}\) | TWP | RNG |
|-------------|-------------|--|-------|-----|
| ~23-17 | U-31266 | NESW Sec. 1 | 7 9S | 24E |
| 23-20 | U-31266 | NESW Sec. 2 | 0 9S | 24E |
| 41-9 | บ-5217 | NENE Sec. | 9 9S | 24E |
| 1-18 | U-0145459 | NWNE Sec. 1 | 8 9S | 24E |
| 22-27 | SL-071725-C | SENW Sec. 2 | 7 9S | 24E |
| 11-29 | ML-22161 | NWNW Sec. 2 | 9 9S | 24E |
| 31-15A | ML-28042 | NWNE Sec. 1 | 5 9S | 24E |
| 1-4 | U-1207 | NENW Sec. | 4 10S | 24E |
| 1-5 | U-1207 | NENW Sec. | 5 10S | 24E |
| 1-8 | U-59150 | SESW Sec. | 8 9S | 24E |
| 1-9 | U-59089 | SWSE Sec. | 9 9S | 24E |

August 7, 1989



CPS Resources Corp. 3045 South Yosculte, Suite 450 Inglewood, Colorado 80111

. : ()

Centlemen:

Pursuant to your request of July 18, 1989, we have reviewed our paying well determinations of January 12, 1989 (copy encloses).

As a result of this review we have determined that under existing conditions the following wells are not capable of producing unitized substances in paying countities as defined by Section 11 of the Dirty Devil Unit Agreement.

| Entity # | well do. | Location | Loase So. |
|--------------------------------|--|------------------------------------|---|
| 6136 9526 10697 10698 | -23-17 -11-29 -31-35A- -23-20 | 110/MER coc. 15. T. 9 S., R. 24 E. | 11-31264 43-047-30568 State M-22151 43-047-31617 State M-22642 43-047-31726 |

Therefore, our paying well determination dated January 12, 1985, and the approval of the (nitial Masatch Mesaverne participating Acre "D", oated May 2, 1989 (copy enclosed), are mereby rescized. Production from these wells shall be handled and reported on a Tease basis. Floase advise all interested parties with evidence of this determination.

Sincerely,

(Orig. Sgd.) R. A. Henricks

l Enclosure
Determination 1/12/89
bcc: DN: Vernal
Dirty Devil Unit File
U-942 w/encl
RNP-Denver w/encl
Utah State Land Board w/encl
Agr Sec. Chron

that, Franco of Fluid Minerals

* No Enlity changes necessary.

9-26-89

for

Robert At Herricks' (1)



Valley Ope. ating, Inc.

Office: (303) 355-3242 Fax: (303) 377-9798

745 Gilpin Street
Denver, Colorado 80218-3633

August 8, 1991

Division of Oil, Gas & Mining

ATTN: Lisha Romero

3 Triad Center, Suite 350

Salt Lake City, Utah 84180-1203

RE: Approved Sundry Notices for wells

in Uintah County, Utah

Dear Ms. Romero:

As per the regulations please find enclosed the approved Sundry Notices from the Bureau of Land Management for the following wells in which Valley Operating, Inc. has been approved as the new Operator in Uintah County, Utah:

| 11-29 | |
|-------|--|
| 28-1 | |
| 13-1 | |
| 22-27 | |
| 32-2 | |
| 1-9 | |
| 41-9 | |
| 23-17 | |

23 - 20

31-15-A 1-18

Please inform me if we are missing any Sundry Notices that you are aware of.

Sincerely yours,

Cindy Senko

Contract Landman

cs//

Enclosures

MEGINA

AUG 1 2 1991

DIVISION OF OIL GAS & MINING

| | e e e e e e e e e e e e e e e e e e e | : | Form approved. Budget Bureau No. 1004-0135 |
|--------------------------------|--|---|---|
| 3160–5 | UNITED: 'TES | SUBMIT IN TRIPLICATE* | Expires August 31, 1985 |
| ovember 1983) omerly 9-331) | DEPARTMENT OF HE INTER | IOR verse side) | LEASE DESIGNATION AND SERIAL NO. |
| (men) 4-221) | BUREAU OF LAND MANAGEMEN | T | UTU-31266 6. IF INDIAN, ALLOTTEE OR TRISE NAME |
| | NDRY NOTICES AND REPORTS | | O. IF INDIAN, ACCOUNTS ON THIS CAMP |
| SUI | NDRY NOTICES AND RELIGIONS | back to a different reservoir. | |
| (Do not use tai | Is form for proposals to drill or to deepen or plug Use "APPLICATION FOR PERMIT—" for such i | proposals.) | 7. UNIT AGREEMENT NAME |
| | | | Dirty Devil Unit |
| MELL MELL | Х отнев | | S. FARM OR LEASE NAME |
| NAME OF OPERATOR | | | |
| | erating, Inc. | | 9. WELL NO. |
| ADDRESS OF OPERAT | | 0218-3633 | 23-17 & 23-20 |
| 745 GILPL | n Street, Denver, Colorado 8 (Report location clearly and in accordance with an | State requirements.* | 10. FIELD AND POOL, OR WILDCAT |
| See also space 17 be | elow.) | | |
| | · · · · · · · · · · · · · · · · · · · | | 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA |
| | 24E, Sec. 17: NESW 23-17 Well 24E. Sec. 20: NESW 23-20 Well | | T9S-R24E, Sec. 17 & 20 |
| 195-82 | , | | 12. COUNTY OR PARISH 13. STATE |
| PERMIT NO. | 15. ELEVATIONS (Show whether to | or, RT. CR. etc.) | |
| 43-047-30568 | 3 & 43-047-3µ009 | | |
| | Check Appropriate Box To Indicate | Nature of Notice, Report, or C | Other Data |
| | NOTICE OF INTENTION TO: | SUBSEQ | UENT REPORT OF: |
| | | WATER SHUT-OFF | REPAIRING WELL |
| TEST WATER SHUT | 1 | FRACTURE TREATMENT | ALTERING CABING |
| FRACTURE TREAT | MULTIPLE COMPLETE | SHOOTING OR ACIDIZING | ABANDONMENT* |
| SHOOT OR ACIDIZE | ABANDON* | (045-5) | |
| (Other) Cha | ange of Operator X OR COMPLETE OPERATORS (Clearly state all pertian drilled give subsurface los | Completion or Recomp | s of multiple completion on Well sletion Beport and Log form.) |
| Valley Op Operator | perating, Inc., is submitting t from EPS Resources Corporation | chiscSundry Notice to n to Valley Operating, | effect the change of Inc. |
| Valley Op | perating, Inc., as Operator is No. UTO832. | | i e e e e e e e e e e e e e e e e e e e |
| | re 3/8/91. | | |
| DITECTIV | | | |
| | | | REGISTIV |
| | | | AUG 1 2 1991 |
| | | | DIVISION OF OIL GAS & MINING |
| | 1 1 | | |
| SIGNED | 11123 | Vice-President | DATE4-8-91 |
| | Federal or State office use) TITLE | ASSISTANT DISTRICT RAMAGER MINES AND | JUN 1 2 1991 |
| APPROVED BY | F APPROVAL, IF ANY: | | .441 |

| ttach al nitial e | l documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable. | 2- DTS 3- VLC 4- RJF |
|--|--|--|
| | ge of Operator (well sold) | 5- RWM V 6- LCRFR |
| he ope | rator of the well(s) listed below has changed (EFFECTIVE DATE: $3-8-91$ | |
| O (new | operator) VALLEY OPERATING, INC. 745 GILPIN STREET DENVER, CO 80218-3633 CINDY SENKO/LANDMAN phone (303) 355-3242 account no. N8270 FROM (former operator) (address) 5655 S. YOS ENGLEWOOD, DALE ANN KE phone (303) account no. | EMITE, #460 CO 80111 SLER 721-7920 |
| le]](s) | (attach additional page if needed): | ^ |
| Name: D Name: Mame: _ Name: _ Name: | EVILS PLAYGRND 23-17/MVAPI: 43-047-30568 Entity: 6136 Sec 17 Twp 9S Rng 24E Legards PLAYGRND 23-20/MVAPI: 43-047-31009 Entity: 10698 Sec 20 Twp 9S Rng 24E Legards PLAYGRND 23-20/MVAPI: 43-047-31726 Entity: 10697 Sec 15 Twp 9S Rng 24E Legards PLAYGRND API: Entity: 6200 Sec 18 Twp 9S Rng 24E Legards PLAYGRND API: Entity: Sec Twp Rng Legards PLAYGRND API: Entity: Sec | ease Type: <u>U-312</u> 66 ease Type:ML-2804 ease Type: <u>U-014</u> 54 ease Type: |
| PERATO | OR CHANGE DOCUMENTATION | |
| Jef 2. | (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received operator (Attach to this form). (Unable to get documentation) (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from (Attach to this form). (Rec'd 8-12-91) | om <u>new</u> operator |
| | The Department of Commerce has been contacted if the new operator above is operating any wells in Utah. Is company registered with the state? (yes yes, show company file number: $\frac{\#150678}{}$. | :/no) If |
| | (For Indian and Federal Wells ONLY) The BLM has been contacted regardi (attach Telephone Documentation Form to this report). Make note of comments section of this form. Management review of Federal and Indian changes should take place prior to completion of steps 5 through 9 below. | BLM status in |
| for 5. | Changes have been entered in the Oil and Gas Information System (Wang/IBM) listed above. (8-21-91) |) for each well |
| ٨ | Cardex file has been updated for each well listed above. | |
| FCR 7. | Well file labels have been updated for each well listed above. | |
| Feb 8. | Changes have been included on the monthly "Operator, Address, and Account for distribution to State Lands and the Tax Commission. | t Changes" memo |
| <u>f</u> gg 9. | A folder has been set up for the Operator Change file, and a copy of this placed there for reference during routing and processing of the original d | |

– OVER –

Routing: ,

1- LICK 42

PAGE 2

PIVISION OF OHO, Gas and Mining
PERATOR CHANGE HORKSHEET

| ATOR CHANGE WORKSHEET (CONTINUED) Initia ach item when completed. Write N/A i tem is not applicable. |
|---|
| ITY REVIEW |
| 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form). |
| A2. State Lands and the Tax Commission have been notified through normal procedures of entity changes. |
| VERIFICATION (Fee wells only) |
| 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. |
| 2. A copy of this form has been placed in the new and former operators' bond files. |
| 3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19 |
| SE INTEREST OHNER NOTIFICATION RESPONSIBILITY |
| 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested. |
| 2. Copies of documents have been sent to State Lands for changes involving State leases. |
| TING RWM 1. All attachments to this form have been microfilmed. Date: Sept 6 199/. |
| ING |
| 1. Copies of all attachments to this form have been filed in each well file. |
| 2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file. |
| IENTS |
| 10815 Bhm/Vernal Approved, effective dates 6-3-91 and 6-12-91. (see individual well sundry) |
| |
| |
| |

1/34-35

| Division of Oil, Gas and Mining OPERATOR CHANGE HORKSHEET | Routing) |
|--|--|
| Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable. | 2-DT8073 3- VLC 4- RJF |
| ☑xChange of Operator (well sold) □ Designation of Agent □ Designation of Operator □ Operator Name Change Only | 5- RWM # 6- ILCR # 6- |
| The operator of the well(s) listed below has changed (EFFECTIVE DATE: $3/8/91$ | |
| (address) 745 GILPIN STREET (address) 5655 S. YOUNG (TOTAL) (Address) 5655 S. YOUNG (TOTAL) (Address) 6555 S. YOUNG (TOTAL) (A | o, co 80111 |
| <pre>Well(s) (attach additional page if needed):</pre> | |
| Name: COYOTE BASIN 28-1/GRRV API: 43-047-30098 Entity: 10095 Sec 28 Twp 88 Rng 25 Name: FEDERAL #13-1/UNTA API: 43-047-31811 Entity: 10796 Sec 13 Twp 88 Rng 23 Name: DIRTY DEVIL U 22-27/WSTQPI: 43-047-31507 Entity: 9585 Sec 27 Twp 98 Rng 24 Name: CONOCO ST 32-2/DGCRK API: 43-047-30100 Entity: 10096 Sec 32 Twp 88 Rng 25 Name: FEDERAL 1-9/DRL API: 43-047-31852 Entity: 11199 Sec 9 Twp 98 Rng 24 | E Lease Type: ML-2216 E Lease Type: U-01629 E Lease Type: SL71729 E Lease Type: U-5217 E Lease Type: U-5217 E Lease Type: U-5217 |
| OPERATOR CHANGE DOCUMENTATIÓN | |
| NA 1. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been receiped operator (Attach to this form). (unable to get documentation) | eived from <u>former</u> |
| (Attach to this form). (Rec 8-12-91) | from <u>new</u> operator |
| If 3. The Department of Commerce has been contacted if the new operator above operating any wells in Utah. Is company registered with the state? yes, show company file number: #150678. | (yes/110) 11 |
| 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regardatach Telephone Documentation Form to this report). Make note comments section of this form. Management review of Federal and Incomments should take place prior to completion of steps 5 through 9 below | of BLM status in Hian well operator W. |
| 5. Changes have been entered in the Oil and Gas Information System (Wang/listed above. (8-21-91) | IBM) for each well |
| La 6. Cardex file has been updated for each well listed above. (8-21-91) | |
| $\frac{fcc}{h}$ 7. Well file labels have been updated for each well listed above. | |
| for distribution to State Lands and the Tax Commission. | |
| 9. A folder has been set up for the Operator Change file, and a copy of placed there for reference during routing and processing of the original | this page has been 1 documents. |

- OVER -

| CRATOR CHANGE WORKSHEET (CONTINUED) Initi each item when completed. Write N/A item is not applicable. |
|--|
| TITY REVIEW |
| Pl. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form). |
| A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes. |
| OND VERIFICATION (Fee wells only) |
| 1/A 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond. |
| 2. A copy of this form has been placed in the new and former operators' bond files. |
| A 3. The former operator has requested a release of liability from their bond (yes/no) Foday's date 19 If yes, division response was made by lette dated 19 |
| EASE INTEREST OHNER NOTIFICATION RESPONSIBILITY |
| (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has bee notified by letter dated |
| to - Ed Bonner |
| ILMING I. All attachments to this form have been microfilmed. Date: 1951 |
| ILING |
| 1. Copies of all attachments to this form have been filed in each well file. |
| <u>U-2</u> . The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operato Change file. |
| STMAMMC |
| 710815 Bom/Vernal Approved, effective dates 6-3-91 and 6-12-91. (See individual well sundry) |
| |
| |
| E71/34-35 |

FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

JUL 0 3 1995

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

| bondare of | ¥ | 5. Lease Designation and Serial No. |
|--|--|--|
| SUNDRY NOTICES A | ND REPORTS ON WELLS | U 31266 |
| Do not use this form for proposals to d | rill or to deepen or reentry a different less | Add N D Gardian, Allottee or Tribe Name |
| Use "APPLICATION I | FOR PERMIT -" for such proposals | |
| | | 7. If Unit or CA, Agreement Designation |
| SUBMIT IN | I TRIPLICATE | Dirty Devil |
| 1. Type of Well | | |
| Oil Gas | | 8. Well Name and No. Dirty Devil Federal #23-20 |
| Well Well Other | - | 9. API Well No. |
| 2. Name of Operator | | 43-047-31009 |
| Valley Operating, Inc. | | 10. Field and Pool, or Exploratory Area |
| 3. Address and Telephone No. | | Bonanza |
| 745 Gilpin Street, Denver CO | 80218-3633, 303/355-3242 | 11. County or Parish, State |
| 4. Location of Well (Footage, Sec., T., R., m., or Survey Des | | |
| 4. Location of Well (Pootage, Bec., 1., R., III, or burvey Des | cirpaton) | |
| 2069' FWL & 2368' FSL Sec. 2 | 0-T9S-R24E | Uintah Co., Utah |
| | BOX(s) TO INDICATE NATURE OF NOTI | CE PEROPT OF OTHER DATA |
| | | |
| TYPE OF SUBMISSION | TYPE | OF ACTION |
| X Notice of Intent | Abandonment | Change of Plans |
| | X Recompletion | New Construction |
| Subsequent Report | Plugging Back | Non-Routine Fracturig |
| £ | Casing Repair | Water Shut-Off |
| Final Abandonment Notice | Altering Casing | Conversion to Injection |
| | Other | Dispose Water |
| | | (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) |
| We propose to isolate and test existi | and true vertical depths for all markers and zones pertinent to this wing Mesaverde perforations at 7138'-7148' 308'. These Wasatch intervals will be acid | '. We will then perforate Wasatch |
| 14. I hereby certify that the foregoing is true and correct Signed | Agent for Valley Operation Title V.P Operations | ng Inc. Date 06/28/95 |
| (This space for Federal or State office use) | | |
| , , | Title | Date |
| Approved by Conditions of approval, if any: | Title | |
| | | |
| Title 18 U.S.C. Section 1001, makes it a crime for any pe statements or representations as to any mater within its ju | erson knowingly and willfully to make to any department or agency | of the United States andy false, fictitious or fraudulent |
| seascinents of representations as waity mater within its ju | | |

FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR RURFALLOR LAND MANAGEMENT

AUG 1.4 1995

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS U-31266 Do not use this form for proposals to drill or to deepen or reentry a different reservoir. 6. If Indian, Allottee or Tribe Name Use "APPLICATION FOR PERMIT -" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE **Dirty Devil** 1. Type of Well 8. Well Name and No. Oil Gas Dirty Devil Fed. #23-20 Well Well Other 9. API Well No. 43-047-31009 2. Name of Operator 10. Field and Pool, or Exploratory Area Gerrity Oil & Gas Corporation Wildest Devils Play Coround 3. Address and Telephone No. 4100 E. Mississippi Ave., #1200, Denver CO 80222, 303/757-1110 11. County or Parish, State 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) Uintah Co., Utah 2368' FSL & 2069' FWL Sec. 20-T9S-R24E CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA **TYPE OF ACTION** TYPE OF SUBMISSION Change of Plans Notice of Intent Abandonment New Construction Recompletion Non-Routine Fracturig Subsequent Report Plugging Back Water Shut-Off Casing Repair Conversion to Injection Final Abandonment Notice Altering Casing Dispose Water Other (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 7/1/95: Set CIBP at 5523' with 2 sx. cement on top of plug per BLM request. 7/2/95: Perforate 5298'-5308' and 4726'-4740'. 7/3/95: Fracture stimulated perforated intervals with 109,000# 20/40m sand and 950 bbl. fluid. Gerrity Oil & Gas Corporation 14. I hereby certify that the foregoing is true and correct 08/10/95 Title Petroleum Engineer Date Walde Arkerma (This space for Federal or State office use) Date Title Approved by Conditions of approval, if any: Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States andy false, fictitious or fraudulent

statements or representations as to any mater within its jurisdiction.

FORM 3160-4 (July 1992)

SUBMIT IN DUPLICATE*

(See other in-

FORM APPROVED OMB NO. 1004-0137

AUG 1.4 1995 **UNITED STATES DEPARTMENT OF THE INTERIOR**

structions on

Expires: February 28, 1995

5. LEASE DESIGNATION AND SERIAL NO. reverse side)

| | | OF LAND M | | | | | | |
|--|---|---|--|---|---|--|--|--|
| WELL COMPL | ETION OP | DECOMDI | ETION RE | PORT AN | ID I OG* | | 6. IF INDIAN, ALLOTTEE | OR TRIBE NAME |
| | | GAS | LL HON IXL | .F OIXT AI | ID LOG | | 7. UNIT AGREEMENT NA | |
| a. TYPE OF WORK | OIL | | v | ٦ | | | 7. CIVIT ACICLLANDAVI IVI | |
| b. TYPE OF WELL | WELL | WELL | X DRY | Other | | | Dirty Dev | vil |
| NEW WORK | DEEP- | PLUG | DIFF. | | | | 8. FARM OR LEASE NAM | |
| WELL OVER | | BACK | | Other | | | | vil Fed. #23-20 |
| NAME OF OPERATOR | | BACK | KESTIG22 | | | | 9. API WELL NO. | |
| Gerrity Oil & | Gas Cornoratio | n n | | | | | 43-047-31 | 1009 |
| ADDRESS AND TELEPHONE NO. | Gas Corporation | | | | | | 10. FIELD AND POOL OR | |
| 4100 E. Mississ | sinni Ave., Den | ver CO 8022 | 2, 303/757-111 | 0 | | | Bonanza - | DevilsP |
| LOCATION OF WELL (Report I | locations clearly and in | n accordance with ar | ny State requirements. | *) | | | 11. SEC., T., R., M., OR BL | |
| t Surface | | | | | | | OR AREA | |
| 2069' FWL & 2 | 2368' FSL Sec. | . 20-T9S-R24 | E | | | | | |
| t top prod. Interval reported below | W | | | | | | | |
| same | | | | | | | | <u>ec. 20-T9S-R2</u> 4 |
| t total depth | | 14. PERMIT N | О. | DATE ISSUE | D | | 12. COUNTY OR PARISH | 13. STATE |
| same | | | | <u> </u> | DE DUD DE CE | PTG \# | Uintah | UT 19. ELEV. CASINGHEA |
| 5. DATE SPUDDED 16. DATE T.D | | 17. DATE COMPL. (| Ready to prod.) | 18. ELEVATIONS (| DF, RKB, RT, GR, E | GR | | 5280' |
| 0. TOTAL DEPTH, MD & TVD | 3/24/82 21. PLUG, BACK | 1/12/87 | 22. IF MULTIPLE | | 23. INTERVALS | | RY TOOLS | CABLE TOOLS |
| J. TOTAL DEPTH, MD & TVD | 21. PLUG, BACK | | HOW MANY* | u., | DRILLED BY | | | |
| 3382' MD | TVD 5523' MD | | TVD | 2 | > | | 0'-7050' | |
| 4. PRODUCING INTERVAL(S), OF TH | | | O AND TVD)* | | | | | 25. WAS DIRECTIONA SURVEY MADE |
| Wasatch 4726 | | 3'-5308' | | | | | | No 27. WAS WELL COREL |
| 6. TYPE ELECTRIC AND OTHER LOG | | | | | | | | No |
| No new logs ru | <u>n</u> | | 2.477.277.2 | | | | | 110 |
| 3. | WEIGHT, LB./F | T DEPTH S | SET (MD) | ORD (Report all st HOLE SIZE | | F CEMENT, CEMEN | TING RECORD | AMOUNT PULLED |
| | | | | | | | | |
| CASING SIZE/GRADE | | | | 17 1/2" | Surface, 10 | 0 sx. Class | G | |
| 3 3/8" | . 48# | 75' | | 17 1/2" | | 00 sx. Class | G | |
| 3 3/8" 3 5/8" | 48# | 75' 2090' | | 12 1/4" | 1206 sx Cl | ass G | G | |
| 3 3/8" 3 5/8" | . 48# | 75' | | | | ass G | G | |
| 3 3/8" 3 5/8" 5 1/2" | 48# 24# 17# | 75' 2090' 8350' | | 12 1/4" | 1206 sx Cl 1300 sx C | ass G ass G | G TUBING RECORD | |
| 3 3/8" 3 5/8" 5 1/2" | . 48# 24# 17# | 75' 2090' | SACKS CEMENT* | 12 1/4" | 1206 sx Cl | ass G lass G | | PACKER SET (MD |
| 3 3/8" 5/8" 1/2" | 48# 24# 17# | 75' 2090' 8350' | | 12 1/4" 7 7/8" | 1206 sx Cl 1300 sx Cl | ass G lass G | TUBING RECORD TH SET (MD) | |
| 3 3/8" 5/8" 1/2" | . 48# 24# 17# | 75' 2090' 8350' | | 12 1/4" 7 7/8" | 1206 sx Cl 1300 sx Cl 30. | ass G lass G | TUBING RECORD TH SET (MD) | |
| 3 3/8" 2 5/8" 2 1/2" 9 SIZE TO | 48# 24# 17# LIP OP (MD) | 75' 2090' 8350' NER RECORD BOTTOM (MD) | | 12 1/4" 7 7/8" | 1206 sx Cl: 1300 sx Cl: 30. size 2 3/8" | ass G lass G | TUBING RECORD TH SET (MD) | CIBP @ 5523 |
| 3 3/8" 3 5/8" 5 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int.) | 48# 24# 17# LIP OP (MD) | 75' 2090' 8350' NER RECORD BOTTOM (MD) | SACKS CEMENT* | 12 1/4" 7 7/8" SCREEN (MD) 32. | 1206 sx Cl: 1300 sx Cl: 30. size 2 3/8" | DEF 4672 | TUBING RECORD TH SET (MD) | CIBP @ 5523 |
| 3 3/8" 3 5/8" 5 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int) | 48# 24# 17# LIP OP (MD) | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE | SACKS CEMENT* NUMBER | 12 1/4" 7 7/8" SCREEN (MD) 32. | 30. SIZE 2 3/8" ACID, SHOT, 1 | DEF 4672 FRACTURE, CI | TUBING RECORD TH SET (MD) . CMENT SQUEEZE, E | CIBP @ 5523 TC. ATERIAL USED |
| 3 3/8" 3 5/8" 5 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int) NTERVAL 1726'-4740' | 48# 24# 17# LIP OP (MD) | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" | SACKS CEMENT* | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT | 30. SIZE 2 3/8" ACID, SHOT, 1 | DEF 4672 | TUBING RECORD TH SET (MD) EMENT SQUEEZE, E OUNT AND KIND OF MA | CIBP @ 5523 TC. ATERIAL USED |
| 3 3/8" 3 5/8" 5 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int) NTERVAL 1726'-4740' | 48# 24# 17# LIP OP (MD) | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE | SACKS CEMENT* NUMBER 5 | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT | 30. SIZE 2 3/8" ACID, SHOT, 1 | DEF 4672 | TUBING RECORD TH SET (MD) EMENT SQUEEZE, E OUNT AND KIND OF MA | CIBP @ 5523 TC. ATERIAL USED |
| 3 3/8" 3 5/8" 5 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int) NTERVAL 1726'-4740' | 48# 24# 17# LIP OP (MD) | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" | SACKS CEMENT* NUMBER 5 | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT | 30. SIZE 2 3/8" ACID, SHOT, 1 | DEF 4672 | TUBING RECORD TH SET (MD) EMENT SQUEEZE, E OUNT AND KIND OF MA | CIBP @ 5523 TC. ATERIAL USED |
| 3 3/8" 3 5/8" 5 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int NTERVAL 1726'-4740' 5298'-5308' | 48# 24# 17# LIP OP (MD) | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" | SACKS CEMENT* NUMBER 5 4 | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT 4726'-5 | 30. SIZE 2 3/8" ACID, SHOT, 1 | DEF 4672 | TUBING RECORD TH SET (MD) EMENT SQUEEZE, E OUNT AND KIND OF MA | CIBP @ 5523 TC. ATERIAL USED |
| 3 3/8" 3 5/8" 5 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int) NTERVAL 1726'-4740' | 48# 24# 17# LIF OP (MD) erval, size and number) | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" .38" | SACKS CEMENT* NUMBER 5 4 | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT 4726'-5 | 30. SIZE 2 3/8" ACID, SHOT, 1 | DEF 4672 | TUBING RECORD TH SET (MD) EMENT SQUEEZE, E OUNT AND KIND OF M. 20/40 sand w/95 | CIBP @ 5523 TC. ATERIAL USED |
| 3 3/8" 3 5/8" 5 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int) NTERVAL 1726'-4740' 5298'-5308' | 24# 17# LIT OP (MD) erval, size and number) | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" .38" | SACKS CEMENT* NUMBER 5 4 | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT 4726'-5. | 1206 sx Cl: 1300 sx Cl: 30. SIZE 2 3/8" ACID, SHOT, 1 ERVAL (MD) 308' | ASS G DEF 4672 FRACTURE, CI AM 109,000# 2 | TUBING RECORD TH SET (MD) TH S | ATERIAL USED O bbl. fluid S (Producing or shut-in) Shut In |
| 3 3/8" 3 5/8" 5 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int NTERVAL 1726'-4740' 5298'-5308' | 48# 24# 17# LIF OP (MD) erval, size and number) | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" .38" | NUMBER 5 4 PR bift, pumping—size and ty | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT 4726'-5 | 30. SIZE 2 3/8" ACID, SHOT, 1 | ASS G DEF 4672 FRACTURE, CI AM 109,000# 2 | TUBING RECORD TH SET (MD) EMENT SQUEEZE, E OUNT AND KIND OF M. 20/40 sand w/95 | CIBP (a) 5523 TC. ATERIAL USED 0 bbl. fluid S (Producing or shut-in) |
| 3 3/8" 1 5/8" 1 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Intented Plane) 1. PERFORMATIO | PRODUCTION I Flowing HOURS TESTED | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" .38" CHOKE SIZE | NUMBER 5 4 PR s lift, pumping—size and ty PROD'N, FOR TEST PERIOD | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT 4726'-5 ODUCTION //pe of pump) OILBBLS. | 30. SIZE 2 3/8" ACID, SHOT, 1 ERVAL (MD) 308' | PER AMELON OF THE PROPERTY OF | TUBING RECORD TH SET (MD) EMENT SQUEEZE, E DUNT AND KIND OF MA 20/40 sand w/95 WELL STATUS WATER-BBL. | CIBP @ 5523 TC. ATERIAL USED O bbl. fluid S (Producing or shut-in) Shut In |
| 3 3/8" 1 5/8" 1 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int. NTERVAL 1726'-4740' 1298'-5308' 3.* ATE FIRST PRODUCTION WOPL 17109/95 | 24# 17# LIF OP (MD) erval, size and number) PRODUCTION I Flowing | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" .38" CHOKE SIZE 14/64" CALCULATED | NUMBER 5 4 PR bift, pumping—size and ty | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT 4726'-5. | 1206 sx Cl: 1300 sx Cl: 30. SIZE 2 3/8" ACID, SHOT, 1 GASMCF. 350 | PER AMELON OF THE PROPERTY OF | TUBING RECORD TH SET (MD) TH S | CIBP (a) 5523 TC. ATERIAL USED O bbl. fluid S (Producing or shut-in) Shut In GAS-OIL RATIO |
| 3 3/8" 5/8" 1/2" SIZE TO SIZE TO PERFORMATION RECORD (Intented Properties of the Properties of t | PRODUCTION I Flowing HOURS TESTED 244 247 LIP OP (MD) PRODUCTION I Flowing | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" .38" CHOKE SIZE 14/64" CALCULATED 24-HOUR RATE | SACKS CEMENT* NUMBER 5 4 PR s lift, pumping—size and to PROD'N. FOR TEST PERIOD OIL-BBL. | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT 4726'-5 ODUCTION (pe of pump) OILBBLS. | 30. SIZE 2 3/8" ACID, SHOT, 1 TERVAL (MD) 308' | PER AMORE TO THE PROPERTY OF T | TUBING RECORD TH SET (MD) EMENT SQUEEZE, E OUNT AND KIND OF MA 20/40 sand w/95 WELL STATUS WATER-BBL. | CIBP (a) 552. TC. ATERIAL USED O bbl. fluid S (Producing or shut-in) Shut In GAS-OIL RATIO |
| 3 3/8" 5/8" 1/2" 9 SIZE TO I. PERFORMATION RECORD (Intenterval) 726'-4740' 1298'-5308' 3.* ATE FIRST PRODUCTION WOPL ATE OF TEST 17/09/95 LOW. TUBING PRESS. 150 | PRODUCTION I Flowing HOURS TESTED 24 CASING PRESSURE | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" .38" CHOKE SIZE 14/64" CALCULATED | SACKS CEMENT* NUMBER 5 4 PR: lift, pumpingsize and ty PROD'N. FOR TEST PERIOD> | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT 4726'-5 ODUCTION (pe of pump) OILBBLS. | 1206 sx Cl: 1300 sx Cl: 30. SIZE 2 3/8" ACID, SHOT, 1 GASMCF. 350 | DEF 4672 AM 109,000# 2 | TUBING RECORD TH SET (MD) EMENT SQUEEZE, E OUNT AND KIND OF MA 20/40 sand w/95 WELL STATUS WATER-BBL. | CIBP (a) 5523 TC. ATERIAL USED O bbl. fluid S (Producing or shut-in) Shut In GAS-OIL RATIO |
| 3 3/8" 3 5/8" 5 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int NTERVAL 1726'-4740' 5298'-5308' 3.* WOPL DATE OF TEST 17/09/95 1.OW. TUBING PRESS. 1750 4. DISPOSITION OF GAS (Sold, used) | PRODUCTION I Flowing HOURS TESTED 24 CASING PRESSURE | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" .38" CHOKE SIZE 14/64" CALCULATED 24-HOUR RATE | SACKS CEMENT* NUMBER 5 4 PR s lift, pumping—size and to PROD'N. FOR TEST PERIOD OIL-BBL. | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT 4726'-5 ODUCTION (pe of pump) OILBBLS. | 30. SIZE 2 3/8" ACID, SHOT, 1 TERVAL (MD) 308' | DEF 4672 AM 109,000# 2 | TUBING RECORD TH SET (MD) TH S | CIBP (a) 552. TC. ATERIAL USED O bbl. fluid S (Producing or shut-in) Shut In GAS-OIL RATIO |
| 3 3/8" 3 5/8" 3 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int. NTERVAL 1726'-4740' 3.20ATE FIRST PRODUCTION WOPL DATE OF TEST 17/09/95 LOW, TUBING PRESS. 1750 4 DISPOSITION OF GAS (Sold, used Vented) | PRODUCTION I Flowing HOURS TESTED 24 CASING PRESSURE | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" .38" CHOKE SIZE 14/64" CALCULATED 24-HOUR RATE | SACKS CEMENT* NUMBER 5 4 PR s lift, pumping—size and to PROD'N. FOR TEST PERIOD OIL-BBL. | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT 4726'-5 ODUCTION (pe of pump) OILBBLS. | 30. SIZE 2 3/8" ACID, SHOT, 1 TERVAL (MD) 308' | DEF 4672 AM 109,000# 2 | TUBING RECORD TH SET (MD) EMENT SQUEEZE, E OUNT AND KIND OF MA 20/40 sand w/95 WELL STATUS WATER-BBL. 157 OIL GRAVITY TEST WITNESSED BY | CIBP (a) 552. TC. ATERIAL USED O bbl. fluid S (Producing or shut-in) Shut In GAS-OIL RATIO |
| 3 3/8" 3 5/8" 5 1/2" 9 SIZE TO 1. PERFORMATION RECORD (Int NTERVAL 1726'-4740' 5298'-5308' OATE FIRST PRODUCTION WOPL | PRODUCTION I Flowing HOURS TESTED 24 CASING PRESSURE | 75' 2090' 8350' NER RECORD BOTTOM (MD) SIZE .38" .38" CHOKE SIZE 14/64" CALCULATED 24-HOUR RATE> | PROD'N. FOR TEST PERIOD OIL-BBL. | 12 1/4" 7 7/8" SCREEN (MD) 32. DEPTH INT 4726'-5. ODUCTION OPE of plump) OIL-BBLS. O GASMCF | 30. 30. SIZE 2 3/8" ACID, SHOT, 1 ERVAL (MD) 308' GASMCF. 350 | DEF 4672 AM 109,000# 2 | TUBING RECORD TH SET (MD) EMENT SQUEEZE, E OUNT AND KIND OF MA 20/40 sand w/95 WELL STATUS WATER-BBL. 157 OIL GRAVITY TEST WITNESSED BY | CIBP (a) 552. TC. ATERIAL USED O bbl. fluid S (Producing or shut-in) Shut In GAS-OIL RATIO -API (CORR.) |

| drill-stem tests, inclu | iding depth interv | al tested, cushion | nes of porosity and contents thereof; core used, time tool open, flowing and shut- | in pressures, and | 38. GEOLOG | IC MARKERS | |
|-------------------------|--------------------|--------------------|---|-------------------|------------|-------------|---------------------------|
| recoveries); FORMATION | ТОР | воттом | DESCRIPTION, CONTENTS, ETC | 3 | NAME | MEAS, DEPTH | OP TRUE VERT. DEPTI |
| Oouglas Creek | 3400' | | | | | | |
| /asatch | 4090' | | | | | | |
| lesaverde | 5795' | | | | | | |
| Castlegate | 7996' | | | | | | |
| Mancos | 8205' | | | | | | |
| | | | | | | | |
| | ļ | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | i | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

DETAIL WELL DATA menu: opt 00 08/17/95 api num: 4304731009 prod zone: MVRD sec twnshp range qr-qr entity: 10698: DEVILS PLAYGROUND 23-20 20 9.0 S 24.0 E NESW well name: DEVILS PLAYGROUND 23-20 FR I hanged in computer to the Reservoir Nest to the product of the Reservoir Nest to th meridian: S N8270 : VALLEY OPERATING INC operator: 575 : DEVILS PLAYGROUND field: alt addr flag: confidential flag: confidential expires: * * * application to drill, deepen, or plug back * * * lease type: 1 well type: GW unit name: DEVILS PLAYGROUND lease number: U-31266 2368 FSL 2069 FWL surface loc: 8423 proposed zone: depth: prod zone loc: 2368 FSL 2069 FWL 810708 auth code: A-3 apd date: elevation: 5266' GR date recd: 870217 la/pa date: * * completion information * * compl date: 870112 total depth: 8382' 820204 spud date: producing intervals: 7138-7148' well status: SGW 2368 FSL 2069 FWL first prod: bottom hole: 24hr water: 3 gas/oil ratio: 85714 24hr gas: 600 24hr oil: 7 direction1: api gravity: 52.00 * * well comments: 870220 OPER FR N0470 EFF 10/86:870407 ENTITY ADDED:890524 OPER FR N5001 1/89:

date(yymm): enty opt: 21 api: 4304731009 zone:

910821 OPER FR N2025 EFF 3/91:950710 INT PERF WSTC PZ FR 4728-5308':

O SCREENS WOTC-PZ

FORM 3160-5 (June 1990)

UNITE STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

| FORM APPROVED |
|-----------------------------|
| Budget Bureau No. 1004-0135 |
| TI |

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.

Use "APPLICATION FOR PERMIT -" for such proposals

Lease Designation and Serial No.
 U-31266

 If Indian, Allottee or Tribe Name

| SUBMIT IN TRIPLICATE | 7. If Unit or CA, Agreement Designation |
|--|--|
| 1. Type of Well | Dirty Devil |
| Oil Gas Well Other | 8. Well Name and No. Dirty Devil Fed. #23-20 |
| | 9. API Well No. |
| 2. Name of Operator | 43-047-31009 |
| Gerrity Oil & Gas Corporation | 10. Field and Pool, or Exploratory Area |
| 3. Address and Telephone No. | Wildcat |
| 4100 E. Mississippi Ave., #1200, Denver CO 80222, 303/757-1110 | 11. County or Parish, State |
| 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) | |
| 2368' FSL & 2069' FWL Sec. 20-T9S-R24E | Uintah Co., Utah |
| 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, | , REPORT, OR OTHER DATA |

| 12. CHECK APPROPRIATE E | BOX(S) TO INDICATE NATURE OF | NOTICE, REPORT, OR OTHER DATA |
|--------------------------|------------------------------|---|
| TYPE OF SUBMISSION | Т | YPE OF ACTION |
| X Notice of Intent | Abandonment | Change of Plans |
| | Recompletion | New Construction |
| Subsequent Report | Plugging Back | Non-Routine Fracturig |
| | Casing Repair | Water Shut-Off |
| Final Abandonment Notice | Altering Casing | Conversion to Injection |
| | X Other Water Line | Dispose Water |
| | | (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) |


We propose to install a surface polypipe water line from the Dirty Devil Fed. #23-20 to the Federal #14-10 disposal well. Proposed route is shown on the attached map. Dimensions of the line will be 2.375" OD, 1.697" ID, .93 #/ft., SDR 7 polypipe.

Accepted by the Utah Division of Oil, Gas and Mining

FOR RECORD ONLY

| 14. I hereby certify that the foregoing is true and cor | Gerrity Oil & Gas Corporatio | n | |
|--|--|--|------|
| Signed Walds Ass | Title Petroleum Engineer | Date 08/1 | 8/95 |
| (This space for Federal or State office use) | | | |
| Approved by | Title | Date | |
| Conditions of approval, if any: | | | |
| | | | |
| Title 18 U.S.C. Section 1001, makes it a crime fo statements or representations as to any mater with | r any person knowingly and willfully to make to any department or agency of the in its jurisdiction. | United States andy false, fictitious or fraudulent | |

^{13.} Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*



FORM 3160-5 (June 1990)

UNITED .ATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.

6 If Indian Allottee or Tribe Name

U-31266

5. Lease Designation and Serial No.


| Use "APPLICATION F | o. If make, raised of raise real | | |
|---|---|---|--|
| SUBMIT IN | 7. If Unit or CA, Agreement Designation Dirty Devil | | |
| Oil Gas Well Other | 8. Well Name and No. Dirty Devil Fed. #23-20 9. API Well No. | | |
| 2. Name of Operator | | 43-047-31009 | |
| Gerrity Oil & Gas Corporation | | 10. Field and Pool, or Exploratory Area | |
| 3. Address and Telephone No. | | Wildcat | |
| 4100 E. Mississippi Ave., #1200, | Denver CO 80222, 303/757-1110 | 11. County or Parish, State | |
| 4. Location of Weil (Footage, Sec., T., R., m., or Survey Descr. 2368' FSL & 2069' FWL Sec. 20 | | Uintah Co., Utah | |
| | OX(s) TO INDICATE NATURE OF NOTICE, RI | | |
| TYPE OF SUBMISSION | TYPE OF AC | TION | |
| X Notice of Intent Subsequent Report Final Abandonment Notice | Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Water Line | Change of Plans New Construction Non-Routine Fracturig Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) | |
| 12 Danib Barrard of Caralla 10 - 11 - 10 - 11 - 10 | all pertinent details and give pertinent dates including estimated date of et | and any mean and work. If well is direction. | |

ally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

We propose to install a surface polypipe water line from the Dirty Devil Fed. #23-20 to the Federal #14-10 disposal well. Proposed route is shown on the attached map. Dimensions of the line will be 2.375" OD, 1.697" ID, .93 #/ft., SDR 7 polypipe.

SEP 18 1995

| 14. I hereby cer | tify that the foregoing is tr | e and correct Gerrity Oil & C | Gas Corporation | |
|------------------|-------------------------------|---|--|----------|
| Signed | Walds | Aheman Title Petroleum Engi | ineer Date | 08/18/95 |
| (This space f | for Federal or State office | sc) | | |
| Approved b | ру | Title | Date | |
| Conditions of | f approval, if any: | | | |
| | | | | |
| | | crime for any person knowingly and willfully to make to any departmenter within its jurisdiction. | ent or agency of the United States andy false, fictitious or fra | udulent |



FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

| FORM APPROVED |
|-----------------------------|
| Budget Bureau No. 1004-0135 |
| E March 21 1003 |

BUREAU OF LAND MANAGEMENT 5. Lease Designation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS U-31266 Do not use this form for proposals to drill or to deepen or reentry a different reservoir. 6. If Indian, Allottee or Tribe Name Use "APPLICATION FOR PERMIT -" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE 1. Type of Well 8. Well Name and No. Oil Gas Dirty Devil Fed. #23-20 Well Well Other 9. API Well No. 43-047-31009 2. Name of Operator 10. Field and Pool, or Exploratory Area Gerrity Oil & Gas Corporation Wildcat 3. Address and Telephone No. 4100 E. Mississippi Ave., #1200, Denver CO 80222, 303/757-1110 11. County or Parish, State 4. Location of Weil (Footage, Sec., T., R., m., or Survey Description) Uintah Co., Utah 2368' FSL & 2069' FWL Sec. 20-T9S-R24E CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION Change of Plans Notice of Intent Abandonment New Construction Recompletion Plugging Back Non-Routine Fracturia Subsequent Report Water Shut-Off Casing Repair Conversion to Injection Altering Casing Final Abandonment Notice **Change of Operator** Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Please be advised that Gerrity Oil & Gas Corporation is considered to be the operator of the Dirty Devil Federal #23-20, NESW Section 20, Township 9 South, Range 24 East, Uintah County, Utah; and responsible

under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by the United States Fire Insurance Company.

| 14. I hereby certify that the foresbinglistrue and correct Signed | Vall Title | by perating, Inc. | Date | 09/21/95 |
|--|---------------|---------------------------------------|---------|------------|
| 14. I hereby certify that he foregoing is true and correct Signed RP 4. Una 14. I hereby certify that he foregoing is true and correct A DA | | rity Oil & Gas Corporation President | Date | 09/21/95 |
| (This space for Federal or State office use) Approved by Conditions of approval, if any: | Title | ASSISTANT DISTRICT | Date_OC | T 2 3 1995 |

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States andy false, lictitious or fraudulent statements or representations as to any mater within its jurisdiction.

FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

| FORM APPROVED | | |
|-----------------------------|--|--|
| Budget Bureau No. 1004-0135 | | |
| Expires: March 31 1993 | | |

Oil. Gas and Minind

5. Lease Designation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS U-31266 Do not use this form for proposals to drill or to deepen or reentry a different reservoir. 6. If Indian, Allottee or Tribe Name Use "APPLICATION FOR PERMIT -" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE **Dirty Devil** 1. Type of Well 8. Well Name and No. Oil Gas Dirty Devil Federal #23-20 Well Well Other 9. API Well No. 43-047-31009 2. Name of Operator 10. Field and Pool, or Exploratory Area Gerrity Oil & Gas Corporation Bonanza 3. Address and Telephone No. 4100 E. Mississippi Ave., #1200, Denver, CO 80222 (303-757-1110) 11. County or Parish, State 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) Uintah Co., Utah 2069' FWL & 2368' FSL Sec. 20-T9S-R24E CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION Notice of Intent Abandonment Change of Plans New Construction Recompletion Non-Routine Fracturing Plugging Back Subsequent Report Water Shut-Off Casing Repair Conversion to Injection Final Abandonment Notice Altering Casing Other Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* We propose that the water produced from the Dirty Devil #23-20 be disposed of at Gernit Federal #14-10 disposal well. DIV. OF OIL, GAS & MINING 14. I hereby certify that the foregoing is true and correct 09/27/95 Waldo Title Petroleum Engineer (This space for Federal or State office use) Title Approved by Accepted by the Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United Stat

statements or representations as to any mater within its jurisdiction.



United States Department of the Interior

Leisha

BUREAU OF LAND MANAGEMENT

Vernal District Office 170 South 500 East Vernal, Utah 84078-2799

Phone: (801) 781-4400 Fax: (801) 781-4410

3162.3 UT08438

October 23, 1995

Gerrity Oil & Gas Corporation Attn: Terry L. Ruby 4100 E Mississippi Ave, #1200 Denver, CO 80222

Re:

Dirty Devil Federal 23-20 NESW, Sec. 20, T9S, R24E Lease U-31266

Uintah County, Utah

Dear Mr. Ruby:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced well. After a review by this office, the change in operator request is approved. Effective immediately, Gerrity Oil & Gas Corporation is responsible for all operations performed on the referenced well. All liability will now fall under your bond, BLM Bond No. UT1014, for all operations conducted on the referenced well on the leased land.

If you have any other questions concerning this matter, please contact Margie Herrmann or Pat Sutton of this office at (801) 789-1362.

Sincerely,

Jerry Kenczka

Assistant District Manager for

Minerals Resources

cc: Thermo Cogeneration

| | of Oil, Gas and Mining OR CHANGE HORKSHEET | Routing: |
|---|--|---|
| | ell documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable. | 2-LVP 8-SJ \ 3-PPS 9-FILE 4-VLC |
| | ge of Operator (well sold) □ Designation of Agent □ Operator Name Change Only | 5-RJF V 6-LWP V |
| The op | erator of the well(s) listed below has changed (EFFECTIVE DATE: $oldsymbol{1}$ | 0-23-95 (BLM APRV DATE) |
| TO (ne | TERRY RUBY phone (303) 757–1110 pho | |
| Hell(s |) (attach additional page if needed): | |
| Mame: Name: Name: Name: Name: | DEVILS PLAYGROUND 23-17 API: 43-047-30568 Entity: 6136 Sec17 Twp 9S DEVILS PLAYGROUND 23-20 API: 43-047-31009 Entity: 10698 Sec20 Twp 9S API: Entity: Sec Twp API: Entity: Sec Twp | Rng Lease Type: Rng Lease Type: Rng Lease Type: Rng Lease Type: Rng Lease Type: |
| OPERATO | OR CHANGE DOCUMENTATION | |
| Lee 1. | (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been operator (Attach to this form). (feet 10-16-95) | received from <u>former</u> |
| Lec2. | (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been rec (Attach to this form). (Rec 10-16-15) | eived from <u>new</u> operator |
| 1 | The Department of Commerce has been contacted if the new operator operating any wells in Utah. Is company registered with the stayes, show company file number: | above is not currently ate? (yes/no) If |
| <u>Lic</u> 4. | (attach Telephone Documentation Form to this report). Make recomments section of this form. Management review of Federal and changes should take place prior to completion of steps 5 through 9 | note of BLM status in d Indian well operator |
| Lec 5. | Changes have been entered in the Oil and Gas Information System (listed above. (10-27-95) | Wang/IBM) for each well |
| Lup 6. | Cardex file has been updated for each well listed above. 11-16-85- | |
| Lyp 7. | Well file labels have been updated for each well listed above.//-/ | 6-95- |
| Lic 8. | Changes have been included on the monthly "Operator, Address, and for distribution to State Lands and the Tax Commission. (10-27-95) | d Account Changes" memo |
| Lic 9. | A folder has been set up for the Operator Change file, and a copy placed there for reference during routing and processing of the or | of this page has been iginal documents. |

| OPERATOR | CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable. |
|----------|---|
| | REVIEW (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/ho) (If entity assignments were changed, attach copies of Form 6, Entity Action Form). |
| N/A 2. | State Lands and the Tax Commission have been notified through normal procedures of entity changes. |
| BOND VE | ERIFICATION (Fee wells only) |
| N/A.I. | (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. |
| 2. | A copy of this form has been placed in the new and former operators' bond files. |
| 3. | The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19 |
| LEASE I | NTEREST OWNER NOTIFICATION RESPONSIBILITY |
| M/A1. | (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated |
| ×/22. | Copies of documents have been sent to State Lands for changes involving State leases. |
| FILMING | |
| /1. | All attachments to this form have been microfilmed. Date: November 37 1995. |
| FILING | |
| 1. | Copies of all attachments to this form have been filed in each well file. |
| 2. | The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file. |
| COMMENT | S |
| 9508 | 31 Blm/Vernal "Dented 8-15-95" |
| 95/02 | 731 Blm/Vernal "Dented 8-15-95" 7 Blm/Vernal aprv. 10-23-95 |
| | |
| | |

WE71/34-35

LONE MOUNTAIN PRODUCTION COMPANY

Mailing Address: P.O. Box 3394 Billings, MT 59103-3394 (406) 245-5077 FAX 248-6321 Shipping Address: 100 North 27th Street Suite 650 Billings, MT 59101

July 25, 1996

Ron Firth Utah Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P.O. Box 145801 Salt Lake City, Utah 84114-5801

Re:

CHANGE OF OPERATOR SUNDRY NOTICES

UINTAH COUNTY, UTAH

Dear Ron:

Enclosed in triplicate are Sundry Notices for two wells on State Lands for which Lone Mountain Production Company has assumed operations effective July 22, 1996. Also enclosed for your information are Sundry Notices for twelve wells on BLM lands we are also now operating.

Please contact Joe Dyk in our Grand Junction office in regard to field operations. Day to day operations of these wells will be handled by Dick White, who will be based in Rangely, Colorado. We will furnish you with his phone and cell phone numbers when he is moved to Rangely.

If any further information is needed please advise.

Sincerely,


Lone Mountain Production Company

Mames G. Routson

President

Enclosures

xc: Joe Dyk



FORM 3160-5

UNITED STATES

| FORM APPROVED | |
|-----------------------|------|
| Budget Bureau No. 10 | 0135 |
| Combined March 21, 15 | 003 |

| (June 1990) DEPARTMEN BUREAU OF L | Budget Bureau No. 1004-0135 Expires: March 31, 1993 | |
|---|---|--|
| SUNDRY NOTICES A | Lease Designation and Serial No. U~31266 | |
| • • | ill or to deepen or reentry a different reservoir. OR PERMIT -" for such proposals | 6. If Indian, Allottee or Tribe Name |
| | TRIPLICATE | 7. If Unit or CA, Agreement Designation |
| 1. Type of Well Oil Gas Well Well X Other | _ | 8. Well Name and No. Dirty Devil Fed. #23-20 |
| 2. Name of Operator | | 9. API Well No. 43-047-31009 |
| Lone Mountain Production Co. | | 10. Field and Pool, or Exploratory Area Wildcat |
| 3. Address and Telephone No. P. O. Box 3394 Billings, MT | 59013 | 11. County or Parish, State |
| | | |
| 4. Location of Well (Footage, Sec., T., R., m., or Survey Descr. 2368' FSL & 2069' FWL Sec. 20 | | Uintah Co., Utah |
| 2368' FSL & 2069' FWL Sec. 20 | | · · · · · · · · · · · · · · · · · · · |
| 2368' FSL & 2069' FWL Sec. 20 |)-T9S-R24E | EPORT, OR OTHER DATA |
| 2368' FSL & 2069' FWL Sec. 20 | O-T9S-R24E OX(s) TO INDICATE NATURE OF NOTICE, R | EPORT, OR OTHER DATA |

Bond coverage is provided by Lone Mountain Production Co.'s statewide oil and gas bond - #UT0719. Field operations will be handled by Lone Mountain's Grand Junction, CO office.

| • | | |
|---|--|---------------------------|
| 14. I hereby certify that the foregoing is one and correct | Lone Mountain Production Co. | Date 7/22/96 |
| Signed James B Routson | Title President | Date/(20) 4 6 |
| 14. I hereby certify that the foregoing is true and correct | Gerrity Oil & Gas Corporation | 1 /20 |
| Signed 627/ hun | Title Vice President | Date 7/22/96 |
| Terry L. Rudy | | |
| (This space for Federal or State office use) | | |
| Approved by | Title | |
| Conditions of approval, if any: | | 1 JUL 2 6 1996 |
| Title 18 U.S.C. Section 1001, makes it a crime for any person knowin statements or representations as to any mater within its jurisdiction. | gly and willfully to make to any department or agency of the United Stat | DIV OF OIL, GAS & MINING |
| securious of representations as at any mater within its jurisdiction. | | DIV UF UIL, GAS & WINAMAS |



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal District Office 170 South 500 East Vernal, Utah 84078-2799

Phone: (801) 781-4400 Fax: (801) 781-4410

IN REPLY REFER TO: 3162.3 UT08300

August 22, 1996

DECEIVE AUG 2 7 1996 DIV. OF OIL, GAS & MINING

Lone Mountain Production Attn: James E. Routson P O Box 3394 Billings, MT 59013

Re:

Well No. Dirty Devil Fed. 23-20 NESW, Sec. 20, T9S, R24E

Lease U-31266 Uintah County, Utah

Dear Mr. Routson:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced well. After a review by this office, the change in operator request is approved. Effective immediately, Lone Mountain Production is responsible for all operations performed on the referenced well. All liability will now fall under your bond, BLM Bond No. UT0719, for all operations conducted on the referenced well on the leased land.

If you have any other questions concerning this matter, please contact Margie Herrmann or Pat Sutton of this office at (801) 789-1362.

Sincerely,

Howard B. Cleavinger II Assistant Field Manager,

Minerals Resources

cc: Gerrity Oil & Gas Corporation

Division of Oil, Gas & Mining

Thermo Cogeneration

FORM 3160-5 (June 1990)

Notice of Intent

Subsequent Report

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

JUL 2 6 1996

FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993 5. Lease Designation and Serial No.

Change of Plans

Water Shut-Off

New Construction

Non-Routine Fracturing

SUNDRY NOTICES AND REPORTS ON WELLS

U-31266 Do not use this form for proposals to drill or to deepen or reentry a different reservoir. 6. If Indian, Allottee or Tribe Name Use "APPLICATION FOR PERMIT -" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE 1. Type of Well 8. Well Name and No. Oil Dirty Devil Fed. #23-20 VERNAL DIST Well Well Other 9. API Well No. 43-047-31009 2. Name of Operator GEOL. 10. Field and Pool, or Exploratory Area Lone Mountain Production Co. Wildcat E.S. 3. Address and Telephone No. 11. County or Parish, State Billings, MT 59013 PET P. O. Box 3394 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) A.M. Uintah Co., Utah 2368' FSL & 2069' FWL Sec. 20-T9S-R24E CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION

Conversion to Injection Altering Casing Final Ahandonment Notice Dispose Water Change of Operator (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Abandonment

Recompletion

Plugging Back

Casing Repair

Please be advised that Lone Mountain Production Co. is considered to be the operator of the Dirty Devil Federal #23-20, NESW Section 20, Township 9 South, Range 24 East, Uintah County, Utah; and responsible under the terms and conditions of the lease for the operations conducted upon the leased lands.

Bond coverage is provided by Lone Mountain Production Co.'s statewide oil and gas bond - #UT0719. Field operations will be handled by Lone Mountain's Grand Junction, CO office.

Lone Mountain Production Co. 14. I hereby certify at the foregoing is true and Title President Signed Tames Routson Gerrity Oil & Gas Corporation 14. I hereby certify that e foregoing Title Vice President Signed Terry L. Ruby (This space for Federal of State office pe) **ACTING**Assistant Field Manager Date AUG 2 2 1996 Mineral Resources Title Approved by Conditions of approval/if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States andy false, fictitious or fraudulent statements or representations as to any mater within its jurisdiction.

FORM 10

STATE OF UTAH

DIVISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

| Page 1 | of l | |
|--------|--------|--|
| | _ 01 ' | |

MONTHLY OIL AND GAS PRODUCTION REPORT

JENNIFER CARTER
GERRITY OIL & GAS CORP
4100 E MISSISSIPPI #1200
DENVER CO 80222

| UTAH ACCOUNT | NUMBER: | N6355 |
|--------------|---------|-------|
| | | |

REPORT PERIOD (MONTH/YEAR): 6 / 96

AMENDED REPORT (Highlight Changes)

| Well Name | Producing | Well | Days | | | |
|--|-----------|--------|--------|-----------|------------------|------------|
| API Number Entity Location | Zone | Status | Oper | OIL(BBL) | GAS(MCF) | WATER(BBL) |
| DEVILS PLAYGROUND 23-17 4304730568 06136 09S 24E 17 | MVRD | | _ | - U3/2ldo | | |
| ₩ DEVILS PLAYGROUND 41-9 4304730339 06195 095 24E 9 | WSTC | | _ | U5217 | D. Ly Devil Unit | |
| VRED WASH FED 1-18 4304730124 06200 095 24E 18 | WSTC | | _ | 40145459 | · · · | |
| DIRTY DEVIL 22-27 4304731507 09585 095 24E 27 | WSTC | | | SL071725C | £ ; | |
| √DIRTY DEVIL UNIT 11-29 4304731617 09586 098 24E 29 | MVRD | | | -ML22161 | | |
| COYOTE BASIN 28-17 4304730098 10095 08S 25E 28 | GRRV | | | - 4016257 | | |
| 0CO STATE 32-2 4304730100 10096 08S 25E 32 | DGCRK | | | mL11124 | | |
| ÓIRTY DEVIL 31-15A 4304731726 10697 098 24E 15 | WSMVD | | | - ML28042 | | |
| DIRTY DEVIL FEDERAL 23-20 4304731009 10698 095 24E 20 | WSTC | | _ | - U31266 | | |
| FEDERAL #13-1 4304731811 10796 08S 23E 13 | UNTA | | | - 461396 | | |
| ÉND OF THE RAINBOW 21-1. 4304731897 11223 115 24E 21 | WSTC | | | 454224 | | |
| VANTELOPE 1-29 4304732452 11609 105 24E 29 | WSTC | | - | - U66421 | Andeloge Unit | |
| ANTELOPE FEDERAL 20-2 4304732680 11609 105 24E 20 | WSTC | | _ | 466420 | Antelore Unit | |
| Federal 14-10 4304732680 11478 95 24E 10 | GRRV | | TOTALS | - U59149 | wow/Antelop | eUnit |
| | | | - | | · | |

| OMMENTS: | |
|---|-------------------|
| | |
| | |
| hereby certify that this report is true and complete to the best of my knowledge. | Date: |
| ame and Signature: | Telephone Number: |

| | - 1 A) |
|--|--|
| © PERATOR CHANGE WORKSHEET | Routing: 6-Lec 6-Lec |
| Attach all documentation received by the division regarding this Initial each listed item when completed. Write N/A if item is n | 1 // |
| | nation of Agent ator Name Change Only |
| The operator of the well(s) listed below has changed | l, effective: <u>7-22-96</u> |
| O: (new operator) LONE MTN PRODUCTION CO | FROM: (old operator) GERRITY OIL & GAS CORP. |
| (address) PO BOX 3394 BILLINGS MT 59103-3394 | (address) 4100 E MISSISSIPPI #1200 DENVER CO 80222 |
| JAMES ROUTSON | TERRY RUBY |
| Phone: (406) 245-5077 | Phone: (303)757-1110 |
| Account no. N7210 | Account no. <u>N6355</u> |
| VELL(S) attach additional page if needed: | (12) - 17 OG - 2/F - H21266 |
| Jame: DEVILS PLAYGROUND 23-17API: 43-047-30568 Jame: COYOTE BASIN 28-1 API: 43-047-30098 Jame: DIRTY DEVIL FED 23-20 API: 43-047-31009 Jame: FEDERAL 13-1 API: 43-047-31811 Jame: END OF THE RAINBOW 21-1API: 43-047-31897 Jame: API: API: | Entity: 10095 S 28 T 8S R 25E Lease: U016257 Entity: 10698 S 20 T 9S R 24E Lease: U31266 |
| PERATOR CHANGE DOCUMENTATION | |
| (attach to this form). (feeld 7-26-96) | entation has been received from the FORMER operator |
| 上で 2. (r649-8-10) Sundry or other legal document to this form). (上でんりであり) | tation has been received from the NEW operator (Attach |
| any wells in Utah. Is the company registere file number: | tacted if the new operator above is not currently operating ed with the state? (yes/no) If yes, show company |
| Make note of BLM status in comments section operator changes should ordinarily take | LY. The BLM has been contacted regarding this change on of this form. BLM approval of Federal and Indian well place prior to the division's approval, and before the |
| completion of steps 5 through 9 below. 5. Changes have been entered in the Oil and O | Gas Information System (3270) for each well listed above. |
| (8-29-94) | listed above. (8-29-9L) |
| 7. Well file labels have been updated for each | well listed above (8-79-96) |

Le 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents. (8-29-96)

Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc.

| OPERATOR (| CHANGE WORKSHEET (continued) - Initial each item when completed. Write N/A if item is not applicable. |
|---------------------|--|
| ENTITY RI | EVIEW |
| · m | 649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes nade? (yes/no) If entity assignments were changed, attach copies of Form 6, Entity Action orm. |
| | rust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures f entity changes. |
| BOND VEI | RIFICATION - (FEE WELLS ONLY) 649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond. copy of this form has been placed in the new and former operator's bond files. |
| <i>Na</i> / 1. (r | 649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond. |
| //re 2. A | copy of this form has been placed in the new and former operator's bond files. |
| to | he FORMER operator has requested a release of liability from their bond (yes/no), as of oday's date If yes, division response was made to this request by letter ated |
| re | copies of documents have been sent on to at Trust ands for changes involving State leases, in order to remind that agency of their responsibility to eview for proper bonding. |
| FILMING LDP 1. A | Il attachments to this form have been microfilmed. Today's date: 9/18/96. |
| FILING | |
| 1. C | opies of all attachments to this form have been filed in each well file. |
| | he original of this form, and the original attachments are now being filed in the Operator Change le. |
| COMMEN | TS |
| 960829 | Bym/Vernel aprv. 8-22-96. |
| | |
| | |

LONE MOUNTAIN PRODUCTION COMPANY

Mailing Address: P.O. Box 80965 Billings, MT 59108-0965 (406) 245-5077 FAX 248-6321 Shipping Address: 1911 King Avenue West Billings, MT 59102

December 23, 2002

RECEIVED

DIV. OF OIL, GAS & MINING

State of Utah
Division of Oil, Gas & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attn: Jim Thompson

RE: RESIGNATION OF OPERATOR

VARIOUS WELLS

UINTAH COUNTY, UTAH

Dear Jim:

Please be advised Lone Mountain Production Company resigns as Operator of the following wells in Uintah County, Utah, effective December 1, 2002.

| Federal #41-9 | 43-047-30339 | NE NE Section 9: T9S-R24E |
|----------------|--------------|----------------------------|
| State #31-15A | 43-047-31726 | NW NE Section 15: T9S-R24E |
| Federal #23-17 | 43-047-30568 | NE SW Section 17: T9S-R24E |
| Federal #1-18 | 43-047-30124 | NW NE Section 18: T9S-R24E |
| Federal #23-20 | 43-047-31009 | NE SW Section 20: T9S-R24E |
| State #11-29 | 43-047-31617 | NW NW Section 29: T9S-R24E |

All future correspondence should be directed to Byron R. Woodard, Dark Horse Exploration, Inc., P. O. Box 2153, Evanston, Wyoming 82931-2153. His phone number is (307) 789-1052.

Should you have any questions or need further information, please contact our office at (406) 245-5077.

Sincerely,

LONE MOUNTAIN PRODUCTION COMPANY

Carolyn (George) Farmer

Land Department

Form 3160-5 (June 1990)

OIL

WELL [

Signed:

CONDITIONS OF APPROVAL IF ANY

UNITED STATES

SUBMIT IN TRIPLICATE* (Other Instructions on Form Approved. Budget Bureau No. 19894-9135 Expires: March 31, 1993

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

reverse side) 5. LEASE DESIGNATION AND SERIAL NO. UTU-31266 6 IF INDIAN, ALLOTEE OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT--" for such proposals 7. IF UNIT OR CA, AGREEMENT DESIGNA SUBMIT IN TRIPLICATE b. TYPE OF WELL 8. WELL NAME and No. MULTIPLE GAS SINCLE Federal No. 23-20 WELL X OTHER ZONE ZONE 9. API WELL NO. 2. NAME OF OPERATOR 43-047-31009 Dark Horse Exploration, Inc. J. ADDRESS OF OPERATOR 10. Field and Pool, or Exploratory Area P. O. Box 2153, Evanston, Wyoming 82931-2153 Bonanza 11 County or Parish, State 4. LOCATION OF WELL (Footage, Sec, T., R., M., or Survey Description) 2368' FSL, 2069' FWL Section 20-T9S-R24E Uintah County, Utah (NESW) CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Change of Plans Abandonment Recompletion New Construction Subsequent Report Non-Routine Fracturing Plugging Back Water Shut-Off Casing Repair Altering Casing Conversion to Injection Other Change of Operator Dispose of Water (Note: Report results of multiple completion on Completion or Recompletion Report and Log For 13. Describe the Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If a well is directionally drilled, give substative locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Dark Horse Exploration, Inc. has assumed operation of the above reference well, effective December 1, 2002. The for operator was Lone Mountain Production Company. Bond coverage is provided by Dark Horse Exploration's well bond # OOD ω 14. I hereby certify that the foregoing is true and correct. Date: 12-15-02 Byron R. Woodard (This space for Federal or State office use) APPROVED BY: TITLE:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office 170 South 500 East Vernal, Utah 84078-2799 http://www.blm.gov/utah/vernal

Phone: (435) 781-4400 Fax: (435) 781-4410

IN REPLY REFER TO: 3162.3 UT08300

April 14, 2003

Byron R. Woodard Dark Horse Exploration, Inc. P. O. Box 2153 Evanston, Wyoming 82931-2153 DIV OF OIL, GAS & MINING

Re:

Wells: Federal 41-9 NENE, Sec. 9, T9S, R24E Uintah County, Utah Lease No. U-5217

Red Wash Fed. 1-18 V NWNE, Sec. 18, T9S, R24E Uintah County, Utah Lease No. U-0145459

Federal 23-17 V Uintah County, Utah Lease No. U-31266

Federal 23-20 V NESW, Sec. 17, T9S, R24E NESW, Sec. 20, T9S, R24E Uintah County, Utah Lease No. U-31266

Dear Mr. Woodard:

CC:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced wells. After a review by this office, the change in operator request is approved. Effective immediately, Dark Horse Exploration, Inc. is responsible for all operations performed on the referenced wells. All liability will now fall under your bond, BLM Bond No. UTB000013, for all operations conducted on the referenced wells on the leased land.

If you have any other questions concerning this matter, please contact Leslie Walker of this office at (435) 781-4497.

Sincerel

Kirk Fleetwood Petroleum Engineer

UDOGM – Jim Thompson

OPERATOR CHANGE WORKSHEET

| R | OUTING | |
|----|--------|---|
| 1. | GLH | • |
| 2. | CDW | • |
| 3. | FILE | • |

X Change of Operator (Well Sold)

The operator of the well(s) listed below has changed, effective:

Designation of Agent/Operator

12/1/2002

Operator Name Change

Merger

| FROM: (Old Operator): | | | | TO: (New O | perator): | | | | | |
|---|----------|-----|--------------|----------------|------------------------------|---------------------------------------|------|--------|--|--|
| Lone Mountain Production Company | | | | Dark Horse | Dark Horse Exploration, Inc. | | | | | |
| PO Box 80965 | | | PO Box 21. | PO Box 2153 | | | | | | |
| Billings, MT 59108-0965 | | | Evanston, V | WY 82931- | 2153 | | | | | |
| Phone: 1-(406) 245-5077 | | | | Phone: 1-(307) | 789-1052 | | | | | |
| Account No. N7210 | | | | Account No. | | | | | | |
| CA No |). | • | | Unit: | | | | | | |
| WELL(S) | | | | | | <u>.</u> , | | | | |
| NAME | SEC | TW | N | API NO | ENTITY | LEASE | WELL | WELL | | |
| | RNC | } | | | NO | TYPE | TYPE | STATUS | | |
| Devils Playground 41-9 (Federal 41-9) | 9 | 09S | 24E | 4304730339 | 6195 | Federal | GW | P | | |
| Devils Playground 23-17 (Federal 23-17) | 17 | 09S | 24E | 4304730568 | 6136 | Federal | GW | S | | |
| Red Wash Fed 1-18 | | 09S | 24E | 4304730124 | 6200 | Federal | GW | P | | |
| Dirty Devil Federal 23-20 (Federal 23-20) | 20 | 09S | 24E | 4304731009 | 10698 | Federal | GW | S | | |
| | _ | | | | | | | | | |
| | ┥— | | ļ | | | | | | | |
| | - | | | | | | | | | |
| | +- | | | | | | | | | |
| | +- | | | | | | | | | |
| | | | - | | | | | | | |
| | 1- | | | - | | · . | | | | |
| | 1 | | <u> </u> | | | | | | | |
| | | | | | | <u> </u> | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | · · · · · · · · · · · · · · · · · · · | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | 4_4 | | | | | | | | | |
| | 4 | | | | | | | | | |
| | | | | 1 | | | | | | |

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

(R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 12/26/2002

(R649-8-10) Sundry or legal documentation was received from the NEW operator on: 4/28/2003

The new company was checked on the Department of Commerce, Division of Corporations Database on:

6/6/2003

Is the new operator registered in the State of Utah:

YES Business Number:

5257650-0143

| 5. If NO, the operator was contacted contacted on: | |
|--|---|
| 6. (R649-9-2)Waste Management Plan has been received on: | IN PLACE |
| 7. Federal and Indian Lease Wells: The BLM and or the BLA or operator change for all wells listed on Federal or Indian leases on: | A has approved the merger, name change, BLM 4/14/2003 BIA |
| 8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for w | vells listed on: n/a |
| 9. Federal and Indian Communization Agreements ("Ca The BLM or BIA has approved the operator for all wells listed with | · |
| 10. Underground Injection Control ("UIC") The Divis Inject, for the enhanced/secondary recovery unit/project for the water | ion has approved UIC Form 5, Transfer of Authority to r disposal well(s) listed on: N/A |
| DATA ENTRY: | |
| 1. Changes entered in the Oil and Gas Database on: | 7/31/2003 |
| 2. Changes have been entered on the Monthly Operator Change Spread | ad Sheet on: <u>7/31/2003</u> |
| 3. Bond information entered in RBDMS on: | N/A |
| 4. Fee wells attached to bond in RBDMS on: | N/A |
| STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number: | n/a |
| FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: | JTB000013 |
| INDIAN WELL(S) BOND VERIFICATION: 1. Indian well(s) covered by Bond Number: | n/a |
| FEE WELL(S) BOND VERIFICATION: 1. (R649-3-1) The NEW operator of any fee well(s) listed covered by E | 3 ond Numbern/a |
| 2. The FORMER operator has requested a release of liability from their The Division sent response by letter on: | bond on: N/A N/A |
| LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been contact of their responsibility to notify all interest owners of this change on: | ted and informed by a letter from the Division N/A |
| COMMENTS: | |
| | |
| | |
| | |

•

| | STATE OF UTAH | | | FORM |
|--|---|---------------------------------------|---------------------------------------|---|
| | DEPARTMENT OF NATURAL RESOUR | CES | | 5. LEASE DESIGNATION AND SERVAL NUMBER: |
| ı | DIVISION OF OIL, GAS AND MIN | IING | | UTU-31266 |
| SUNDRY | NOTICES AND REPORTS | ON WEL | LS | 8. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| | en male significantly decora existing untils below CETT | ent bottom-kole dept | h, reenter plugged wells, or to | 7. UNIT OF CA AGREEMENT NAME: |
| Do not use this form for proposals to drill in drill horizontal is | Merals. Use APPLICATION FOR PERMIT TO DRILL fo | rm for such proposa | 8. | B. WELL NAME and NUMBER: |
| 1. TYPE OF WELL OIL WELL | GAS WELL OTHER_ | | | Dirty Devil No. 23-20 |
| 2. NAME OF OPERATOR: Thurston Energy Operating | a Company II C | | | 9. APINUMBER: 4304731009 |
| 3. ADDRESS OF OPERATOR: | g Company, LEC | | PHONE NUMBER: | 10. FIELD AND POOL, OR WILDCAT: |
| PO Box 240 | y Vemal STATE UT SPE | 84078 | (435) 789-2653 | |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: | | | | соинту: Uintah |
| QTR/QTR, SECTION, TOWNSHIP, RAN | ige, meridian: SWNE 20 9S 24 | 4E | | STATE: |
| CUECK ADDI | ROPRIATE BOXES TO INDICAT | FNATURE | OF NOTICE, REPO | ORT, OR OTHER DATA |
| TYPE OF SUBMISSION | T TO THE BOXES TO THE BOXES | | YPE OF ACTION | |
| TIPE OF SOBRISSION | ACIDIZE | DEEPEN | · · · · · · · · · · · · · · · · · · · | REPERFORATE CURRENT FORMATION |
| NOTICE OF INTENT (Submit in Duplicate) | ALTER CASING | FRACTURE | TREAT | SIDETRACK TO REPAIR WELL |
| Approximate date work will start | CASING REPAIR | ☐ NEW CONS | | TEMPORARILY ABANDON |
| Vibraturing ofth sour supprinc | CHANGE TO PREVIOUS PLANS | PERATOR | | TUBING REPAIR |
| the second secon | CHANGE TUBING | PLUGAND | | VENT OR FLARE |
| SUBSEQUENT REPORT | CHANGE TUBING | PLUGBAC | | WATER DISPOSAL |
| (Submit Original Form Only) | | _ | ` On (Start/Resume) | WATER SHUT-OFF |
| Date of work completion: | CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS | <u></u> | TON OF WELL SITE | OTHER: |
| | | ٠ | ETE - DIFFERENT FORMATION | |
| | CONVERT WELL TYPE | | | |
| Please be advised that The | aration inc and that Thurston End | Thurston End | ergy Operating Con | npany, LLC as operator of record to are considered to be operator of the se for the operations conducted upor |
| Bond coverage is provide | ed by Thurston Energy Operating | Company's | statewide oil and ga | is bond #UTB-000181. |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | · · · · · · · · · · · · · · · · · · · | | |
| NAME (PLEASE PRINT) Raiph Cu | erton, Jr. | тп | President | |
| | [[[] | | 6/14/2005 | |

(This epace for State use only)

(5/2000)

(See Instructions on Reverse Side)

RECEIVED
JUN 1 4 2005

THURSTON ENERGY OPERATING COMPANY, LLC

SELF-CERTIFICATION STATEMENT

The following self-certification statement is provided per Federal requirements dated June 15, 1988.

Please be advised that Thurston Energy, LLC has named Thurston Energy Operating Company, LLC as operator of record to replace Dark Horse Exploration, Inc. and that Thurston Energy Operating Company, LLC are considered to be the operator of the following well effective June 15, 2005.

Dirty Devil No. 23-20 SW ¼, NE ¼, Section 20, T9S, R24E Lease UTU-31266 Uintah County, Utah

Thurston Energy Operating Company, LLC is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage is provided by Thurston Energy Operating Company's statewide oil and gas bond. Due to computer problems at the State BLM Office, a bond number has not been assigned to the operator. A bond is in place and can be confirmed by the attached approval statement or by contacting the State Office.

Ralph Curion

President

Thurston Energy Operating Company, LLC

PO Box 240

Vernal, UT 84078

(214) 704-3896 Cell

(214) 849-5501 Fax

rcurton@att.net

PO BOX 240 VERNAL, UT 84078

RECEIVED
JUN 1 4 2005

Dear Arleen Russell

Dark Horse Exploration is the Lease holder for 31-15A and 11-29 located south of Vernal Utah. We do not agree to change Operator ship to anyone.

As for are Federal leases 1-18, 23-17, 23-20, and 41-9 located south of Vernal Utah. We do not agree to change operator ship to anyone.

Thank you, Byron R Woodard CEO Dark Horse Exploration Inc.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office 170 South 500 East Vernal, UT 84078

(435) 781-4400 Fax: (435) 781-4410 http://www.blm.gov/utah/vernal



IN REPLY REFER TO: 3162.3 UT08300

July 25, 2005

RECEIVED JUL 2 6 2005

Ralph Curton Thurston Energy Operating Co., LLC P. O. Box 240 Vernal, Utah 84078

DIV. OF OIL, GAS & MINING

Re:

Wells: Federal 41-9

NENE, Sec. 9, T9S, R24E

Uintah County, Utah Lease No. U-5217

Federal 23-17

NESW, Sec. 17, T9S, R24E NESW, Sec. 20, T9S, R24E

Uintah County, Utah Lease No. U-31266

Red Wash Fed. 1-18

NWNE, Sec. 18, T9S, R24E

Uintah County. Utah Lease No. U-0145459

Federal 23-20

Uintah County, Utah Lease No. U-31266

Dear Mr. Curton:

This correspondence is in regard to the sundry notice dated June 8, 2005 requesting a change in operator for the referenced wells. As you are well aware, the right to operate the referenced wells is a matter that is being disputed between Thurston Energy Operating Company, LLC (Thurston) and Dark Horse Exploration Inc. (Dark Horse). On June 24, 2005 this office received a letter from Dark Horse stating that they were opposed to the operator change. After a review by this office, it has been determined that the leases are owned equally by Thurston and Dark Horse.

In Harrison, Thomas D. 150 IBLA 001 (1999) the Interior Board of Land Appeals ruled that

"It is the Authorized Officers responsibility "to approve, inspect and regulate" onshore oil and gas operations with a view to "maximum ultimate recovery of oil and gas ..." 43 CFR 3161.2. When, as here, ownership of the lease is equally held, BLM has discretion to choose an operator that it deems best able to conduct operations in conformance with this policy".

After a review of the current conditions and statuses of the wells, and the status of OGRE reports submitted to the Minerals Management Service, the Authorized Officer has determined that a change of operator from Dark Horse to Thurston would best meet the objectives outlined in 43 CFR 3161.2

Effective immediately, Thurston Energy Operating Company, LLC is responsible for all operations performed on the referenced wells. All liability, will now fall under your bond, BLM Bond No. UTB000181, for all operations conducted on the referenced wells on the leased land.

Our records show that a right-of-way, UTU-71248 has been issued for the off lease portion of the pipeline to the subject well. Thurston Energy Operating Company, LLC to obtain the Bureau of Land Management's approval for the use of this right-of-way, you must have this right-of-way assigned over to Thurston Energy Operating Company, LLC. Please contact Cindy McKee at 435-781-4434 for instructions on how to complete the assignment of the right-of-way.

If you have any other questions concerning this matter, please contact Kirk Fleetwood of this office at (435) 781-4486.

Sincerely,

Howard B. Cleavinger II AFM Mineral Resources

CC:

UDOGM

Dark Horse Exploration Inc.

OPERATOR CHANGE WORKSHEET

| _] | ROUTING | ÷ |
|----|---------|---|
| | l. DJJ | |

2. CDW

X Change of Operator (Well Sold)

The operator of the well(s) listed below has changed, effective:

Designation of Agent/Operator

6/15/2005

Operator Name Change

Merger

| FROM: (Old Operator): | | | | TO: (New Operator): | | | | |
|--|----------|--------------|--------|----------------------|--|-------------------|--------------|--------------|
| N2330-Dark Horse Exploration Inc | | | | N2790-Thurst | | perating Co | LLC | |
| (via BLM 43 CFR 3161.2) | | | | PO Bo | •• | | | |
| PO Box 2153 | | | | Verna | l, UT 84078 | | | |
| Evanston, WY 82931-2153 | | | | | | | | |
| Phone: 1-(307) 789-1052 | | | | Phone: 1-(435) | 789-2653 | | | |
| CA No | 0. | | | Unit: | | | | |
| WELL(S) | | | | | | | | |
| NAME | SEC | TWN | RNG | API NO | ENTITY | LEASE | WELL | WELL |
| | | | | | | TYPE | TYPE | STATUS |
| DEVILS PLAYGROUND 41-9 | 09 | | | 4304730339 | | Federal | GW | S |
| DEVILS PLAYGROUND 23-17 | 17 | | | 4304730568 | | Federal | GW | S |
| RED WASH FED 1-18 | 18 | | | 4304730124 | | Federal | GW | S |
| DIRTY DEVIL FEDERAL 23-20 | 20 | 090S | 240E | 4304731009 | 10698 | Federal | GW | S |
| | 4 | | | | _ | | + | |
| | | + | | | | | - | |
| | _ | | | | | | | |
| | | +- | ļ | | | | | |
| | | | ļ | | | | - | |
| | + | ┼── | | | | | | |
| | | + | - | | | | + | |
| | +- | + | | | 1 | | | |
| | 1 | 1 | - | | | t | | |
| | 1 | | 1 | | | | | |
| | | | | | | <u> </u> | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | <u> </u> | | | <u> </u> |
| OPERATOR CHANGES DOCUMEN Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation 2. (R649-8-10) Sundry or legal documentation | was re | ceived t | | | | See Note 6/14/200 | <u>5</u> | |
| 3. The new company was checked on the Depa | rtmen | t of Co | mmerce | e, Division of C | Corporation | s Database | on: | 6/7/2005 |
| 4. Is the new operator registered in the State of | | | | Business Num | | 5917957-01 | | |
| 5. If NO, the operator was contacted contacted | | | | - | | | _ | |
| 6a. (R649-9-2)Waste Management Plan has been | ı receiv | ed on: | | | requested | 1 7/29/05 | | |
| 6b. Inspections of LA PA state/fee well sites cor | nplete | on: | | n/a | _ | | | |

| 7. | Federal and Indian Lease Wells: The BLM and or the or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or Indian leases or operator change for all wells listed on Federal or operator change for all wells listed on Federal or operator change for the Indian lease of th | | yed the merger, name change, BLM 7/25/2005 BIA n/a |
|------------|--|---------------------|--|
| 8. | Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for | or wells listed on: | 7/25/2005 |
| 9. | Federal and Indian Communization Agreements ('The BLM or BIA has approved the operator for all wells listed to | • | n/a |
| 10 | . Underground Injection Control ("UIC") The D Inject, for the enhanced/secondary recovery unit/project for the w | | ved UIC Form 5, Transfer of Authority to (s) listed on: |
| D 2 | ATA ENTRY: Changes entered in the Oil and Gas Database on: | 7/29/2005 | |
| 2. | Changes have been entered on the Monthly Operator Change Sp | pread Sheet on: | 7/29/2005 |
| 3. | Bond information entered in RBDMS on: | n/a | • |
| 4. | Fee/State wells attached to bond in RBDMS on: | n/a | |
| 5. | Injection Projects to new operator in RBDMS on: | n/a | |
| 6. | Receipt of Acceptance of Drilling Procedures for APD/New on: | | n/a |
| FI 1. | EDERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number: | UTB000181 | |
| IN 1. | IDIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number: | n/a | |
| | EE & STATE WELL(S) BOND VERIFICATION: (R649-3-1) The NEW operator of any fee well(s) listed covered by | y Bond Number | n/a |
| 2. | The FORMER operator has requested a release of liability from the Division sent response by letter on: | neir bond on: | n/a |
| | EASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been cor of their responsibility to notify all interest owners of this change or | | ed by a letter from the Division n/a |
| Bl | DMMENTS: M approved operator change per rule 43 CFR 3161.2 "After a sees are owned equally by Thurston and Dark Horse. When, is discretion to choose an operator that it deems best able to a | as here, owners | ship of the lease is equally held, BLM |
| _ | | | |
| | | | |

| FORM 3160-5 (June 1990) | DEPARTM I | ED STATES OF THE INTERIOR AND MANAGEMENT | FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993 |
|----------------------------|--|---|---|
| | | | 5. Lease Designation and Serial No. |
| | SUNDRY NOTICES AND REPO | | UTU-31266 |
| Do not us | se this form for proposals to drill or to Use "APPLICATION FOR PERI | deepen or reenter a different reservoir. MIT -" for such proposals | 6. If Indian, Allottee or Tribe Name |
| | OUDMIT IN TO | UDI IOATE | 7. If Unit or CA, Agreement Designation |
| | SUBMIT IN TR | IPLICATE | na |
| 1. Type of We | II . | | 8. Weil Name and No. |
| Oil | Gas | | |
| Well | X Well Other | 1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1 | Dirty Devil No. 23-20 |
| | | Ey | 9. API Well No. |
| 2. Name of Op | erator Thurston Energy Operating | Company LLC | 43-047-31009 |
| 3 Address and | Thurston Energy Operating Telephone No. | Company, LLC | 10. Field and Pool, or Exploratory Area |
| J. Addiess and | PO Box 240, Vernal, UT 84078 | ; (435) 789-2653 | 11. County or Parish, State |
| 4. Location of | Well (Footage, Sec., T., R., M., or Survey | | |
| T9S, R24 | | | Uintah Utah |
| | 0: SW 1/4, NE 1/4 | | |
| 12. | | OX(es) TO INDICATE NATURE OF NOTIC | E, REPORT, OR OTHER DATA OF ACTION |
| | TYPE OF SUBMISSION | ITE | OFACTION |
| | X Notice of Intent | Abandonment | Change of Plans |
| | | Recompletion | New Construction |
| | Subsequent Report | Plugging Back | Non-Routine Fracturing |
| | | Casing Repair | Water Shut-Off |
| | Final Abandonment Notice | Altering Casing | Conversion to Injection |
| | | x Other Change of operator | Dispose Water |
| | | (Note: Report results of multiple co | · · |
| 12 Describe D | transport of Completed Operations (Clearly | Completion or Recompletion Report | rt and Log form.) ates, including estimated date of starting any proposed |
| | | ations and measured and true vertical depths fo | |
| Section 2 | | ast, Uintah County, Utah; and is respor | erations of the Dirty Devil #23-20, SWNE nsible under the terms and conditions of |
| | | | Land and band. Due to commutes problems |
| | • | •• • • • • • | I and gas bond. Due to computer problems |
| | | | bond is in place and can be confirmed by |
| the attach | ed approval statement or by conta | acting the State Office. | wide Bond #UTB-000181 |
| 14. I hereby | certify that the foregoing is true a | hd correct | |
| Signed | Lefther. | /// Title President | Date 6/8/2005 |
| (This space Approved by | for Earlera Lory State of fice use) | Petroleum Engineer | Date 7/25105 |
| Conditions of | of approval, if any: | | |
| Title 18 U.S.C | . Section 1001, makes it a crime for any person I | knowingly and willfully to make to any department or age | ency of the United States andy false, fictitious or fraudulent |
| statements or | representations as to any mater within its jurisdic | | RECEIVED |
| 4 | | *See Instructions on Reverse Side | AUG 1 1 2007 |

AUG 1 1 2005

THURSTON ENERGY OPERATING COMPANY, LLC

SELF-CERTIFICATION STATEMENT

The following self-certification statement is provided per Federal requirements dated June 15, 1988.

Please be advised that Thurston Energy Operating Company, LLC are considered to be the operator of the following well.

Dirty Devil No. 23-20 SW ¼, NE ¼, Section 20, T9S, R24E Lease UTU-31266 Uintah County, Utah

Thurston Energy Operating Company, LLC is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage is provided by Thurston Energy Operating Company's statewide oil and gas bond. Due to computer problems at the State BLM Office, a bond number has not been assigned to the operator. A bond is in place and can be confirmed by the attached approval statement or by contacting the State Office.

Ralph Curton

President

Thurston Energy Operating Company, LLC

PO Box 240

Vernal, UT 84078

(214) 704-3896 Cell

(214) 849-5501 Fax

rcurton@att.net



United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov

IN REPLY REFER TO: 3104 (U-922)

DECISION

Obligors:

Thurston Energy, LLC
Thurston Energy Operating Company, LLC
Co-Principal
2700 Patriot Boulevard, Suite 150

Glenview, IL 60026

Financial Institution:
Zions First National Bank
3 West Main
Vernal, Utah 84078

Bond Amount: \$25,000

Bond Type: Statewide Oil and Gas

BLM Bond No.: Separate Cover

Statewide Oil and Gas Personel Bond and Certificate of Deposit Accepted

On May 23, 2005, our office received executed Bond Form 3000-4 together with a Time Deposit Account, Receipt No. 0269434502, in the amount of \$25,000 to secure a statewide oil and gas bond for the above obligors.

The Time Deposit will be retained by the Bureau of Land Management (BLM) and will automatically renew annually until all the terms and conditions of your Federal leases have been fulfilled or until a satisfactory replacement bond is accepted by BLM.

The bond will be maintained by this office. The bond constitutes coverage of all operations conducted by or on behalf of the obligor on Federal leases in the State of Utah. The bond provides coverage to the obligor where that obligor has interest in, and/or responsibility for operations on leases issued under the authority of any of the Acts cited on the bond form. Please note that Federal leases do not include Indian leases.

If you have any questions, please contact Connic Scare at (801) 539-4111.

Terry L. Catlin

Acting Chief, Branch of Fluid Minerals

THURSTON ENERGY OPERATING COMPANY P. O. Box 240 Vernal, Utah 84078

November 8, 2005

T 095 R24E 5-20 43-047-31009

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114-5801

ATTN: Carol Daniels

Carol,

Please find enclosed the following logs.

Dirty Devil 11-29
Formation Evaluation for Stimulation
Dirty Devil 23-20
Formation Evaluation for Stimulation

Thermal Multigate Decay Lithology

Dirty Devil 31-15a

Formation Evaluation for Stimulation
Thermal Multigate Decay Lithology

These logs are being submitted to bring Thurston Energy Operating Company into compliance with State of Utah regulations. Please advise if there is further information that you require.

Sincerely,

Will Curton

Consultant

RECEIVED

NOV 0 9 2005

DIV. OF OIL, GAS & MINING



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

April 6, 2010

Certified Mail No.: 7004 1160 0003 0190 3959

Mr. Tom S. Salk Thurston Energy Operating 4925 Greenville Avenue, Suite 900 Dallas, TX 75206

43 047 31009 Dirty Devil Fed 95 24E 20

Subject: Royalty Owner Complaint

Dear Mr. Salk:

As you are well aware, Mr. Garr Roberts filed a complaint with the Utah Division of Oil, Gas and Mining (the Division) on February 16, 2010, against Thurston Energy Operating (Thurston) for royalty payments he is due for production from the Red Wash 1-18, Devils Playground 41-9, Devils Playground 23-17, Dirty Devil Federal 23-20 and Dirty Devil Unit wells for the years 2005 and 2006.

A search of Division records verified Thurston reported production and <u>sales</u> for these wells for the subject time period.

I spoke with you regarding this matter on February 22, 2010. At your request, I sent you an e-mail detailing the complaint that also included a contact number for Mr. Roberts. The Division requested in the e-mail that Thurston resolve this royalty matter with Mr. Roberts.

I re-discussed this matter with you on March 23, 2010. You stated, at that time, someone from Thurston would contact Mr. Roberts to resolve this matter. In addition, you stated there were funds in suspense from the sales in 2005 and 2006.

Thurston is required by Utah Statute that oil and gas proceeds derived from the sale of production from any well producing oil or gas in the state shall be paid to any person legally entitled (40-6-9(1)(a)) and the payment shall be made directly to the person entitled to the payment by the payor (40-6-9(b)). Also, if accrued payments cannot be made within specified



Page 2 Thurston Energy Operating – Royalty Complaint April 6, 2010

time limits the payor shall deposit all oil and gas proceeds credited to the eventual oil and gas owner to an escrow account in a federally insured bank or savings and loan institution using a standard escrow document form (40-6-9(b)(i)) and the deposit shall earn interest at the highest rate being offered by that institution for the amount and term of similar demand deposits (40-6-9(b)(ii)).

As of today, Thurston has still not contacted Mr. Roberts to make a good faith effort to resolve his royalty complaint. I recommend Thurston contact Mr. Roberts as soon as possible to resolve this matter before the Division is forced to take further action.

Should you need assistance from the Division regarding this matter feel free to contact me at 801-538-5280 or clintondworshak@utah.gov.

Sincerely,

Clinton Dworshak

Compliance Manager

Clientes & Dwashal

CLD/js

cc: Mr. Garr Roberts Enforcement File Well Files

N:\O&G Reviewed Docs\ChronFile\Enforcement

Division of Oil, Gas and Mining

Operator Change/Name Change Worksheet-for State use only

Effective Date:

9/10/2014

| FORMER OPERATOR: | NEW OPERATOR: | |
|-----------------------------------|----------------------------------|--|
| Thurston Energy Operating Company | Shiny One Operating Company, LLC | |
| P.O. Box 1667 | P.O. Box 1667 | |
| Vernal, UT 84078 | Vernal, UT 84078 | |
| | | |
| | | |
| CA Number(s): | Unit(s): | |

WELL INFORMATION:

| Well Name | Sec | TWN | RNG | API | Entity | Mineral | Surface | Туре | Status |
|-------------------|-----|-----|-----|-----|--------|---------|---------|------|--------|
| See attached list | | | | | | | | | |

OPERATOR CHANGES DOCUMENTATION:

1. Sundry or legal documentation was received from the **FORMER** operator on:

12/10/2014

2. Sundry or legal documentation was received from the **NEW** operator on:

12/10/2015

3. New operator Division of Corporations Business Number:

5917957-0161

REVIEW:

1. Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on:

N/A

2. Receipt of Acceptance of Drilling Procedures for APD on:

N/A

3. Reports current for Production/Disposition & Sundries:

1/4/2015

4. OPS/SI/TA well(s) reviewed for full cost bonding:

1/4/2015

5. UIC5 on all disposal/injection/storage well(s) approved on:

N/A

6. Surface Facility(s) included in operator change:

N/A

7. Inspections of PA state/fee well sites complete on (only upon operators request):

N/A

NEW OPERATOR BOND VERIFICATION:

1. Federal well(s) covered by Bond Number:

UTB000181

2. Indian well(s) covered by Bond Number:

3.State/fee well(s) covered by Bond Number(s):

579-146262-4

579-146263-2 579-146264-0

3/9-140204-0

579-146265-7

DATA ENTRY:

| 1. Well(s) update in the OGIS on: | 1/4/2015 |
|--|----------|
| 2. Entity Number(s) updated in OGIS on: | 1/4/2015 |
| 3. Unit(s) operator number update in OGIS on: | N/A |
| 4. Surface Facilities update in OGIS on: | N/A |
| 5. State/Fee well(s) attached to bond(s) in RBDMS on: | 1/4/2015 |
| 6. Surface Facilities update in RBDMS on: | N/A |

LEASE INTEREST OWNER NOTIFICATION:

1. The **NEW** operator of the Fee (Mineral) wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:

1/4/2015

COMMENTS:

From: Thurston Energy Operating N2790 To: Shiny One Operating Company, LLC N4185

Effective 10 September 2014

| Well Name | Section | TWN | RNG | API | Entity | Mineral | Surface | Туре | Status |
|---------------------------|---------|------|------|------------|--------|---------|---------|------|--------|
| RED WASH FED 1-18 | 18 | 090S | 240E | 4304730124 | 6200 | Federal | Federal | GW | P |
| DEVILS PLAYGROUND 41-9 | 9 | 090S | 240E | 4304730339 | 6195 | Federal | Federal | OW | P |
| DIRTY DEVIL FEDERAL 23-20 | 20 | 090S | 240E | 4304731009 | 10698 | Federal | Federal | GW | P |
| DIRTY DEVIL 22X-27 | 27 | 0908 | 240E | 4304734825 | 15109 | Federal | Federal | GW | P |
| THURSTON 7-9-9-24 GR | 9 | 090S | 240E | 4304740625 | 17771 | Federal | Federal | OW | P |
| THURSTON 10-15-9-24 | 15 | 090S | 240E | 4304740626 | 17773 | State | Federal | GW | P |
| THURSTON 12-29-9-24 | 29 | 090S | 240E | 4304740628 | 18119 | State | Federal | GW | P |
| THURSTON 8-9-9-24 | 9 | 090S | 240E | 4304751428 | 18135 | Federal | Federal | OW | P |
| DEVILS PLAYGROUND 23-17 | 17 | 090S | 240E | 4304730568 | 6136 | Federal | Federal | GW | S |
| DIRTY DEVIL UNIT 11-29 | 29 | 090S | 240E | 4304731617 | 9586 | State | Fee | GW | S |
| THURSTON 5-15-9-24 | 15 | 090S | 240E | 4304740627 | 17772 | State | Federal | GW | S |

1 1/4/2016

Delaware The First State PAGE 1 RAMINION OF COLUMN PAGE 1 RAMINION O



I, JEFFREY W. BULLOCK, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "THURSTON ENERGY OPERATING COMPANY, LLC", CHANGING ITS NAME FROM "THURSTON ENERGY OPERATING COMPANY, LLC" TO "SHINY ONE OPERATING COMPANY, LLC", FILED IN THIS OFFICE ON THE TWENTY-FIRST DAY OF AUGUST, A.D. 2014, AT 3:24 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF AMENDMENT IS THE TENTH DAY OF SEPTEMBER, A.D. 2014.

3972888 8100

141350778

Jeffrey W. Bullock, Secretary of State AUTHENTACATION: 1824738

DATE: 10-30-14

You may verify this certificate online at corp.delaware.gov/authver.shtml

State of Delaware
Secretary of State
Division of Corporations
Delivered 03:24 FM 08/21/2014
FILED 03:24 PM 08/21/2014
SRV 141097114 - 3972888 FILE

STATE OF DELAWARE CERTIFICATE OF AMENDMENT

| Name of Limited Liability Company: Thurston Energy Company, LLC The Certificate of Formation of the limited liability compas follows: The name of Thurston Energy Operating of Shall be changed to Shiny One Operating to be effective September 10,2014. | eany is hereby amend |
|---|-------------------------|
| as follows: The name of Thurston Energy Operating of shall be changed to Shiny One Operating | Company, LLC |
| as follows: The name of Thurston Energy Operating of shall be changed to Shiny One Operating | Company, LLC |
| shall be changed to Shiny One Operating | |
| | |
| | |
| | |
| IN WITNESS WHEREOF, the undersigned have execut | ted this Certificate or |
| the 20 day of August | , A.D. 2014 . |

FORM 9 STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: **SUNDRY NOTICES AND REPORTS ON WELLS** 7. UNIT OF CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL 8. WELL NAME and NUMBER: OIL WELL GAS WELL OTHER Dirty Devil Federal 23.20 2. NAME OF OPERATOR: Compan 4 4.305 Et 3. ADDRESS OF OPERATOR: 10. FIELD AND POOL, OR WILDCAT: 4. LOCATION OF WELL COUNTY WINT 49H FOOTAGES AT SURFACE: OTR/OTR, SECTION, TOWNSHIP, RANGE MERIDIAN: STATE: **UTAH** 20 · 0905 · 240 Q · 10698 · FUDURAL CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 11. TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start CASING REPAIR **NEW CONSTRUCTION** TEMPORARILY ABANDON CHANGE TO PREVIOUS PLANS TUBING REPAIR **OPERATOR CHANGE** CHANGE TUBING PLUG AND ABANDON VENT OR FLARE SUBSEQUENT REPORT CHANGE WELL NAME WATER DISPOSAL PLUG BACK (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. effective 9.10.14 Thurston Energy operating company shall be known one operating company. IIC RECEIVED 000 1 2014 Dist of Cit Gas * Minima Managor TITLE AGGISTANT NAME (PLEASE PRINT) SIGNATURE

(This space for State use only)

JAN 0 4 2016

AV. OIL GAS & MINING